

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION TACAN STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: GORKE/ 1.20 DME							
CCC VOR/DME		FAIRI/7.00 DME		102.53 / 11.81				2000		CLIMB TO 2000 ON FOK TACAN R-243 TO PICAR/7.00 DME THEN ARC CCW TO FAIRI/7.00 DME AND HOLD.							
HTO VORTAC		FAIRI/7.00 DME		287.13 / 10.15				2000									
										ADDITIONAL FLIGHT DATA: CHART FAS OBST: 350 TOWER 405210N/0723435W CHART 106-A. CHART 106-B. CHART VDP AT 2.80 DME; DISTANCE VDP TO THLD 1.60 MILES. FAIRI TO RW24: 3.06/55. FAC CROSSES RWY C/L EXTENDED 4013 FROM THLD.							
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD NE FAIRI, RT, 229.99 INBOUND, 2000 FT. IN LIEU OF PT (IAF) 3. FAC <u>229.99</u> FAF FAIRI/7.00 DME <u> </u> DIST FAF TO MAP <u> </u> THLD <u>5.79</u> 4. MIN. ALT FAIRI 2000 8. MSA FROM: FOK TACAN 1900, ESA W/IN 100 NM 5300														MAG VAR: 13W		EPOCH YEAR: 1980	
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		X							
CATEGORY =====>		A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA		
S-24	660	1/2	594	660	1/2	594	660	1 1/4	594	660	1 1/4	594					
CIRCLING	660	1	594	660	1	594	660	1 3/4	594	700	2	634					
NOTES: CHART NOTE: CIRCLING TO RWY 15 AND RWY 19 NA AT NIGHT. CHART NOTE: VDP NA WITH SHIRLEY ALTIMETER SETTING. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SHIRLEY ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET AND S-24 CATS C/D VISIBILITY TO 1 3/8 MILES AND CIRCLING CAT D VISIBILITY TO 2 1/4 MILES. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.																	
CITY AND STATE		ELEVATION: 66		THRE: 66		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP					
WESTHAMPTON BEACH, NY		AIRPORT NAME:		FRANCIS S GABRESKI		FOK		TACAN RWY 24, ORIG				AMDT NONE					
								31 MAY 2012				DATE					