

# U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION

## GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5.STL	FOUR	27 JUN 13	31 MAR 2016

**TYPE:** SID

### DP ROUTE DESCRIPTION:

**DEPARTING LAMBERT-ST LOUIS INTL:** CLIMB ON ASSIGNED HEADING FOR VECTOR TO APPROPRIATE ROUTE.

**TURBOJET AIRCRAFT:** MAINTAIN 5000 OR ASSIGNED ALTITUDE, THENCE... **ALL OTHERS:** MAINTAIN 3000 OR ASSIGNED ALTITUDE, THENCE...

**DEPARTING SPIRIT OF ST LOUIS:** CLIMB ON ASSIGNED HEADING FOR VECTOR TO APPROPRIATE ROUTE. MAINTAIN 3000 OR ASSIGNED ALTITUDE, THENCE...

**DEPARTING ST LOUIS RGNL:** CLIMB ON ASSIGNED HEADING FOR VECTOR TO APPROPRIATE ROUTE. MAINTAIN 2500 OR ASSIGNED ALTITUDE, THENCE...

**DEPARTING SCOTT AFB/MIDAMERICA:** CLIMB ON ASSIGNED HEADING FOR VECTOR TO APPROPRIATE ROUTE. MAINTAIN 3000 OR ASSIGNED ALTITUDE, THENCE...

### **DEPARTING ST LOUIS DOWNTOWN:**

**RWY 5:** CLIMB HEADING 046.95 TO 900 BEFORE TURNING LEFT, THEN CLIMB AND MAINTAIN 2500 OR ASSIGNED ALTITUDE. EXPECT VECTOR TO APPROPRIATE ROUTE, THENCE...

**RWY 12L, 12R:** CLIMB HEADING 122.22 TO 1000 BEFORE TURNING LEFT, THEN CLIMB AND MAINTAIN 2500 OR ASSIGNED ALTITUDE. EXPECT VECTOR TO APPROPRIATE ROUTE, THENCE...

**RWY 23:** CLIMB HEADING 226.96 TO 2000 BEFORE TURNING, THEN CLIMB AND MAINTAIN 2500 OR ASSIGNED ALTITUDE. EXPECT VECTOR TO APPROPRIATE ROUTE, THENCE...

**RWY 30L, 30R:** CLIMB HEADING 302.23 TO 1600 BEFORE TURNING, THEN CLIMB AND MAINTAIN 2500 OR ASSIGNED ALTITUDE. EXPECT VECTOR TO APPROPRIATE ROUTE, THENCE...

...(TRANSITION). EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

### TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
LITTLE ROCK	LINDY5.LIT	STL VORTAC	SAGZA	197.60 (STL R-198)	40.00	3000	2200	
		SAGZA	TWRAY	197.60 (STL R-198)	39.56	11000	2700	
		TWRAY	LIT VORTAC	197.60 & 192.58 (STL 4-198 & LIT R-013)	184.11	FL180	2600	
MALDEN	LINDY5.MAW	STL VORTAC	SAJOY	184.00 (STL R-184)	40.00	3100		
		SAJOY	MYERZ	184.00 (STL R-184)	60.00	14000	3300	
		MYERZ	MAW VORTAC	133.54 (MAW R-314)	52.90	14000	2700	

QUALITY  
17  
CHECKED

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name		Number		DP Computer Code		Superseded Number		Dated	Effective Date
LINDBERGH		FIVE		LINDY5.STL		FOUR		27 JUN 13	31 MAR 2016
MAPLES	LINDY5.MAP	STL VORTAC	SAGME	214.00 (STL R-214)	40.00	3000	2200		
		SAGME	WESCO	214.00 (STL R-214)	21.24	8000	2500		
		WESCO	MAP VORTAC	220.00 (MAP R-040)	37.26	8000	2800		
MYERZ	LINDY5.MYERZ	STL VORTAC	SAJOY	184.00 (STL R-184)	40.00	3100			
		SAJOY	MYERZ	184.00 (STL R-184)	60.00	14000	3300		
VICHY	LINDY5.VIH	STL VORTAC	KLAIR	229.00 (ST R-229)	41.73	3000	2300		
		KLAIR	VIH VOR/DME	233.00 (VIH R-053)	30.07	8000	2300		
WALNUT RIDGE	LINDY5.ARG	STL VORTAC	SAJOY	184.00 (STL R-184)	40.00	3100			
		SAJOY	MYERZ	184.00 (STL R-184)	60.00	14000	3300		
		MYERZ	ARG VORTAC	188.01 (ARG R-008)	66.70	14000	2700		

**PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:**

**NOTE:** CHART: DME AND RADAR REQUIRED.

**LAMBERT-ST LOUIS INTL: RWY 6, 12L, 12R, 24, 29, STANDARD.**

**RWY 11, 200-1 OR STANDARD WITH MINIMUM CLIMB OF 407 FT PER NM TO 900.**

**RWY 30L, 200-1 OR STANDARD WITH MINIMUM CLIMB OF 241 FT PER NM TO 800.**

**RWY 30R, 200-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 322 FT PER NM TO 900.**

**SPIRIT OF ST LOUIS: RWY 8L, 26R, STANDARD.**

**RWY 8R, 200-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 238 FT PER NM TO 700.**

**RWY 26L, 200-2 OR STANDARD WITH MINIMUM CLIMB OF 231 FT PER NM TO 900.**

**ST LOUIS RGNL: RWY 11, 17, 29, 35, STANDARD.**

**SCOTT AFB/ MIDAMERICA: RWY 14L, 14R, 32R, STANDARD.**

**RWY 32L, 300-1 1/2 OR STANDARD WITH MINIMUM CLIMB OF 250 FT PER NM TO 800.**

**ST LOUIS DOWNTOWN: RWY 12L, 12R, 23, 30R, STANDARD.**

**RWY 5, 200-1 1/4 OR STANDARD WITH MINIMUM CLIMB OF 343 FT PER NM TO 700.**

**RWY 30L, 400-2 1/2 OR STANDARD WITH MINIMUM CLIMB OF 220 FT PER NM TO 900, OR ALTERNATIVELY, WITH STANDARD TAKEOFF MINIMUMS AND A NORMAL 200 FT PER NM CLIMB GRADIENT, TAKEOFF MUST OCCUR NO LATER THAN 2100 FT PRIOR TO DER.**



**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5.STL	FOUR	27 JUN 13	31 MAR 2016

**TAKEOFF OBSTACLES NOTES:**

**LAMBERT-ST LOUIS INTL:**

**NOTE: RWY 6,** RAILROAD 578 FT FROM DER, 620 FT LEFT OF CENTERLINE, 23 FT AGL/557 FT MSL. OBSTRUCTION LIGHT ON LDA AND ANTENNA ON BUILDING 1038 FT FROM DER, 706 FT RIGHT OF CENTERLINE, 30 FT AGL/598 FT MSL.

**NOTE: RWY 11,** MULTIPLE SIGNS, TREES, TOWERS, AND BUILDINGS BEGINNING 2348 FT FROM DER, 205 FT LEFT OF CENTERLINE, UP TO 219 FT AGL/774 FT MSL. MULTIPLE SIGNS, TREES, TOWERS, AND BUILDINGS BEGINNING 2363 FT FROM DER, 489 FT RIGHT OF CENTERLINE, UP TO 114 FT AGL/694 FT MSL. **RWY 12L,** TREE 1331 FT FROM DER, 667 FT RIGHT OF CENTERLINE, 75 FT AGL/654 FT MSL.

**NOTE: RWY 12R,** TRAFFIC SIGNAL AND SIGN BEGINNING 1413 FT FROM DER, 702 FT RIGHT OF CENTERLINE, UP TO 17 FT AGL/672 FT MSL. TREE 1930 FT FROM DER, 372 FT LEFT OF CENTERLINE, 67 FT AGL/636 FT MSL.

**NOTE: RWY 30L,** MULTIPLE TREES, POLES, AND ROADS BEGINNING 906 FT FROM DER, 600 FT LEFT OF CENTERLINE, UP TO 84 FT AGL/663 FT MSL. OBSTRUCTION LIGHT ON LOC 614 FT FROM DER, ON CENTERLINE, 9 FT AGL/558 FT MSL. MULTIPLE TREES, POLES, ROADS, TERRAIN, AND BUILDINGS BEGINNING 283 FT FROM DER, 185 FT RIGHT OF CENTERLINE, UP TO 65 FT AGL/684 FT MSL.

**NOTE: RWY 30R,** OBSTRUCTION LIGHT ON GS 1895 FT FROM DER, 899 FT LEFT OF CENTERLINE, 28 FT AGL/587 FT MSL. MULTIPLE OBSTRUCTION LIGHT ON BUILDINGS, TREES, AND ELECTRICAL SYSTEM BEGINNING 2039 FT FROM DER, 387 FT RIGHT OF CENTERLINE, UP TO 81 FT AGL/670 FT MSL.

**SPIRIT OF ST LOUIS:**

**NOTE: RWY 8L,** FENCE 46 FT FROM DER, 338 FT RIGHT OF CENTERLINE, 8 FT AGL/465 FT MSL. BUILDING 174 FT FROM DER, 498 FT RIGHT OF CENTERLINE, 38 FT AGL/495 FT MSL. TREE 383 FT FROM DER, 426 FT RIGHT OF CENTERLINE, 31 FT AGL/488 FT MSL. OL ON POLE 1215 FT FROM DER, 96 FT RIGHT OF CENTERLINE, 43 FT AGL/496 FT MSL. MULTIPLE POLES BEGINNING 1202 FT FROM DER, 231 FT RIGHT OF CENTERLINE, UP TO 48 FT AGL/498 FT MSL. TREES BEGINNING 1245 FT FROM DER, 52 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/533 FT MSL. TREES BEGINNING 1229 FT FROM DER, 95 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/516 FT MSL.

**NOTE: RWY 8R,** ANTENNA 263 FT FROM DER, 557 FT LEFT OF CENTERLINE, 40 FT AGL/487 FT MSL. RAILROAD CAR 752 FT FROM DER, 19 FT LEFT OF CENTERLINE, 23 FT AGL/482 FT MSL. ANTENNA ON BUILDING 142 FT FROM DER, 241 FT LEFT OF CENTERLINE, 8 FT AGL/470 FT MSL. TREES 5357 FT FROM DER, 1793 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/626 FT MSL.

**NOTE: RWY 26L,** TREE 2240 FT FROM DER, 508 FT RIGHT OF CENTERLINE, 58 FT AGL/521 FT MSL. TREE 1.7 NM FROM DER, 2670 FT LEFT OF CENTERLINE, 100 FT AGL/759 FT MSL.

**NOTE: RWY 26R,** TREE 33 FT FROM DER, 430 FT RIGHT OF CENTERLINE, UP TO 9 FT AGL/464 FT MSL. MULTIPLE POLES BEGINNING 1269 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 68 FT AGL/518 FT MSL. TREES BEGINNING 1999 FT FROM DER, RIGHT AND LEFT OF CENTERLINE, UP TO 154 FT AGL/601 FT MSL.

**ST LOUIS RGNL:**

**NOTE: RWY 11,** TREE AND POLE BEGINNING 1066 FT FROM DER, 668 FT LEFT OF CENTERLINE, UP TO 76 FT AGL/575 FT MSL. TREE 2822 FT FROM DER, 933 FT RIGHT OF CENTERLINE, 100 FT AGL/629 FT MSL.

**NOTE: RWY 17,** TREES BEGINNING 1063 FT FROM DER, 282 FT LEFT OF CENTERLINE, UP TO 67 FT AGL/606 FT MSL. TREES BEGINNING 1321 FT FROM DER, 115 FT RIGHT OF CENTERLINE, UP TO 100 FT AGL/621 FT MSL.

**NOTE: RWY 29,** TREES AND FLOODLIGHT ON HANGAR BEGINNING 665 FT FROM DER, 472 FT LEFT OF CENTERLINE, UP TO 100 FT AGL/649 FT MSL. TREES BEGINNING 1570 FT FROM DER, 204 FT RIGHT OF CENTERLINE, UP TO 75 FT AGL/604 FT MSL.

QUALITY  
17  
CHECKED

**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5.STL	FOUR	27 JUN 13	31 MAR 2016

**NOTE: RWY 35**, TREES BEGINNING 1286 FT FROM DER, 477 FT LEFT OF CENTERLINE, UP TO 67 FT AGL/ 596 FT MSL.

**SCOTT AFB/MIDAMERICA:**

**NOTE: RWY 32L**, TREE 1.24 NM FROM DER, 2285 FT LEFT OF CENTERLINE, 100 FT AGL/699 FT MSL.

**NOTE: RWY 32R**, TREES BEGINNING 352 FT FROM DER, 198 FT LEFT OF CENTERLINE, UP TO 77 FT AGL/501 FT MSL. TREES BEGINNING 1349 FT FROM DER, 439 FT RIGHT OF CENTERLINE, UP TO 94 FT AGL/516 FT MSL.

**ST LOUIS DOWNTOWN:**

**NOTE: RWY 5**, OBSTRUCTION LIGHT ON TRANSMISSION TOWER 1649 FT FROM DER, 19 FT LEFT OF CENTERLINE, 79 FT AGL/482 FT MSL. TRANSMISSION TOWER 324 FT FROM DER, 79 FT RIGHT OF CENTERLINE, 78 FT AGL/487 FT MSL.

**NOTE: RWY 12L**, TREE 1629 FT FROM DER, 144 FT LEFT OF CENTERLINE, 45 FT AGL/453 FT MSL.

**NOTE: RWY 12R**, TREE 3822 FT FROM DER, 20 FT LEFT OF CENTERLINE, 94 FT AGL/509 FT MSL. TREE 2082 FT FROM DER, 927 FT RIGHT OF CENTERLINE, 69 FT AGL/486 FT MSL.

**NOTE: RWY 23**, MULTIPLE TREES BEGINNING 815 FT FROM DER, 69 FT LEFT OF CENTERLINE, UP TO 56 FT AGL/470 FT MSL. MULTIPLE TREES BEGINNING 740 FT FROM DER, 4 FT RIGHT OF CENTERLINE, UP TO 78 FT AGL/492 FT MSL.

**NOTE: RWY 30L**, MULTIPLE TREES BEGINNING 2510 FT FROM DER, 503 FT LEFT OF CENTERLINE, UP TO 107 FT AGL/521 FT MSL. MULTIPLE TREES BEGINNING 737 FT FROM DER, 32 FT RIGHT OF CENTERLINE, UP TO 99 FT AGL/508 FT MSL.

**CONTROLLING OBSTACLES:**

**LAMBERT-ST LOUIS INTL: RWY 11**, 724 FT MSL ANTENNA ON OL ATCT 384438.85N-0902218.22W, 774 FT MSL ANTENNA ON OL ATCT 384435.63N-0902157.83W.

**RWY 30L**, 697 FT MSL TREE 384537.92N-0902342.99W.

**RWY 30R**, 741 FT MSL OL ON ANTENNA 384547.53N-0902242.62W, 714 FT MSL TREE 384550.55N-0902301.69W.

**SPIRIT OF ST LOUIS: RWY 8R**, 626 FT MSL TREE 383936.62N-0903651.82W, RWY 26L, 759 FT MSL TREE 383841.22N-0904132.85W.

**SCOTT AFB/ MIDAMERICA: RWY 32L**, 699 FT MSL TREE 383345.00N-0895309.00W.

**ST LOUIS DOWNTOWN: RWY 5**, 573 FT MSL TOWER 383506.00N-0900843.00W.

**RWY 12L, 12R**, 883 FT MSL TOWER 383348.00N-0900515.00W,

**RWY 30L**, 772 FT MSL TOWER 383526.00N-0901221.00W.

**OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 5**: 1075 FT MSL ARCH 383729.00N-0901108.00W. **RWY 12L, 12R**: 883 FT MSL TOWER 383348.00N-0900515.00W.

**RWY 23**: 1649 FT MSL TOWER 383450.00N-0901954.00W, 1637 FT MSL TOWER 383147.00N-0901758.00W. **RWY 30L, 30R**: 1649 FT MSL TOWER 383450.00N-0901945.00W.

**LOST COMMUNICATIONS PROCEDURES:**



**U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION**  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5.STL	FOUR	27 JUN 13	31 MAR 2016

**ADDITIONAL FLIGHT DATA:**

CHART: J101, STL VORTAC – LIT VORTAC.

**LAMBERT-ST LOUIS INTL:** CHART: TOP ALTITUDE: (JETS) 5000/(PROPS) 3000**SPIRIT OF ST LOUIS:** CHART: TOP ALTITUDE: (JETS) 3000/(PROPS) 2500**ST LOUIS RGNL:** CHART: TOP ATLITUDE: 2500**SCOTT AFB/MIDAMERICA:** CHART: TOP ATLITUDE: 3000**ST LOUIS DOWNTOWN:** CHART: TOP ATLITUDE: 2500**AIRPORTS SERVED:**LAMBERT-ST LOUIS INTL  
SPIRIT OF ST LOUIS  
ST LOUIS RGNL  
SCOTT AFB/MIDAMERICA  
ST LOUIS DOWNTOWNST. LOUIS, MO  
ST. LOUIS, MO  
ALTON/ST. LOUIS, IL  
BELLEVILLE, IL  
CAHOKIA/ST. LOUIS, IL**COMMUNICATIONS:**

ATIS, CLNC DEL, GND CON, TOWER, DEP CON, CTAF, GND METER.

**FIXES AND/OR NAVAIDS:**

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION  
**GRAPHIC DEPARTURE PROCEDURE (DP)**

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.  
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5.STL	FOUR	27 JUN 13	31 MAR 2016

**REMARKS:**

TREATED AS MINOR AMENDMENT. TABLE TOP FLIGHT INSPECTION REQUESTED.

**CHANGES:**

1. RAISED SPIRIT OF ST LOUIS DEPARTURE ROUTE ALTITUDE FROM "MAINTAIN 2500" TO "MAINTAIN 3000."
2. ADDED TOP ALTITUDES TO ALL AIRPORTS.

**REASONS:**

1. ATC REQUEST/IFP CHECKLIST.
2. ATC REQUEST.



## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016

ARINC SUMMARY - KALN

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ALL	010	STL	IF	FB										VE
ARG	010	STL	IF	FB										V
ARG	020	SAJOY	TF	FB										E
ARG	030	MYERZ	TF	FB										E
ARG	040	ARG	TF	FB										VE
LIT	010	STL	IF	FB										V
LIT	020	SAGZA	TF	FB										E
LIT	030	TWRAY	TF	FB										E
LIT	040	LIT	TF	FB										VE
MAP	010	STL	IF	FB										V
MAP	020	SAGME	TF	FB										E
MAP	030	WESCO	TF	FB										E
MAP	040	MAP	TF	FB										VE
MAW	010	STL	IF	FB										V
MAW	020	SAJOY	TF	FB										E
MAW	030	MYERZ	TF	FB										E
MAW	040	MAW	TF	FB										VE
MYERZ	010	STL	IF	FB										V
MYERZ	020	SAJOY	TF	FB										E
MYERZ	030	MYERZ	TF	FB										EE
VIH	010	STL	IF	FB										V
VIH	020	KLAIR	TF	FB										E
VIH	030	VIH	TF	FB										VE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
ARG	N360636.07	W0905713.30
LIT	N344039.62	W0921049.90
MAP	N373526.76	W0914718.85
MAW	N363318.41	W0895441.12
STL	N385138.48	W0902856.52
VIH	N380914.66	W0914224.38
KLAIR	N382440.35	W0910936.76
MYERZ	N371154.18	W0903950.95
SAGME	N381846.80	W0905805.40
SAGZA	N381340.39	W0904507.98

QUALITY  
15  
CHECKED

**DEPARTURE (DATA RECORD)**

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016
SAJOY	N381145.08	W0903321.85			
TWRAY	N373605.06	W0910052.53			
WESCO	N380116.68	W0911323.76			
RUNWAYS					
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION		
RW11	N385342.86	W0900317.86	00538		
RW17	N385351.50	W0900308.64	00533		
RW29	N385311.12	W0900143.83	00526		
RW35	N385247.69	W0900259.12	00542		

QUALITY  
15  
CHECKED



## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016

ARINC SUMMARY - KBLV

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ALL	010	STL	IF	FB										VE
ARG	010	STL	IF	FB										V
ARG	020	SAJOY	TF	FB										E
ARG	030	MYERZ	TF	FB										E
ARG	040	ARG	TF	FB										VE
LIT	010	STL	IF	FB										V
LIT	020	SAGZA	TF	FB										E
LIT	030	TWRAY	TF	FB										E
LIT	040	LIT	TF	FB										VE
MAP	010	STL	IF	FB										V
MAP	020	SAGME	TF	FB										E
MAP	030	WESCO	TF	FB										E
MAP	040	MAP	TF	FB										VE
MAW	010	STL	IF	FB										V
MAW	020	SAJOY	TF	FB										E
MAW	030	MYERZ	TF	FB										E
MAW	040	MAW	TF	FB										VE
MYERZ	010	STL	IF	FB										V
MYERZ	020	SAJOY	TF	FB										E
MYERZ	030	MYERZ	TF	FB										EE
VIH	010	STL	IF	FB										V
VIH	020	KLAIR	TF	FB										E
VIH	030	VIH	TF	FB										VE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
ARG	N360636.07	W0905713.30
LIT	N344039.62	W0921049.90
MAP	N373526.76	W0914718.85
MAW	N363318.41	W0895441.12
STL	N385138.48	W0902856.52
VIH	N380914.66	W0914224.38
KLAIR	N382440.35	W0910936.76
MYERZ	N371154.18	W0903950.95
SAGME	N381846.80	W0905805.40
SAGZA	N381340.39	W0904507.98

QUALITY  
15  
CHECKED

**DEPARTURE (DATA RECORD)**

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016
SAJOY	N381145.08	W0903321.85			
TWRAY	N373605.06	W0910052.53			
WESCO	N380116.68	W0911323.76			
RUNWAYS					
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION		
RW14L	N383322.31	W0895000.58	00442		
RW14R	N383306.58	W0895142.98	00459		
RW32L	N383210.61	W0895035.45	00437		
RW32R	N383210.54	W0894834.04	00442		

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016

ARINC SUMMARY - KCPS

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
RW05	010		VA	FB		047.0						AA 00900		
RW05	020		VM	FB		047.0								
RW05	030	STL	DF	FB										VE
RW12B	010		VA	FB		122.2						AA 01000		
RW12B	020		VM	FB		122.2								
RW12B	030	STL	DF	FB										VE
RW23	010		VA	FB		227.0						AA 02000		
RW23	020		VM	FB		227.0								
RW23	030	STL	DF	FB										VE
RW30B	010		VA	FB		302.2						AA 01600		
RW30B	020		VM	FB		302.2								
RW30B	030	STL	DF	FB										VE
ARG	010	STL	IF	FB										V
ARG	020	SAJOY	TF	FB										E
ARG	030	MYERZ	TF	FB										E
ARG	040	ARG	TF	FB										VE
LIT	010	STL	IF	FB										V
LIT	020	SAGZA	TF	FB										E
LIT	030	TWRAY	TF	FB										E
LIT	040	LIT	TF	FB										VE
MAP	010	STL	IF	FB										V
MAP	020	SAGME	TF	FB										E
MAP	030	WESCO	TF	FB										E
MAP	040	MAP	TF	FB										VE
MAW	010	STL	IF	FB										V
MAW	020	SAJOY	TF	FB										E
MAW	030	MYERZ	TF	FB										E
MAW	040	MAW	TF	FB										VE
MYERZ	010	STL	IF	FB										V
MYERZ	020	SAJOY	TF	FB										E
MYERZ	030	MYERZ	TF	FB										EE
VIH	010	STL	IF	FB										V
VIH	020	KLAIR	TF	FB										E
VIH	030	VIH	TF	FB										VE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
------------	----------	-----------



## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016

ARG	N360636.07	W0905713.30
LIT	N344039.62	W0921049.90
MAP	N373526.76	W0914718.85
MAW	N363318.41	W0895441.12
STL	N385138.48	W0902856.52
VIH	N380914.66	W0914224.38
KLAIR	N382440.35	W0910936.76
MYERZ	N371154.18	W0903950.95
SAGME	N381846.80	W0905805.40
SAGZA	N381340.39	W0904507.98
SAJOY	N381145.08	W0903321.85
TWRAY	N373605.06	W0910052.53
WESCO	N380116.68	W0911323.76

## RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION
RW05	N383420.48	W0901006.71	00410
RW12L	N383425.59	W0900929.55	00410
RW12R	N383426.41	W0900954.23	00412
RW23	N383439.36	W0900940.96	00409
RW30L	N383349.51	W0900839.65	00408
RW30R	N383357.65	W0900833.09	00407

QUALITY  
15  
CHECKED

## DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016

ARINC SUMMARY - KSTL

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ALL	010	STL	IF	FB										VE
ARG	010	STL	IF	FB										V
ARG	020	SAJOY	TF	FB										E
ARG	030	MYERZ	TF	FB										E
ARG	040	ARG	TF	FB										VE
LIT	010	STL	IF	FB										V
LIT	020	SAGZA	TF	FB										E
LIT	030	TWRAY	TF	FB										E
LIT	040	LIT	TF	FB										VE
MAP	010	STL	IF	FB										V
MAP	020	SAGME	TF	FB										E
MAP	030	WESCO	TF	FB										E
MAP	040	MAP	TF	FB										VE
MAW	010	STL	IF	FB										V
MAW	020	SAJOY	TF	FB										E
MAW	030	MYERZ	TF	FB										E
MAW	040	MAW	TF	FB										VE
MYERZ	010	STL	IF	FB										V
MYERZ	020	SAJOY	TF	FB										E
MYERZ	030	MYERZ	TF	FB										EE
VIH	010	STL	IF	FB										V
VIH	020	KLAIR	TF	FB										E
VIH	030	VIH	TF	FB										VE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
ARG	N360636.07	W0905713.30
LIT	N344039.62	W0921049.90
MAP	N373526.76	W0914718.85
MAW	N363318.41	W0895441.12
STL	N385138.48	W0902856.52
VIH	N380914.66	W0914224.38
KLAIR	N382440.35	W0910936.76
MYERZ	N371154.18	W0903950.95
SAGME	N381846.80	W0905805.40
SAGZA	N381340.39	W0904507.98

QUALITY  
15  
CHECKED

**DEPARTURE (DATA RECORD)**

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016

SAJOY	N381145.08	W0903321.85
TWRAY	N373605.06	W0910052.53
WESCO	N380116.68	W0911323.76

## RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION
RW06	N384448.04	W0902252.43	00551
RW11	N384535.83	W0902435.55	00618
RW12L	N384506.41	W0902158.66	00528
RW12R	N384511.59	W0902239.98	00540
RW24	N384522.38	W0902127.02	00534
RW29	N384448.46	W0902259.39	00556
RW30L	N384417.08	W0902049.42	00583
RW30R	N384418.99	W0902022.51	00605

QUALITY  
15  
CHECKED

# DEPARTURE (DATA RECORD)

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016

ARINC SUMMARY - KSUS

## ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ALL	010	STL	IF	FB										VE
ARG	010	STL	IF	FB										V
ARG	020	SAJOY	TF	FB										E
ARG	030	MYERZ	TF	FB										E
ARG	040	ARG	TF	FB										VE
LIT	010	STL	IF	FB										V
LIT	020	SAGZA	TF	FB										E
LIT	030	TWRAY	TF	FB										E
LIT	040	LIT	TF	FB										VE
MAP	010	STL	IF	FB										V
MAP	020	SAGME	TF	FB										E
MAP	030	WESCO	TF	FB										E
MAP	040	MAP	TF	FB										VE
MAW	010	STL	IF	FB										V
MAW	020	SAJOY	TF	FB										E
MAW	030	MYERZ	TF	FB										E
MAW	040	MAW	TF	FB										VE
MYERZ	010	STL	IF	FB										V
MYERZ	020	SAJOY	TF	FB										E
MYERZ	030	MYERZ	TF	FB										EE
VIH	010	STL	IF	FB										V
VIH	020	KLAIR	TF	FB										E
VIH	030	VIH	TF	FB										VE

## POINTS

POINT NAME	LATITUDE	LONGITUDE
ARG	N360636.07	W0905713.30
LIT	N344039.62	W0921049.90
MAP	N373526.76	W0914718.85
MAW	N363318.41	W0895441.12
STL	N385138.48	W0902856.52
VIH	N380914.66	W0914224.38
KLAIR	N382440.35	W0910936.76
MYERZ	N371154.18	W0903950.95
SAGME	N381846.80	W0905805.40
SAGZA	N381340.39	W0904507.98

QUALITY  
15  
CHECKED

**DEPARTURE (DATA RECORD)**

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
LINDBERGH	FIVE	LINDY5 . STL	FOUR	27 JUN 13	31 MAR 2016
SAJOY	N381145.08	W0903321.85			
TWRAY	N373605.06	W0910052.53			
WESCO	N380116.68	W0911323.76			
RUNWAYS					
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION		
RW08L	N383950.90	W0904005.82	00463		
RW08R	N383927.71	W0903935.09	00461		
RW26L	N383942.01	W0903808.69	00462		
RW26R	N384001.11	W0903904.14	00463		

QUALITY  
15  
CHECKED