

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

TAA

	FROM	TO	ALT
1.	182/30 CW 002/30 (NOPT)	182/20 CW 002/20	3500
2.	182/20 CW 002/20	ZOREL (IF/IAF) (FB)	3000
3.	002/30 CW 182/30	002/20 CW 182/20	3500
4.	002/20 CW 182/20	ZOREL (IF/IAF) (FO)	3000

QUALITY
CHECKED

CITY AND STATE PRATTVILLE, AL	ELEVATION: 225 THRE: 198 AIRPORT NAME: PRATTVILLE - GROUBY FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 31 MAY 2012	SUP:
				AMDT: NONE
				DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	NONE
DATED:	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-8 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ZOREL	ZOREL	010	IAF	HF	R	FO		272.4 (269.4T)	004.0	AA 03000	
		ZOREL	010	FACF	IF		FB				AA 03000	
		JEMER	020	FAF	TF		FB	0.5	272.4 (269.4T)	009.5	AA 02300	
		RW27	030	MAP	TF		FO	0.3	272.3 (269.3T)	006.5	AT 00243	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		272.3 (269.3T)		AA 00625	
	ANWAF	050		DF		FO				AA 03100	
	ANWAF	060		HM	R	FO		092.1 (089.1T)	004.0	AA 03100	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ANWAF	N322608.37	W0864518.01	N3226.140	W08645.300
	JEMER	N322624.92	W0862236.27	N3226.415	W08622.605
	ZOREL	N322631.62	W0861120.06	N3226.527	W08611.334
	RW27	N322619.80	W0863014.16	N3226.330	W08630.236

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW27	00198	45

CITY AND STATE
PRATTVILLE, AL

ELEVATION: 225
 AIRPORT NAME:
 PRATTVILLE - GROUBY FIELD

THRE: 198

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
 RNAV (GPS) RWY 27, ORIG
 31 MAY 2012

SUP:
 AMDT: NONE
 DATED: