

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JOGOR	SEVEN	JOGOR7.JOGOR	SIX	18 SEP 2014	EFF 25 JUNE 2015

TYPE: RNAV SID

DP ROUTE DESCRIPTION:

TAKEOFF RWY 8L: CLIMB HEADING 094.97 TO INTERCEPT COURSE 074.76 TO HRSHL, THEN ON DEPICTED ROUTE TO JOGOR, MAINTAIN 250 KIAS UNTIL KLEGG (ATC), THENCE...

TAKEOFF RWY 8R: CLIMB HEADING 094.97 TO INTERCEPT COURSE 072.49 TO HRSHL, THEN ON DEPICTED ROUTE TO JOGOR, MAINTAIN 250 KIAS UNTIL KLEGG (ATC), THENCE...

TAKEOFF RWY 9L: CLIMB HEADING 094.99 TO INTERCEPT COURSE 114.34 TO GRITZ, THEN ON DEPICTED ROUTE TO JOGOR, MAINTAIN 250 KIAS UNTIL HYZMN (ATC), THENCE...

TAKEOFF RWY 9R: CLIMB HEADING 094.97 TO INTERCEPT COURSE 111.43 TO GRITZ, THEN ON DEPICTED ROUTE TO JOGOR, MAINTAIN 250 KIAS UNTIL HYZMN (ATC), THENCE...

TAKEOFF RWY 10: CLIMB HEADING 094.96 TO INTERCEPT COURSE 105.21 TO GRITZ, THEN ON DEPICTED ROUTE TO JOGOR, MAINTAIN 250 KIAS UNTIL HYZMN (ATC), THENCE...

TAKEOFF RWY 26L: CLIMB HEADING 274.99 TO INTERCEPT COURSE 289.00 TO SNUFY, THEN ON DEPICTED ROUTE TO JOGOR, THENCE...

TAKEOFF RWY 26R: CLIMB HEADING 274.99 TO INTERCEPT COURSE 286.57 TO SNUFY, THEN ON DEPICTED ROUTE TO JOGOR, THENCE...

TAKEOFF RWY 27L: CLIMB HEADING 274.99 TO 1527 MSL, THEN DIRECT SLAWW, THEN ON DEPICTED ROUTE TO JOGOR, THENCE...

TAKEOFF RWY 27R: CLIMB HEADING 275.02 TO 1527 MSL, THEN DIRECT SLAWW, THEN ON DEPICTED ROUTE TO JOGOR, THENCE...

TAKEOFF RWY 28: CLIMB HEADING 274.98 TO INTERCEPT COURSE 249.31 TO WLSON, THEN ON DEPICTED ROUTE TO JOGOR, THENCE...

...MAINTAIN 10,000 (OR REQUESTED ALTITUDE, IF LOWER). EXPECT CLEARANCE TO FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
GARND	JOGOR7.GARND	JOGOR	MAPEE	TRACK 261.57	30.00	14000	4600	
		MAPEE	GARND	TRACK 261.25	15.00	14000	4600	

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: IF UNABLE TO ACCEPT CLIMB RATE, ADVISE ATC ON INITIAL CONTACT.

NOTE: USE DEPARTURE FREQUENCY DEPICTED UNLESS OTHERWISE ASSIGNED.

NOTE: FOR TURBOJETS ONLY.

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: RNAV 1.

NOTE: RADAR REQUIRED FOR NON-GPS EQUIPPED AIRCRAFT.

NOTE: TRANSPONDER CODE WILL BE ISSUED VIA PDC OR ATLANTA CLEARANCE DELIVERY.

NOTE: AIRCRAFT AT MIDFIELD RAMPS WILL ADVISE RAMP TOWERS OF DEPARTURE SID PRIOR TO PUSHBACK. UPON RECEIPT OF ATC CLEARANCE (FROM ATL CLEARANCE DELIVERY), READ BACK ONLY YOUR CALL SIGN AND TRANSPONDER CODE, UNLESS YOU HAVE A QUESTION.

NOTE: ACCELERATE TO 250 KIAS, IF UNABLE, ADVISE ATC.

TAKEOFF MINIMUMS: RWY 8L, 8R, 9L, 9R, 10, 26L, 26R, 27L, 27R, 28, STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 1527.



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JOGOR	SEVEN	JOGOR7.JOGOR	SIX	18 SEP 2014	EFF 25 JUNE 2015

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 8L, TREES BEGINNING 855 FT FROM DER, 533 FT LEFT OF CENTERLINE, UP TO 67 FT AGL/1048 FT MSL.

NOTE: RWY 8R, TREES BEGINNING 345 FT FROM DER, 488 FT LEFT OF CENTERLINE, UP TO 68 FT AGL/1013 FT MSL. TOWER 4815 FT FROM DER, 1636 FT RIGHT OF CENTERLINE, 151 FT AGL/1148 FT MSL.

NOTE: RWY 9L, COMMUNICATION TOWER 4808 FT FROM DER, 1727 FT LEFT OF CENTERLINE, 133 FT AGL/1129 FT MSL. POLE 4806 FT FROM DER, 1731 FT LEFT OF CENTERLINE, 141 FT AGL/1137 FT MSL.

NOTE: RWY 10, POLES BEGINNING 58 FT FROM DER, 468 FT RIGHT OF CENTERLINE, UP TO 41 FT AGL/1016 FT MSL.

NOTE: RWY 26L, POLE AND BUILDINGS BEGINNING 1247 FT FROM DER, 751 FT LEFT OF CENTERLINE, UP TO 66 FT AGL/1079 FT MSL. TREES BEGINNING 2797 FT FROM DER, 469 FT LEFT OF CENTERLINE, UP TO 70 FT AGL/1103 FT MSL.

NOTE: RWY 26R, POLE 531 FT FROM DER, 619 FT RIGHT OF CENTERLINE, 36 FT AGL/1032 FT MSL. POLE AND TREES BEGINNING 1749 FT FROM DER, 121 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/1099 FT MSL. TREES BEGINNING 1988 FT FROM DER, 61 FT LEFT OF CENTERLINE, UP TO 59 FT AGL/1097 FT MSL. TREES BEGINNING 2811 FT FROM DER, 748 FT LEFT OF CENTERLINE, UP TO 69 FT AGL/1113 FT MSL. POLES, TREES, AND TOWERS BEGINNING 3414 FT FROM DER, 109 FT RIGHT OF CENTERLINE, UP TO 101 FT AGL/1137 FT MSL.

NOTE: RWY 27L, TANK 3937 FT FROM DER, 1255 FT RIGHT OF CENTERLINE, 103 FT AGL/1129 FT MSL.

NOTE: RWY 27R, TERRAIN AND SIGNS BEGINNING 17 FT FROM DER, 288 FT LEFT OF CENTERLINE, UP TO 5 FT AGL/1024 FT MSL. POLE 1012 FT FROM DER, 729 FT RIGHT OF CENTERLINE, 32 FT AGL/ 1046 FT MSL. AGRICULTURAL EQUIPMENT, ELEVATOR, TANK, TOWER, AND TREES BEGINNING 3657 FT FROM DER, 201 FT RIGHT OF CENTERLINE, UP TO 103 FT AGL/1141 FT MSL.

NOTE: RWY 28, CATENARY, SIGN, AND TREES BEGINNING 1948 FT FROM DER, 770 FT LEFT OF CENTERLINE, UP TO 63 FT AGL/1067 FT MSL. TREES BEGINNING 3157 FT FROM DER, 1209 FT LEFT OF CENTERLINE, UP TO 85 FT AGL/1097 FT MSL.

CONTROLLING OBSTACLES:

RWY 8R: 1148 FT MSL ANTENNA ON TOWER 333832.29N/0842322.86W. 1357 FT MSL CONTROL TOWER 333830.13N/0842518.07W.

RWY 9L: 1137 FT MSL ROD ON POLE 333822.06N/0842329.32W. 1357 FT MSL CONTROL TOWER 333830.13N/0842518.07W.

LOST COMMUNICATIONS PROCEDURES:**ADDITIONAL FLIGHT DATA:**

REFERENCE MAG VAR: KATL 5W EPOCH YEAR: 2015. DME/DME ASSESSMENT: SAT (RNP 2.0).

RECOMMENDED NAVAID: ATL VORTAC (5W).

NOTE: MAINTAIN 250 KIAS UNTIL KLEGG (ATC).

NOTE: MAINTAIN 250 KIAS UNTIL HYZMN (ATC).

CHART: TOP ALTITUDE: 10000

AIRPORTS SERVED:

HARTSFIELD – JACKSON ATLANTA INTL

ATLANTA, GA



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JOGOR	SEVEN	JOGOR7.JOGOR	SIX	18 SEPT 2014	EFF 25 JUNE 2015

COMMUNICATIONS:

ATIS, CLEARANCE DELIVERY, GROUND CONTROL, TOWER, DEPARTURE CONTROL

FIXES AND/OR NAVAIDS:

ZELAN, ZALLE, BDODD, WEFIV, WESEK, SOTRE



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
JOGOR	SEVEN	JOGOR7.JOGOR	SIX	18 SEP 2014	EFF 25 JUNE 2015

REMARKS:

SPEED RESTRICTION NOTES CHARTED ON PROCEDURE GRAPHIC PER ATC REQUEST

REQUIRED EFFECTIVE DATE:

ROUTINE

CHANGES:

ADDED CHART: TOP ALTITUDE: 10000

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name		Number	DP Computer Code		Superseded Number		Dated	Effective Date	
JOGOR		SEVEN	JOGOR7.JOGOR		SIX		18 SEP 2014	EFF 25 JUNE 2015	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW08L (AER)	333858.32N/0842620.49W	N	-	-	-	-			
	333858.35N/0842315.05W	-	-	VI	089.97	2.58			CG 500 FT/NM TO 1527
HRSHL	334057.97N/0841646.44W	Y	FB	CF	069.76	5.76			RECOMMENDED NAVAID: ATL VORTAC
KLEGG	334845.03N/0841648.02W	Y	FB	TF	359.84	7.77		AT 250K	
ZELAN	334840.60N/0843450.50W	Y	FB	TF	269.80	15.03			
WEFIV	333913.05N/0844925.20W	Y	FB	TF	232.24	15.39			
JOGOR	332834.99N/0851241.97W	Y	FB	TF	241.49	22.16			
RW08R (AER)	333848.43N/0842618.10W	N	-	-	-	-			
	333848.46N/0842300.68W	-	-	VI	089.97	2.75			CG 500 FT/NM TO 1527
HRSHL	334057.97N/0841646.44W	Y	FB	CF	067.49	5.63			RECOMMENDED NAVAID: ATL VORTAC
KLEGG	334845.03N/0841648.02W	Y	FB	TF	359.84	7.77		AT 250K	
ZELAN	334840.60N/0843450.50W	Y	FB	TF	269.80	15.03			
WEFIV	333913.05N/0844925.20W	Y	FB	TF	232.24	15.39			
JOGOR	332834.99N/0851241.97W	Y	FB	TF	241.49	22.16			
RW09L (AER)	333804.94N/0842652.68W	N	-	-	-	-			
	333804.90N/0842313.27W	-	-	VI	089.99	3.05			CG 500 FT/NM TO 1527
GRITZ	333607.72N/0841634.81W	Y	FB	CF	109.34	5.88			RECOMMENDED NAVAID: ATL VORTAC
HYZMN	332725.15N/0841635.00W	Y	FB	TF	180.02	8.69		AT 250K	
ZALLE	332725.53N/0843504.18W	Y	FB	TF	270.11	15.47			
JOGOR	332834.99N/0851241.97W	Y	FB	TF	272.28	31.50			
RW09R (AER)	333754.53N/0842652.68W	N	-	-	-	-			
	333754.56N/0842346.99W	-	-	VI	089.97	2.58			CG 500 FT/NM TO 1527
GRITZ	333607.72N/0841634.81W	Y	FB	CF	106.43	6.27			RECOMMENDED NAVAID: ATL VORTAC
HYZMN	332725.15N/0841635.00W	Y	FB	TF	180.02	8.69		AT 250K	
ZALLE	332725.53N/0843504.18W	Y	FB	TF	270.11	15.47			
JOGOR	332834.99N/0851241.97W	Y	FB	TF	272.28	31.50			



DEPARTURE (DATA RECORD)

DP Name		Number		DP Computer Code			Superseded Number		Dated	Effective Date
JOGOR		SEVEN		JOGOR7.JOGOR			SIX		18 SEP 2014	EFF 25 JUNE 2015
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
RW10 (AER)	333712.98N/0842652.36W	N	-	-	-	-				
	333713.04N/0842346.98W	-	-	VI	089.97	2.58				CG 500 FT/NM TO 1527
GRITZ	333607.72N/0841634.81W	Y	FB	CF	100.21	6.11				RECOMMENDED NAVAID: ATL VORTAC
HYZMN	332725.15N/0841635.00W	Y	FB	TF	180.02	8.69		AT 250K		
ZALLE	332725.53N/0843504.18W	Y	FB	TF	270.11	15.47				
JOGOR	332834.99N/0851241.97W	Y	FB	TF	272.28	31.50				
RW26L (AER)	333848.46N/0842419.83W	N	-	-	-	-				
	333848.38N/0842744.29W	-	-	VI	269.99	2.84				CG 500 FT/NM TO 1527
SNUFY	334012.18N/0843459.60W	Y	FB	CF	283.00	6.21				RECOMMENDED NAVAID: ATL VORTAC
BDODD	334159.57N/0844533.72W	Y	FB	TF	281.50	9.00				
JOGOR	332834.99N/0851241.97W	Y	FB	TF	239.57	26.33				
RW26R (AER)	333858.35N/0842434.03W	N	-	-	-	-				
	333858.27N/0842746.46W	-	-	VI	269.99	2.68				CG 500 FT/NM TO 1527
SNUFY	334012.18N/0843459.60W	Y	FB	CF	281.57	6.15				RECOMMENDED NAVAID: ATL VORTAC
BDODD	334159.57N/0844533.72W	Y	FB	TF	281.50	9.00				
JOGOR	332834.99N/0851241.97W	Y	FB	TF	239.57	26.33				
RW27L (AER)	333754.56N/0842506.24W	N	-	-	-	-				
1527 MSL		-	-	VA	269.99	-				CG 500 FT/NM TO 1527
SLAWW	333804.33N/0843927.38W	Y	FB	DF	-	-				
WESEK	333805.45N/0844345.36W	Y	FB	TF	270.32	3.59				
JOGOR	332834.99N/0851241.97W	Y	FB	TF	248.71	25.98				
RW27R (AER)*	333804.93N/0842432.07W*	N	-	-	-	-				*DISPL THLD (500 FT)
1527 MSL		-	-	VA	270.02	-				CG 500 FT/NM TO 1527
SLAWW	333804.33N/0843927.38W	Y	FB	DF	-	-				
WESEK	333805.45N/0844345.36W	Y	FB	TF	270.32	3.59				
JOGOR	332834.99N/0851241.97W	Y	FB	TF	248.71	25.98				

QUALITY
15
CHECKED

DEPARTURE (DATA RECORD)

DP Name		Number		DP Computer Code			Superseded Number		Dated	Effective Date
JOGOR		SEVEN		JOGOR7.JOGOR			SIX		18 SEP 2014	EFF 25 JUNE 2015
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
RW28 (AER)	333713.02N/0842505.94W	N	-	-	-	-				
	333712.94N/0842811.32W	-	-	VI	269.98	2.58			CG 500 FT/NM TO 1527	
WLSO	333426.31N/0843504.65W	Y	FB	CF	244.31	6.39			RECOMMENDED NAVAID: ATL VORTAC	
SOTRE	333244.99N/0844458.72W	Y	FB	TF	258.53	8.44				
JOGOR	332834.99N/0851241.97W	Y	FB	TF	259.96	23.55				
JOGOR	332834.99N/0851241.97W	Y	-	IF	-	-			JOGOR7.GARND	
MAPEE	332131.27N/0854732.23W	Y	FB	TF	256.57	30.00				
GARND	331755.75N/0860455.24W	Y	FB	TF	256.25	15.00				