

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION				RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW35						
ZIRIB (IF/IAF)		AGUBY (FB)		350.01 / 7.01				2400		CLIMB TO 2800 DIRECT AKRMN AND HOLD.						
AGUBY (FAF)		RW35 (MAP) (FB)		350.00 / 5.65												
RW35 (MAP)		889 MSL		350.00												
889 MSL		AKRMN (FO)						2800								
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD S ZIRIB, RT, 350.01 INBOUND, 2800 FT. IN LIEU OF PT (IAF) 3. FAC: 350.00 FAF: AGUBY DIST FAF TO MAP: 5.65 THLD: 5.65 4. MIN. ALT: ZIRIB 2800, AGUBY 2400 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 2400 GS ALT AT: AGUBY 2400 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 40.0 34:1 IS NOT CLEAR 8. MSA FROM: _____										ADDITIONAL FLIGHT DATA: HOLD N, RT, 169.97 INBOUND. CHART FAS OBST: 951 TWR 330646N/0890253W CHART PHILADELPHIA MUNI AWOS-3 DISTANCE TO THLD FROM 315 HAT: 0.90 NM. WAAS CHANNEL # 53335 REFERENCE PATH ID: W35A CHART CIRCLING ICON LTP HAE: 143.2 M						
										MAG VAR: 0E EPOCH YEAR: 2000						
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		X						
CATEGORY =====>		A		B		C		D		E						
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA		889	1 1/8	315	889	1 1/8	315	889	1 1/8	315	889	1 1/8	315			
LNAV/VNAV DA		1367	3	793	1367	3	793	1367	3	793	1367	3	793			
LNAV MDA		1280	1	706	1280	1	706	1280	2	706	1280	2	706			
CIRCLING		1280	1	706	1320	1	746	1380	2 1/4	806	1380	2 1/2	806			
NOTES: CHART NOTE: BARO-VNAV NA. CHART NOTE: DME/DME RNP-0.3 NA. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {ANGLE} TCH {FEET}). CHART NOTE: USE PHILADELPHIA MUNI ALTIMETER SETTING; WHEN NOT RECEIVED, USE GEORGE M BRYAN (SEE FORM 8260-10)																
CITY AND STATE LOUISVILLE, MS		ELEVATION: 574 TDZE: 574 AIRPORT NAME: LOUISVILLE WINSTON COUNTY			FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, AMDT 2 4 FEBRUARY 2016						SUP: AMDT: 1A DATED 08/20/2015			

RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

## NOTES, (CONT.):

ALTIMETER SETTING AND INCREASE LPV DA TO 905 FEET AND LNAV/VNAV DA TO 1383 FEET; INCREASE ALL MDA 20 FEET AND CIRCLING CATS C/D VISIBILITY 1/4 MILE.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

TAA	FROM	TO	ALT
1.	260/30 CW 080/30 (NOPT)	ZIRIB (IF/IAF) (FB)	2800
2.	080/30 CW 260/30	ZIRIB (IF/IAF) (FO)	2800

CITY AND STATE

LOUISVILLE, MS

ELEVATION: 574

TDZE: 574

AIRPORT NAME:

LOUISVILLE WINSTON COUNTY

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 35, AMDT 2

4 FEBRUARY 2016

SUP:

AMDT: 1A

DATED: 08/20/2015

QUALITY  
23

CHECKED

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION**

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KLMS
RUNWAY	RW35
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W35A
LTP/FTP LATITUDE	330824.2835N
LTP/FTP LONGITUDE	0890340.3395W
LTP/FTP ELLIPSOIDAL HEIGHT	+01432
FPAP LATITUDE	330952.1950N
FPAP LONGITUDE	0890358.7890W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1376
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
 <u>CRC REMAINDER</u>	 79B4D957

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+01713
FPAP ORTHOMETRIC HEIGHT	+01713

CITY AND STATE

LOUISVILLE, MS

ELEVATION: 574

TDZE: 574

AIRPORT NAME:

LOUISVILLE WINSTON COUNTY

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 35, AMDT 2

4 FEBRUARY 2016

SUP:

AMDT:

DATED: 08/20/2015

 QUALITY  
23  
CHECKED

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KLMS

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ZIRIB	010	ZIRIB	HF	FO		350.0			R			AA 02800		EE A
	010	ZIRIB	IF	FB								AA 02800		E I
	020	AGUBY	TF	FB	0.5	350.0						AA 02400		E F
	030	RW35	TF	FO	0.3	350.0		3.00				AT 00602		GY M
	040		CA	FB		350.0						AA 00889		M
	050	AKRMN	DF	FO								AA 02800		EY
	060	AKRMN	HM	FO		170.0			R			AA 02800		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
AGUBY	N330250.02	W0890230.28
AKRMN	N332139.64	W0890627.62
ZIRIB	N325554.99	W0890103.51

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW35	N330824.28	W0890340.34	00562	40.0

CITY AND STATE <b>LOUISVILLE, MS</b>	ELEVATION: <b>574</b> TDZE: <b>574</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 35, AMDT 2</b>  4 FEBRUARY 2016	SUP:
	AIRPORT NAME: <b>LOUISVILLE WINSTON COUNTY</b>			AMDT: <b>1A</b>
	DATED: <b>08/20/2015</b>			

QUALITY  
23  
CHECKED