

<div>US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION</div>				<div>RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33</div>				<div>Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.</div>										
TERMINAL ROUTES										MISSED APPROACH								
FROM		TO			COURSE AND DISTANCE				ALTITUDE		LNAV: RW35							
BRISC		WUXOR (FB)			159.06 / 23.48				7000		CLIMB TO 7000 DIRECT LUDY AND HOLD, CONTINUE CLIMB-IN-HOLD TO 7000.							
WUDPI		WUXOR (FB)			099.27 / 8.22				7000									
ZASPA (IAF)		XANZI (FB)			264.78 / 8.00				7000									
WUXOR (IAF)		XANZI (FB)			084.50 / 9.80				7000									
XANZI (IF)		IYTEY (FB)			354.69 / 9.50				4000									
IYTEY (FAF)		JOKDI/2.51 NM TO RW35 (FB)			354.69 / 2.17						ADDITIONAL FLIGHT DATA: HOLD N, RT, 174.68 INBOUND. CHART FAS OBST: 2624 TREE 352501N/1001233W IYTEY TO RW35: 3.00/40. CHART CIRCLING ICON. CHART HEMPHILL COUNTY AWOS.							
(SEE FORM 8260-10)																		
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																		
2. PROFILE STARTS AT XANZI																		
3. FAC: 354.69 FAF: IYTEY DIST FAF TO MAP: 4.68 THLD:																		
4. MIN. ALT: XANZI 7000, IYTEY 4000, JOKDI/2.51 NM TO RW35 3300																		
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																		
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																		
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR																		
8. MSA FROM: RW35 4600																		
MAG VAR: 5E EPOCH YEAR: 2020																		
MINIMUMS																		
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A X								
CATEGORY =====>		A			B			C			D			E				
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA			
CIRCLING	2980	1	510	3000	1	530	3020	1 1/2	550		NA							
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: USE HEMPHILL COUNTY ALTIMETER SETTING. CHART PLANVIEW NOTE ADJACENT TO ZASPA: RADAR REQUIRED. (CONTINUED ON PAGE 2)																		
CITY AND STATE WHEELER, TX				ELEVATION: 2470 TDZE: AIRPORT NAME: WHEELER MUNI				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS)-B, ORIG 27 APRIL 2017						SUP: AMDT: NONE DATED		

QUALITY
23
CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
JOKDI/2.51 NM TO RW35	RW35 (MAP) (FO)	354.69 / 2.51	
RW35 (MAP)	2870 MSL	354.69	
2870 MSL	LUDIY (FO)		7000

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT BRISC ON V272-440 WESTBOUND AND V402-440 EASTBOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT WUDPI ON V140 WESTBOUND.

QUALITY
23
CHECKED

CITY AND STATE

WHEELER, TX

ELEVATION: 2470

TDZE:

AIRPORT NAME:

WHEELER MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS)-B, ORIG

27 APRIL 2017

SUP:

AMDT: NONE

DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																																																																																							
<div style="margin-bottom: 10px;">ARINC SUMMARY - T59</div> <div style="margin-bottom: 10px;">ROUTES</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>BRISC</td><td>010</td><td>BRISC</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E</td></tr> <tr><td>BRISC</td><td>020</td><td>WUXOR</td><td>TF</td><td>FB</td><td>2.0</td><td>159.1</td><td></td><td></td><td></td><td></td><td></td><td>AA 07000</td><td></td><td>E A</td></tr> <tr><td>BRISC</td><td>030</td><td>XANZI</td><td>TF</td><td>FB</td><td>1.0</td><td>084.5</td><td></td><td></td><td></td><td></td><td></td><td>AA 07000</td><td></td><td>EE B</td></tr> <tr><td>WUDPI</td><td>010</td><td>WUDPI</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E</td></tr> <tr><td>WUDPI</td><td>020</td><td>WUXOR</td><td>TF</td><td>FB</td><td>2.0</td><td>099.3</td><td></td><td></td><td></td><td></td><td></td><td>AA 07000</td><td></td><td>E A</td></tr> <tr><td>WUDPI</td><td>030</td><td>XANZI</td><td>TF</td><td>FB</td><td>1.0</td><td>084.5</td><td></td><td></td><td></td><td></td><td></td><td>AA 07000</td><td></td><td>EE B</td></tr> <tr><td>ZASPA</td><td>010</td><td>ZASPA</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>ZASPA</td><td>020</td><td>XANZI</td><td>TF</td><td>FB</td><td>1.0</td><td>264.8</td><td></td><td></td><td></td><td></td><td></td><td>AA 07000</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>XANZI</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 07000</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>IYTEY</td><td>TF</td><td>FB</td><td>1.0</td><td>354.7</td><td></td><td></td><td></td><td>RW35</td><td></td><td>AA 04000</td><td></td><td>E F</td></tr> <tr><td></td><td>021</td><td>JOKDI</td><td>TF</td><td>FB</td><td>0.3</td><td>354.7</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AA 03300 GS 03309</td><td></td><td>E S</td></tr> <tr><td></td><td>030</td><td>RW35</td><td>TF</td><td>FO</td><td>0.3</td><td>354.7</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AT 02510</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>354.7</td><td></td><td></td><td></td><td></td><td></td><td>AA 02870</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>LUDIY</td><td>DF</td><td>FO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 07000</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>LUDIY</td><td>HM</td><td>FO</td><td></td><td>174.7</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 07000</td><td></td><td>EE</td></tr> </tbody> </table> <div style="margin-top: 10px;">POINTS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>BRISC</td><td>N353506.86</td><td>W1003143.58</td></tr> <tr><td>IYTEY</td><td>N352205.59</td><td>W1001157.69</td></tr> <tr><td>JOKDI</td><td>N352415.99</td><td>W1001158.55</td></tr> <tr><td>LUDIY</td><td>N354207.44</td><td>W1001205.84</td></tr> <tr><td>WUDPI</td><td>N351432.26</td><td>W1003334.73</td></tr> <tr><td>WUXOR</td><td>N351230.10</td><td>W1002351.47</td></tr> <tr><td>XANZI</td><td>N351234.70</td><td>W1001153.93</td></tr> <tr><td>ZASPA</td><td>N351236.91</td><td>W1000208.16</td></tr> </tbody> </table> <div style="margin-top: 10px;">RUNWAYS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr> <td>RW35</td> <td>N352646.78</td> <td>W1001159.55</td> <td>02470</td> <td></td> </tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	BRISC	010	BRISC	IF	FB										E	BRISC	020	WUXOR	TF	FB	2.0	159.1						AA 07000		E A	BRISC	030	XANZI	TF	FB	1.0	084.5						AA 07000		EE B	WUDPI	010	WUDPI	IF	FB										E	WUDPI	020	WUXOR	TF	FB	2.0	099.3						AA 07000		E A	WUDPI	030	XANZI	TF	FB	1.0	084.5						AA 07000		EE B	ZASPA	010	ZASPA	IF	FB										E A	ZASPA	020	XANZI	TF	FB	1.0	264.8						AA 07000		EE B		010	XANZI	IF	FB								AA 07000		E I		020	IYTEY	TF	FB	1.0	354.7				RW35		AA 04000		E F		021	JOKDI	TF	FB	0.3	354.7		3.00				AA 03300 GS 03309		E S		030	RW35	TF	FO	0.3	354.7		3.00				AT 02510		GY M		040		CA	FB		354.7						AA 02870		M		050	LUDIY	DF	FO								AA 07000		EY		060	LUDIY	HM	FO		174.7			R			AA 07000		EE	POINT NAME	LATITUDE	LONGITUDE	BRISC	N353506.86	W1003143.58	IYTEY	N352205.59	W1001157.69	JOKDI	N352415.99	W1001158.55	LUDIY	N354207.44	W1001205.84	WUDPI	N351432.26	W1003334.73	WUXOR	N351230.10	W1002351.47	XANZI	N351234.70	W1001153.93	ZASPA	N351236.91	W1000208.16	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW35	N352646.78	W1001159.55	02470	
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																																																																																																					
BRISC	010	BRISC	IF	FB										E																																																																																																																																																																																																																																																																																					
BRISC	020	WUXOR	TF	FB	2.0	159.1						AA 07000		E A																																																																																																																																																																																																																																																																																					
BRISC	030	XANZI	TF	FB	1.0	084.5						AA 07000		EE B																																																																																																																																																																																																																																																																																					
WUDPI	010	WUDPI	IF	FB										E																																																																																																																																																																																																																																																																																					
WUDPI	020	WUXOR	TF	FB	2.0	099.3						AA 07000		E A																																																																																																																																																																																																																																																																																					
WUDPI	030	XANZI	TF	FB	1.0	084.5						AA 07000		EE B																																																																																																																																																																																																																																																																																					
ZASPA	010	ZASPA	IF	FB										E A																																																																																																																																																																																																																																																																																					
ZASPA	020	XANZI	TF	FB	1.0	264.8						AA 07000		EE B																																																																																																																																																																																																																																																																																					
	010	XANZI	IF	FB								AA 07000		E I																																																																																																																																																																																																																																																																																					
	020	IYTEY	TF	FB	1.0	354.7				RW35		AA 04000		E F																																																																																																																																																																																																																																																																																					
	021	JOKDI	TF	FB	0.3	354.7		3.00				AA 03300 GS 03309		E S																																																																																																																																																																																																																																																																																					
	030	RW35	TF	FO	0.3	354.7		3.00				AT 02510		GY M																																																																																																																																																																																																																																																																																					
	040		CA	FB		354.7						AA 02870		M																																																																																																																																																																																																																																																																																					
	050	LUDIY	DF	FO								AA 07000		EY																																																																																																																																																																																																																																																																																					
	060	LUDIY	HM	FO		174.7			R			AA 07000		EE																																																																																																																																																																																																																																																																																					
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																																																																																																	
BRISC	N353506.86	W1003143.58																																																																																																																																																																																																																																																																																																	
IYTEY	N352205.59	W1001157.69																																																																																																																																																																																																																																																																																																	
JOKDI	N352415.99	W1001158.55																																																																																																																																																																																																																																																																																																	
LUDIY	N354207.44	W1001205.84																																																																																																																																																																																																																																																																																																	
WUDPI	N351432.26	W1003334.73																																																																																																																																																																																																																																																																																																	
WUXOR	N351230.10	W1002351.47																																																																																																																																																																																																																																																																																																	
XANZI	N351234.70	W1001153.93																																																																																																																																																																																																																																																																																																	
ZASPA	N351236.91	W1000208.16																																																																																																																																																																																																																																																																																																	
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																																																																																															
RW35	N352646.78	W1001159.55	02470																																																																																																																																																																																																																																																																																																
CITY AND STATE <div style="text-align: center; font-weight: bold;">WHEELER, TX</div>					ELEVATION: 2470 TDZE: AIRPORT NAME: <div style="text-align: center; font-weight: bold;">WHEELER MUNI</div>					FACILITY IDENTIFIER: <div style="text-align: center; font-weight: bold;">RNAV</div>		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <div style="text-align: center; font-weight: bold;">RNAV (GPS)-B, ORIG</div> <div style="text-align: center;">27 APRIL 2017</div>			SUP: <hr/> AMDT: NONE																																																																																																																																																																																																																																																																																				
										DATED:																																																																																																																																																																																																																																																																																									

 QUALITY
23
CHECKED