

<b>RNAV - STANDARD</b> <b>INSTRUMENT APPROACH PROCEDURE</b> <b>TITLE 14 CFR PART 97.33</b>				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LP: RW22 LNAV: RW22  CLIMB TO 2000 DIRECT OLUCE AND HOLD.  ADDITIONAL FLIGHT DATA: HOLD SW, RT, 039.92 INBOUND. CHART FAS OBST: 242 TWR 364237N/0763518W CHART FAS OBST: 177 TREE 364211N/0763457W 221 POLE 364236N/0763450W CHART VDP AT 0.88 NM TO RW22. WAAS CHANNEL # 99325 REFERENCE PATH ID: W22A CHART CIRCLING ICON. WOLIB TO RW22: 3.50/45 LTP HAE: -15.3 M							
VEGHE (IAF)		ZAKEN (FB)		304.39 / 8.23				2300									
ZAKEN (IF)		WOLIB (FB)		220.09 / 7.51				1800									
WOLIB (FAF)		JOVAM/1.60 NM TO RW22 (FB)		220.04 / 2.94													
JOVAM/1.60 NM TO RW22		RW22 (MAP) (FO)		220.04 / 1.60													
RW22 (MAP)		440 MSL		220.04				2000									
440 MSL		OLUCE (FO)															
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. PROFILE STARTS AT ZAKEN 3. FAC: 220.04 FAF: WOLIB DIST FAF TO MAP: 4.54 THLD: 4.54 4. MIN. ALT: ZAKEN 2300, WOLIB 1800, JOVAM/1.60 NM TO RW22 700 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: RW22 2300										MAG VAR: 10W		EPOCH YEAR: 1995					
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @					
CATEGORY =====>		A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
LP MDA	440	1	371	440	1	371	440	1	371	440	1	371					
LNAV MDA	500	1	431	500	1	431	500	1 1/4	431	500	1 1/4	431					
CIRCLING	500	1	430	560	1	490	680	1 3/4	610	680	2	610					
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT VEGHE ON V1 NORTHEAST BOUND. CHART NOTE: VDP NA WITH NORFOLK INTL ALTIMETER SETTING. (CONTINUED ON PAGE 2)																	
CITY AND STATE		ELEVATION: 70 TDZE: 69		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:							
SUFFOLK, VA		AIRPORT NAME:		SUFFOLK EXECUTIVE		RNAV (GPS) RWY 22, AMDT 2 2 MARCH 2017				AMDT: 1A							
										DATED 08/20/2015							

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**NOTES, (CONT.):**

**CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE NORFOLK INTL ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET, AND INCREASE LP CATS C AND D VISIBILITY 1/4 MILE AND LNAV CATS C AND D VISIBILITY 1/8 MILE.**

CITY AND STATE  
**SUFFOLK, VA**

**ELEVATION: 70**      **TDZE: 69**  
AIRPORT NAME:  
**SUFFOLK EXECUTIVE**

FACILITY  
IDENTIFIER:  
**RNAV**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
**RNAV (GPS) RWY 22, AMDT 2**  
2 MARCH 2017

SUP:  
AMDT: **1A**  
DATED: **08/20/2015**

QUALITY  
4  
CHECKED

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION**

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KSFQ
RUNWAY	RW22
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W22A
LTP/FTP LATITUDE	364116.9910N
LTP/FTP LONGITUDE	0763538.0100W
LTP/FTP ELLIPSOIDAL HEIGHT	-00153
FPAP LATITUDE	363959.7295N
FPAP LONGITUDE	0763633.4015W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.50
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
 <u>CRC REMAINDER</u>	 EDAFF7EF

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K6
LTP ORTHOMETRIC HEIGHT	+00210
FPAP ORTHOMETRIC HEIGHT	+00210

CITY AND STATE  
SUFFOLK, VA

ELEVATION: 70 TDZE: 69  
AIRPORT NAME:  
SUFFOLK EXECUTIVE

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
RNAV (GPS) RWY 22, AMDT 2  
2 MARCH 2017

SUP: 4  
AMDT: 1A  
DATED: 08/20/2015

QUALITY  
4  
CHECKED

<b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b> <b>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</b> <b>FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33</b>												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																			
<div style="margin-bottom: 10px;">ARINC SUMMARY - KSFQ</div> <div style="margin-bottom: 10px;">ROUTES</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION &amp; VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION &amp; VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>VEGHE</td><td>010</td><td>VEGHE</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>VEGHE</td><td>020</td><td>ZAKEN</td><td>TF</td><td>FB</td><td>1.0</td><td>304.4</td><td></td><td></td><td></td><td></td><td></td><td>AA 02300</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>ZAKEN</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 02300</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>WOLIB</td><td>TF</td><td>FB</td><td>1.0</td><td>220.1</td><td></td><td></td><td></td><td>RW22</td><td></td><td>AA 01800</td><td></td><td>E F</td></tr> <tr><td></td><td>021</td><td>JOVAM</td><td>TF</td><td>FB</td><td>0.3</td><td>220.0</td><td></td><td>3.50</td><td></td><td></td><td></td><td>AA 00700 GS 00708</td><td></td><td>E S</td></tr> <tr><td></td><td>030</td><td>RW22</td><td>TF</td><td>FO</td><td>0.3</td><td>220.0</td><td></td><td>3.50</td><td></td><td></td><td></td><td>AT 00114</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>220.0</td><td></td><td></td><td></td><td></td><td></td><td>AA 00440</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>OLUCE</td><td>DF</td><td>FO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 02000</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>OLUCE</td><td>HM</td><td>FO</td><td></td><td>039.9</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 02000</td><td></td><td>EE</td></tr> </tbody> </table> <div style="margin-bottom: 10px;">POINTS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>VEGHE</td><td>N364819.87</td><td>W0761846.91</td></tr> <tr><td>JOVAM</td><td>N364240.23</td><td>W0763438.30</td></tr> <tr><td>OLUCE</td><td>N362921.03</td><td>W0764409.83</td></tr> <tr><td>WOLIB</td><td>N364513.00</td><td>W0763248.58</td></tr> <tr><td>ZAKEN</td><td>N365143.67</td><td>W0762807.37</td></tr> </tbody> </table> <div style="margin-bottom: 10px;">RUNWAYS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr><td>RW22</td><td>N364116.99</td><td>W0763538.01</td><td>00069</td><td>45</td></tr> </tbody> </table>														TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	VEGHE	010	VEGHE	IF	FB										E A	VEGHE	020	ZAKEN	TF	FB	1.0	304.4						AA 02300		EE B		010	ZAKEN	IF	FB								AA 02300		E I		020	WOLIB	TF	FB	1.0	220.1				RW22		AA 01800		E F		021	JOVAM	TF	FB	0.3	220.0		3.50				AA 00700 GS 00708		E S		030	RW22	TF	FO	0.3	220.0		3.50				AT 00114		GY M		040		CA	FB		220.0						AA 00440		M		050	OLUCE	DF	FO								AA 02000		EY		060	OLUCE	HM	FO		039.9			R			AA 02000		EE	POINT NAME	LATITUDE	LONGITUDE	VEGHE	N364819.87	W0761846.91	JOVAM	N364240.23	W0763438.30	OLUCE	N362921.03	W0764409.83	WOLIB	N364513.00	W0763248.58	ZAKEN	N365143.67	W0762807.37	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW22	N364116.99	W0763538.01	00069	45
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																	
VEGHE	010	VEGHE	IF	FB										E A																																																																																																																																																																																	
VEGHE	020	ZAKEN	TF	FB	1.0	304.4						AA 02300		EE B																																																																																																																																																																																	
	010	ZAKEN	IF	FB								AA 02300		E I																																																																																																																																																																																	
	020	WOLIB	TF	FB	1.0	220.1				RW22		AA 01800		E F																																																																																																																																																																																	
	021	JOVAM	TF	FB	0.3	220.0		3.50				AA 00700 GS 00708		E S																																																																																																																																																																																	
	030	RW22	TF	FO	0.3	220.0		3.50				AT 00114		GY M																																																																																																																																																																																	
	040		CA	FB		220.0						AA 00440		M																																																																																																																																																																																	
	050	OLUCE	DF	FO								AA 02000		EY																																																																																																																																																																																	
	060	OLUCE	HM	FO		039.9			R			AA 02000		EE																																																																																																																																																																																	
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																													
VEGHE	N364819.87	W0761846.91																																																																																																																																																																																													
JOVAM	N364240.23	W0763438.30																																																																																																																																																																																													
OLUCE	N362921.03	W0764409.83																																																																																																																																																																																													
WOLIB	N364513.00	W0763248.58																																																																																																																																																																																													
ZAKEN	N365143.67	W0762807.37																																																																																																																																																																																													
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																											
RW22	N364116.99	W0763538.01	00069	45																																																																																																																																																																																											
CITY AND STATE <b>SUFFOLK, VA</b>		ELEVATION: <b>70</b> <b>TDZE: 69</b> AIRPORT NAME: <b>SUFFOLK EXECUTIVE</b>		FACILITY IDENTIFIER: <b>RNAV</b>		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 22, AMDT 2</b> 2 MARCH 2017		SUP: <b>4</b> AMDT: <b>1A</b> DATED: <b>08/20/2015</b>																																																																																																																																																																																							