

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION												
TERMINAL ROUTES				MISSED APPROACH								
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LPV: DA LNAV/VNAV: DA LNAV: RW07R CLIMB TO 900 THEN CLIMBING RIGHT TURN TO 3000 DIRECT JUKEP AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NE, RT, 209.00 INBOUND. CHART FAS OBST: 356 POLE 610933N/1500202W 499 AAO 610902N/1501219W DISTANCE TO THLD FROM 200 HAT: 0.46 NM. CHART VDP AT 1.38 MILES TO RW07R* *LNAV ONLY. WAAS CHANNEL # 81815 REFERENCE PATH ID: W07A LTP HAE: 46.1 M								
GASTO	CEYAB (FB)	041.80 / 16.77	2000									
IVANN	ECIKI (FB)	163.52 / 7.77	3600									
CEYAB (IAF)	WEWWO (FB)	027.38 / 6.70	2000									
ECIKI (IAF)	WEWWO (FB)	117.41 / 7.50	2000									
WEWWO (IF)	TULLI (FB)	072.55 / 5.70	1600									
TULLI (FAF)	RW07R (MAP) (FO)	072.72 / 4.44										
RW07R (MAP)	900 MSL	072.72	900									
900 MSL	JUKEP (FO)		3000									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. PROFILE STARTS AT WEWWO 3. FAC: 072.72 FAF: TULLI DIST FAF TO MAP: 4.44 THLD: 4.44 4. MIN. ALT: WEWWO 2000, TULLI 1600 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 1600 GS ALT AT: TULLI 1600 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 54.8 34:1 IS CLEAR 8. MSA FROM: RW07R 8800				MAG VAR: 17E EPOCH YEAR: 2015								
MINIMUMS												
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A								
STANDARD												
CATEGORY =====>	A		B		C		D		E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	332	2400	200	332	2400	200	332	2400	200	332	2400	200
LNAV/VNAV DA	660	1 3/8	528	660	1 3/8	528	660	1 3/8	528	660	1 3/8	528
LNAV MDA	640	2400	508	640	2400	508	640	5500	508	640	5500	508
CIRCLING	740	1	589	740	1	589	740	1 1/2	589	800	2	649
NOTES: CHART NOTE: WHEN VGSIN INOP, CIRCLING RWY 25L NA AT NIGHT. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -24C (-11F) OR ABOVE 43C (109F). CHART NOTE: DME/DME RNP-0.3 NA. (SEE FORM 8260-10)												
CITY AND STATE		ELEVATION: 151 TDZE: 132		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:			SUP: RNAV (GPS) RWY			
ANCHORAGE, AK		AIRPORT NAME: TED STEVENS ANCHORAGE INTL				RNAV (GPS) Y RWY 7R, AMDT 4B			AMDT: 4A			
						8 JANUARY 2015			DATED 07/24/2014			

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT IVANN ON V440 WESTBOUND AND ARRIVALS AT GASTO ON V462 SOUTHWEST BOUND.

CHART NOTE: FOR INOPERATIVE ALSF, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 1 3/4 MILE, AND LNAV CAT C AND D VISIBILITY TO 1 3/8 MILE.

QUALITY
4
CHECKED

CITY AND STATE
ANCHORAGE, AK

ELEVATION: 151 TDZE: 132
AIRPORT NAME:
TED STEVENS ANCHORAGE INTL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) Y RWY 7R, AMDT 4B
8 JANUARY 2015

SUP: **RNAV (GPS) RWY 7R**
AMDT: **4A**
DATED: **07/24/2014**

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	PANC
RUNWAY	RW07R
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	Y
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W07A
LTP/FTP LATITUDE	611004.1175N
LTP/FTP LONGITUDE	1500234.3350W
LTP/FTP ELLIPSOIDAL HEIGHT	+00461
FPAP LATITUDE	611004.3720N
FPAP LONGITUDE	1495821.5350W
THRESHOLD CROSSING HEIGHT (TCH)	00054.8
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	107.00
LENGTH OFFSET	0000
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0

CRC REMAINDER

D0D7B06A

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	PA
LTP ORTHOMETRIC HEIGHT	+00402
FPAP ORTHOMETRIC HEIGHT	+00402

CITY AND STATE

ANCHORAGE, AK

ELEVATION: 151

TDZE: 132

AIRPORT NAME:

TED STEVENS ANCHORAGE INTL

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) Y RWY 7R, AMDT 4B

8 JANUARY 2015

SUP: RNAV (GPS) RWY
7R

AMDT: 4A

DATED: 07/24/2014

QUALITY
4
CHECKED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible][illegible][illegible]


QUALITY
4
CHECKED

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE ANCHORAGE, AK	ELEVATION: 151 AIRPORT NAME: TED STEVENS ANCHORAGE INTL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) Y RWY 7R, AMDT 4B 8 JANUARY 2015	SUP: RNAV (GPS) RWY 7R
				AMDT: 4A
				DATED: 07/24/2014

QUALITY
4
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.				
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE												
FLIGHT STANDARDS SERVICES - FAR PART 97.33												
ARINC SUMMARY - 424-18 - RNAV (GPS)												
ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	GASTO	GASTO	010		IF		FB					
	GASTO	CEYAB	020	IAF	TF		FB	2.0	041.8 (058.8T)	016.8	AA 02000	
	GASTO	WEWVO	030		TF		FB	1.0	027.4 (044.4T)	006.7	AA 02000	
	IVANN	IVANN	010		IF		FB					
	IVANN	ECIKI	020	IAF	TF		FB	2.0	163.5 (180.5T)	007.8	AA 03600	
	IVANN	WEWVO	030		TF		FB	1.0	117.4 (134.4T)	007.5	AA 02000	
		WEWVO	010	FACF	IF		FB				AA 02000	
		TULLI	020	FAF	TF		FB	0.5	072.6 (089.6T)	005.7	AA 01600	
		RW07R	030	MAP	TF		FO	0.3	072.7 (089.7T)	004.4	AT 00187	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		072.7 (089.7T)		AA 00900	
		JUKEP	050		DF	R	FO				AA 03000	
		JUKEP	060		HM	R	FO		209.0 (226.0T)	004.0	AA 03000	
POINT DATA		WAYPOINT	LAT IN SECS		LONG IN SECS		LAT IN MINS		LONG IN MINS			
		CEYAB	N610514.90		W1503310.94		N6105.248		W15033.182			
		ECIKI	N611515.28		W1503434.08		N6115.255		W15034.568			
		GASTO	N605638.36		W1510243.16		N6056.639		W15102.719			
		IVANN	N612300.21		W1503425.31		N6123.004		W15034.422			
		JUKEP	N610001.26		W1502029.03		N6100.021		W15020.484			
		TULLI	N611003.11		W1501144.06		N6110.052		W15011.734			
		WEWVO	N611000.93		W1502330.68		N6110.016		W15023.511			
		RW07R	N611004.12		W1500234.34		N6110.069		W15002.572			
RUNWAY DATA		RWY	THRESHOLD ELEVATION		TCH							
		RW07R	00132		55							



CITY AND STATE ANCHORAGE, AK	ELEVATION: 151	TDZE: 132	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP: RNAV (GPS) RWY 7R
	AIRPORT NAME: TED STEVENS ANCHORAGE INTL		RNAV	RNAV (GPS) Y RWY 7R, AMDT 4B	AMDT: 4A
				8 JANUARY 2015	DATED: 07/24/2014