

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
 Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
BUNZZ	THREE	BUNZZ3.BUNZZ	TWO	07 MAR 2013	25 JUN 2015

TYPE: RNAV SID

DP ROUTE DESCRIPTION:

TAKEOFF RWY 1C/1L: CLIMB HEADING 010.65 TO 820, THEN LEFT TURN DIRECT LOULU (OR HEADING ASSIGNED BY ATC), THEN ON DEPICTED COURSE TO BUNZZ, THENCE...
TAKEOFF RWY 1R: CLIMB HEADING 010.67 TO 820, THEN LEFT TURN DIRECT LOULU (OR HEADING ASSIGNED BY ATC), THEN ON DEPICTED COURSE TO BUNZZ, THENCE...
TAKEOFF RWY 19C/19R: CLIMB HEADING 190.65 TO 820, THEN RIGHT TURN DIRECT TIICE (OR HEADING ASSIGNED BY ATC), THEN ON DEPICTED COURSE TO BUNZZ, THENCE...
TAKEOFF RWY 19L: CLIMB HEADING 190.67 TO 820, THEN RIGHT TURN DIRECT TIICE (OR HEADING ASSIGNED BY ATC), THEN ON DEPICTED COURSE TO BUNZZ, THENCE...
TAKEOFF RWY 30: CLIMB HEADING 300.65 TO 820, THEN LEFT TURN DIRECT LOULU (OR HEADING ASSIGNED BY ATC), THEN ON DEPICTED COURSE TO BUNZZ, THENCE...

... MAINTAIN 3000. EXPECT CLEARANCE TO FILED ALTITUDE WITHIN TEN (10) MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes
RAMAY	BUNZZ3.RAMAY	BUNZZ	RAMAY	TRACK 301.38	14.55	8400	4600	

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: DME/DME/IRU OR GPS REQUIRED.

NOTE: RNAV 1.

NOTE: TURBOJETS ONLY.

NOTE: RADAR REQUIRED.

NOTE: AIRCRAFT MAY BE RADAR VECTORED TO LOULU, TIICE, WHYUU, BUNZZ, OR RAMAY.

TAKEOFF MINIMUMS:

RWY 12, NA-ATC.

RWY 1C, 1L, 1R, 19C, 19L, 19R, 30, STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 820.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 1C, TREES 2815 FT FROM DER, 1031 FT LEFT OF CENTERLINE, UP TO 80 FT AGL/345 FT MSL. SIGN 64 FT FROM DER, 303 FT RIGHT OF CENTERLINE, 13 FT AGL/272 FT MSL.

NOTE: RWY 1L, TOWER 1917 FT FROM DER, 680 FT LEFT OF CENTERLINE, 51 FT AGL/330 FT MSL.

NOTE: RWY 19C, SIGN 100 FT FROM DER, 472 FT LEFT OF CENTERLINE, 4 FT AGL/289 FT MSL. VEHICLES ON ROAD 24 FT FROM DER, 274 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/293 FT MSL.

NOTE: RWY 30, TREES 2264 FT FROM DER, 1033 FT RIGHT OF CENTERLINE, UP TO 72 FT AGL/383 FT MSL.

CONTROLLING OBSTACLES:

LOST COMMUNICATIONS PROCEDURES:



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
BUNZZ	THREE	BUNZZ3.BUNZZ	TWO	07 MAR 2013	25 JUN 2015

CHANGES:

ADDED: CHART: TOP ALTITUDE: 3000

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name		Number		DP Computer Code			Superseded Number		Dated	Effective Date
BUNZZ		THREE		BUNZZ3.BUNZZ			TWO		07 MAR 2013	25 JUN 2015
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
RW01C (AER)	385620.66N/0772735.21W	N	-	-	-	-				
820 MSL		-	-	VA	000.65	-			CG 500 FT/NM TO 820	
LOULU	385342.23N/0774239.79W	Y	FB	DF	-	-			LEFT TURN	
BUNZZ	385221.37N/0775536.98W	Y	FB	TF	262.39	10.21				
RW01L (AER)	385641.88N/0772829.32W	N	-	-	-	-				
820 MSL		-	-	VA	000.65	-			CG 500 FT/NM TO 820	
LOULU	385342.23N/0774239.79W	Y	FB	DF	-	-			LEFT TURN	
BUNZZ	385221.37N/0775536.98W	Y	FB	TF	262.39	10.21				
RW01R (AER)	385525.53N/0772611.22W	N	-	-	-	-				
820 MSL		-	-	VA	000.67	-			CG 500 FT/NM TO 820	
LOULU	385342.23N/0774239.79W	Y	FB	DF	-	-			LEFT TURN	
BUNZZ	385221.37N/0775536.98W	Y	FB	TF	262.39	10.21				
RW19C (AER)	385814.29N/0772733.56W	N	-	-	-	-				
820 MSL		-	-	VA	180.65	-			CG 500 FT/NM TO 820	
TIICE	384813.65N/0773334.49W	Y	FB	DF	-	-			RIGHT TURN	
WHYUU	384549.18N/0774054.02W	Y	FB	TF	247.26	6.21				
BUNZZ	385221.37N/0775536.98W	Y	FB	TF	299.66	13.23				
RW19L (AER)	385719.19N/0772609.53W	N	-	-	-	-				
820 MSL		-	-	VA	180.67	-			CG 500 FT/NM TO 820	
TIICE	384813.65N/0773334.49W	Y	FB	DF	-	-			RIGHT TURN	
WHYUU	384549.18N/0774054.02W	Y	FB	TF	247.26	6.21				
BUNZZ	385221.37N/0775536.98W	Y	FB	TF	299.66	13.23				
RW19R (AER)	385814.78N/0772827.98W	N	-	-	-	-				
820 MSL		-	-	VA	180.65	-			CG 500 FT/NM TO 820	
TIICE	384813.65N/0773334.49W	Y	FB	DF	-	-			RIGHT TURN	
WHYUU	384549.18N/0774054.02W	Y	FB	TF	247.26	6.21				
BUNZZ	385221.37N/0775536.98W	Y	FB	TF	299.66	13.23				

QUALITY

12

0 0 0

DEPARTURE (DATA RECORD)

DP Name		Number	DP Computer Code				Superseded Number		Dated	Effective Date
BUNZZ		THREE	BUNZZ3.BUNZZ				TWO		07 MAR 2013	25 JUN 2015
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS	
RW30 (AER)	385601.00N/0772721.23W	N	-	-	-	-				
820 MSL		-	-	VA	290.65	-			CG 500 FT/NM TO 820	
LOULU	385342.23N/0774239.79W	Y	FB	DF	-	-			LEFT TURN	
BUNZZ	385221.37N/0775536.98W	Y	FB	TF	262.39	10.21				
BUNZZ	385221.37N/0775536.98W	Y	-	IF	-	-			BUNZZ3.RAMAY	
RAMAY	385738.57N/0781259.01W	Y	FB	TF	291.38	14.55				

