

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
MEVDY (IAF)	HELUR (NOPT) (FB)	178.28 / 3.99	3000	LP: RW18 LNAV: RW18 CLIMB TO 3100 DIRECT EGLE AND HOLD. ADDITIONAL FLIGHT DATA: HOLD S, RT, 358.27 INBOUND. FAS OBST: 1599 AAO 370146N/0934121W WAAS CHANNEL # 58025 REFERENCE PATH ID: W18A REBBU TO RW18: 3.00/45. LTP HAE: 408.2 M
HELUR (IF/IAF)	REBBU (FB)	178.27 / 4.78	3000	
REBBU (FAF)	RW18 (MAP) (FO)	178.27 / 4.78		
RW18 (MAP)	1834 MSL	178.27		
1834 MSL	EGALE (FO)		3100	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD N HELUR, RT, 178.27 INBOUND, 3000 FT. IN LIEU OF PT (IAF)
- FAC: 178.27 FAF: REBBU DIST FAF TO MAP: 4.78 THLD: 4.78
- MIN. ALT: HELUR 3000, REBBU 3000
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH: 34:1 IS CLEAR
- MSA FROM: RW18 3000

MAG VAR: 3E

EPOCH YEAR: 2000

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: N A X

CATEGORY ==>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LP MDA	1940	1	506	1940	1	506		NA			NA				
LNAV MDA	1940	1	506	1940	1	506		NA			NA				
CIRCLING	1960	1	526	1960	1	526		NA			NA				

NOTES:

CHART NOTE: USE SPRINGFIELD ALTIMETER SETTING; WHEN NOT RECEIVED, USE BRANSON ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET.

CHART NOTE: DME/DME RNP-0.3 NA.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MEVDY ON V14 NORTHEAST BOUND.

CITY AND STATE AURORA, MO	ELEVATION: 1434 THRE: 1434 AIRPORT NAME: JERRY SUMNERS SR AURORA MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO/AMDT NO/EFFECTIVE DATE: RNAV (GPS) RWY 18, ORIG 9 FEB 2012	SUP:
				AMDT: NONE
				DATED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

DATA FIELD

DATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	2H2
RUNWAY	RW18
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W18A
LTP/FTP LATITUDE	365759.1220N
LTP/FTP LONGITUDE	0934142.7500W
LTP/FTP ELLIPSOIDAL HEIGHT	+04082
FPAP LATITUDE	365629.9300N
FPAP LONGITUDE	0934145.2100W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1832
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

1AC442D9

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+04371
FPAP ORTHOMETRIC HEIGHT	+04371

CITY AND STATE
AURORA, MO

ELEVATION: 1434 THRE: 1434
AIRPORT NAME:
JERRY SUMNERS SR AURORA MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 18, ORIG
9 FEB 2012

SUP:
AMDT: NONE
DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 2H2 K3FR18	AHELUR	010HELURK3EA0EE	AR	HF			17830040	+	03000	18000		A JS	
SUSAP 2H2 K3FR18	AMEVDY	010MEVDYK3EA0E	A	IF						18000		A JS	
SUSAP 2H2 K3FR18	AMEVDY	020HELURK3EA0EE	B	010TF			17830040	+	03000			A JS	
SUSAP 2H2 K3FR18	R	010HELURK3EA0E	I	IF				+	03000	18000		A JS	
SUSAP 2H2 K3FR18	R	020REBBUK3EA1E	F	051TF			17830048	+	03000		RW18	K3PGA	JS
SUSAP 2H2 K3FR18	R	020REBBUK3EA2WALP			N	ALNAV						JS	
SUSAP 2H2 K3PR18	R	030RW18 K3PGOGY	M	031TF			17830048		01479	-300		A JS	
SUSAP 2H2 K3FR18	R	040	O	M	CA		1783	+	01834			A JS	
SUSAP 2H2 K3FR18	R	050EGALEK3EA0EY		DF				+	03100			A JS	
SUSAP 2H2 K3FR18	R	060EGALEK3EA0EE	R	HM			35830040	+	03100			A JS	

[illegible][illegible]

CITY AND STATE AURORA, MO	ELEVATION: 1434 THRE: 1434 AIRPORT NAME: JERRY SUMNERS SR AURORA MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 18, ORIG 9 FEB 2012	SUP:
				AMDT: NONE
				DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

DATED: