

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.												
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE				ALTITUDE		ALHOB						
UBIJO		STACC (TF) (FB) (RNP 2.00)		287.96 / 43.03				11300		CLIMBING LEFT TURN TO 9600 DIRECT WENKE AND ON TRACK 276.74 TO LIBRE AND HOLD, CONTINUE CLIMB-IN-HOLD TO 9600.						
STACC		BOTBY (TF) (FB) (RNP 2.00)		287.31 / 6.00				10300								
NOHHA		BOTBY (TF) (FB) (RNP 2.00)		014.80 / 4.63				10300								
BOTBY (IAF)		VISVE (TF) (FB) (RNP 1.00)		339.04 / 5.00				8100								
VISVE (IF)		WOJHO (TF) (FB) (RNP 1.00)		339.02 / 5.28				6800		ADDITIONAL FLIGHT DATA: HOLD W, RT, 104.00 INBOUND. FAS OBST: 3600 AAO 464832N/1140354W. FAC CROSSES MIDPOINT OF RWY 12/30. CHART CIRCLING ICON.						
(SEE FORM 8260-10)																
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																
2. PROFILE STARTS AT VISVE																
3. FAC: 339.05 FAF: WOJHO DIST FAF TO MAP: 6.67 THLD:																
4. MIN. ALT: VISVE 8100, WOJHO 6800																
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																
7. GS ANGLE: _____ TCH: _____																
8. MSA FROM: ALHOB 10800																
MAG VAR: 13E EPOCH YEAR: 2020																
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		@				
CATEGORY ==>		A		B		C		D		E						
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
CIRCLING		4280	1 1/4	1074	4700	1 1/2	1494	4700	3	1494	5140	3	1934			
NOTES: CHART NOTE: CIRCLING NA FOR CATS C AND D NE OF RWY 12-30. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT UBIJO ON V86 SOUTHEAST BOUND. PBN REQUIREMENTS NOTE: RNP APCH.																
@ CAT A 1100-2, CAT B 1500-2, CAT C 1500-3, CAT D 2000-3																
CITY AND STATE MISSOULA, MT		ELEVATION: 3206 TDZE: AIRPORT NAME: MISSOULA INTL		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS)-D, AMDT 1 5/24/2018						SUP: AMDT: ORIG DATED 09/23/2010				

**US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
WOJHO (FAF)	ALHOB (MAP) (TF) (FO) (RNP 0.30)	339.05 / 6.67	
ALHOB (MAP)	3606 MSL (CA)	339.05	
3606 MSL	WENKE (DF) (FB) (RNP 1.00)		
WENKE	LIBRE (TF) (FO) (RNP 1.00)	276.74 / 14.74	9600

CITY AND STATE  
**MISSOULA, MT**

**ELEVATION: 3206**      **TDZE:**  
 AIRPORT NAME:  
**MISSOULA INTL**

FACILITY  
 IDENTIFIER:  
**RNAV**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
**RNAV (GPS)-D, AMDT 1**  
**5/24/2018**

SUP: **QUALITY 10 CHECKED**  
 AMDT: **ORIG**  
 DATED: **09/23/2010**