

US DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE  
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
UYULU (IF/IAF)	OXWUP (FB)	277.66 / 6.04	2500	LNAV: RW27
OXWUP (FAF)	RW27 (MAP) (FO)	277.57 / 4.96		
RW27 (MAP)	1295 MSL	277.57		CLIMB TO 3000 DIRECT QAJJU AND HOLD.
1295 MSL	QAJJU (FO)		3000	
				ADDITIONAL FLIGHT DATA: HOLD W, RT, 097.31 INBOUND. FAS OBST: 1024 AAO 431911N/0830015W. OXWUP TO RW27: 3.00/40.

- PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
- HOLD E UYULU, RT, 277.66 INBOUND, 2700 FT. IN LIEU OF PT (IAF)
- FAC: 277.57 FAF: OXWUP DIST FAF TO MAP: 4.96 THLD: 4.96
- MIN. ALT: OXWUP 2500
- DIST TO THLD FROM OM:        MM:        IM:        150 HAT:        100 HAT:        GS ANT:
- MIN GS INCPT:        GS ALT AT:        OM:        MM:        IM:
- GS ANGLE:        TCH: 34:1 IS NOT CLEAR
- MSA FROM:

MAG VAR: 8W

EPOCH YEAR: 2010

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A X							
CATEGORY	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	1360	1	481	1360	1	481	1360	1 3/8	481	1360	1 3/8	481			
CIRCLING	1460	1	565	1460	1	565	1460	1 1/2	565	1460	2	565			

NOTES:  
CHART NOTE: WHEN VGSI INOP, STRAIGHT-IN AND CIRCLING RWY 1, 9, 19 PROCEDURES NA AT NIGHT.  
CHART NOTE: DME/DME RNP-0.3 NA.  
CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.  
CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.  
(SEE FORM 8260-10)

CITY AND STATE MARLETTE, MI	ELEVATION: 895 THRE: 879 AIRPORT NAME: MARLETTE	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, AMDT 1 5 May 2011	SUP:
				AMDT: ORIG-B
				DATED 06/03/2010

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**NOTES, (CONT.):**

**CHART NOTE: USE CARO ALTIMETER SETTING; WHEN NOT RECEIVED USE BAD AXE ALTIMETER SETTING AND INCREASE ALL MDA 20 FT.**

**TAA**

	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	188/30 CW 008/30 (NOPT)	UYULU (IF/IAF) (FB)	2700
2.	008/30 CW 188/30	UYULU (IAF) (FO)	2700

QUALITY  
CHECKED

CITY AND STATE  
**MARLETTE, MI**

**ELEVATION: 895      THRE: 879**  
AIRPORT NAME:  
**MARLETTE**

FACILITY  
IDENTIFIER:  
**RNAV**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
**RNAV (GPS) RWY 27, AMDT 1**  
**5 May 2011**

SUP:  
AMDT: **ORIG-B**  
DATED: **06/03/2010**

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3	
SUSAP	77G	K5FR27	AUYULU	010UYULUK5EA0EE	AR	HF	27770040	+	02700	18000		B	JS	
SUSAP	77G	K5FR27	R	010UYULUK5EA0E	I	IF			02700	18000		B	JS	
SUSAP	77G	K5FR27	R	020OXWUPK5EA1E	F	051TF	27770060	+	02500			B	JS	
SUSAP	77G	K5FR27	R	020OXWUPK5EA2WN		N	ALNAV					JS		
SUSAP	77G	K5FR27	R	030RW27	K5PG0GY	M	031TF	27760050		00919	-300	B	JS	
SUSAP	77G	K5FR27	R	040		0	M	CA	2776	+	01295		B	JS
SUSAP	77G	K5FR27	R	050QAJJUK5EA0EY		DF			+	03000		B	JS	
SUSAP	77G	K5FR27	R	060QAJJUK5EA0EE	R	HM	09730040	+	03000			B	JS	

[illegible]

CITY AND STATE  MARLETTE, MI	ELEVATION: 895 THRE: 879  AIRPORT NAME:  MARLETTE	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 27, AMDT 1  5 May 2011	SUP:
				AMDT:      ORIG-B
				DATED:      06/03/2010