

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO			COURSE AND DISTANCE			ALTITUDE		MAP: YITGU/STS 0.93 DME OR AT STS 0.93 DME FIX						
STS VOR/DME		WODUR/STS 8.90 DME			325.98 / 8.90			5100		CLIMBING RIGHT TURN TO 4000 ON HEADING 195 AND PYE VORTAC R-335 TO PYE VORTAC AND HOLD, OR AS DIRECTED BY ATC. ALTERNATE MA: CLIMB TO 4700 ON STS VOR/DME R-141 AND ON SGD VORTAC R-259 TO SGD VORTAC AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NW, RT, 144.98 INBOUND. CHART IN PLANVIEW: ALTERNATE MA HOLDING, HOLD E SGD VORTAC, LT, 275.93 INBOUND. 866 AAO 383554N/1224912.00W FAS OBST 600 AAO 383454.68N/1224851.54W CHART IN PLANVIEW: SGD VORTAC. WODUR TO RW14: 3.22/49.2. CHART CIRCLING ICON FAC CROSSES RWY C/L EXTENDED 2172 FROM THLD.						
1. PT <u> L </u> SIDE OF COURSE <u> 325.98 </u> OUTBOUND <u> 5100 </u> FT WITHIN <u> 10 </u> MILES OF <u> WODUR </u> (IAF) 2. _____ 3. FAC <u> 145.98 </u> FAF <u> WODUR/STS VOR/DME 8.90 DME </u> DIST FAF TO MAP _____ THLD <u> 8.32 </u> 4. MIN. ALT <u> WERVA/STS 12.90 DME 4200, WODUR/STS 8.90 DME 3000, JEPVO/STS VOR/DME 4.78 DME 1600 </u> 8. MSA FROM: <u> STS VOR/DME 120-280 3900, 280-120 6000 </u>										MAG VAR: 16E				EPOCH YEAR: 1985		
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		STANDARD @						
CATEGORY =====>		A			B			C			D			E		
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-14		880	1	758	880	1 1/4	758	880	2 1/2	758	880	2 1/2	758			
CIRCLING		880	1	751	880	1 1/4	751	1080	3	951	1420	3	1291			
NOTES: CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE PETALUMA ALTIMETER SETTING AND INCREASE ALL MDA 60 FT AND INCREASE S-14 CATS C AND D VISIBILITY 1/2 MILE. INCREASE CIRCLING CAT A VISIBILITY 1/4 MILE. CHART NOTE: NIGHT LANDING RWY 14 AND 20 NA.																
CITY AND STATE		ELEVATION: 129			TDZE: 122			FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP		
SANTA ROSA, CA								STS		VOR/DME RWY 14, AMDT 3 13 NOVEMBER 2014				AMDT 2B		
		CHARLES M. SCHULZ - SONOMA COUNTY												DATE 10/17/2013		



**VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE

SANTA ROSA, CA

ELEVATION: 129

TDZE: 122

AIRPORT NAME:

CHARLES M. SCHULZ - SONOMA COUNTY

FACILITY
IDENTIFIER:
STS

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

VOR/DME RWY 14, AMDT 3

13 NOVEMBER 2014

SUP:

AMDT:

DATED: 10/17/2013

QUALITY
4
CHECKED

**VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE

SANTA ROSA, CA

ELEVATION: 129

TDZE: 122

AIRPORT NAME:

CHARLES M. SCHULZ - SONOMA COUNTY

FACILITY
IDENTIFIER:
STS

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

VOR/DME RWY 14, AMDT 3

13 NOVEMBER 2014

SUP:

AMDT: **2B**DATED: **10/17/2013**