

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE			ALTITUDE		LNAV: RW13						
GADYE (IAF)		FAXIB (NOPT) (FB)		222.22 / 5.00			4000		CLIMBING LEFT TURN TO 4000 DIRECT FAXIB AND HOLD.						
JOTOV (IAF)		FAXIB (NOPT) (FB)		042.14 / 5.00			4000								
FAXIB (IF/IAF)		CIBTA (FB)		132.18 / 10.00			2400								
CIBTA (FAF)		RW13 (MAP) (FO)		132.31 / 4.85											
RW13 (MAP)		1227 MSL		132.31					ADDITIONAL FLIGHT DATA: CHART FAS OBST: 1334 TREE 425329N/0731557W						
1227 MSL		FAXIB (FO)					4000								
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)															
2. HOLD NW FAXIB, RT, 132.18 INBOUND, 4000 FT. IN LIEU OF PT (IAF)															
3. FAC: 132.31 FAF: CIBTA DIST FAF TO MAP: 4.85 THLD: 4.85															
4. MIN. ALT: FAXIB 4000, CIBTA 2400															
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____															
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____															
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR															
8. MSA FROM: _____										MAG VAR: 14W			EPOCH YEAR: 1980		
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A		X									
CATEGORY ==>>>		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	2280	1 1/4	1461	2280	1 1/2	1461	2280	3	1461		NA				
CIRCLING	2280	1 1/4	1453	2280	1 1/2	1453	2280	3	1453		NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: CIRCLING NA SW OF RWY 13/31. (CONTINUED ON PAGE 2)															
CITY AND STATE BENNINGTON, VT		ELEVATION: 827 TDZE: 819 AIRPORT NAME: WILLIAM H MORSE STATE		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 13, ORIG-D 26 MAY 2016				SUP: 4 AMDT: 9 DATED 10/17/2013					

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE NORTH ADAMS, MA ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET.

TAA	FROM	TO	ALT
1.	042/30 CW 222/30 (NOPT)	042/15 CW 222/15	4400
2.	042/15 CW 222/15	FAXIB (IF/IAF) (FB)	4000
3.	222/30 CW 312/30	222/8 CW 312/8	5500
4.	222/8 CW 312/8	GADYE (IAF) (FB)	4000
5.	312/30 CW 042/30	312/10 CW 042/10	4900
6.	312/10 CW 042/10	JOTOV (IAF) (FB)	4000

CITY AND STATE
BENNINGTON, VT

ELEVATION: 827 **TDZE: 819**
AIRPORT NAME:
WILLIAM H MORSE STATE

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 13, ORIG-D
26 MAY 2016

SUP: **4**
AMDT: **ORIG-C**
DATED: **10/17/2013**

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																															
<div style="margin-bottom: 10px;">ARINC SUMMARY - KDDH</div> <div style="margin-bottom: 10px;">ROUTES</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>FAXIB</td><td>010</td><td>FAXIB</td><td>HF</td><td>FO</td><td></td><td>132.2</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 04000</td><td></td><td>EE A</td></tr> <tr><td>GADYE</td><td>010</td><td>GADYE</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>GADYE</td><td>020</td><td>FAXIB</td><td>TF</td><td>FB</td><td>1.0</td><td>222.2</td><td></td><td></td><td></td><td></td><td></td><td>AA 04000</td><td></td><td>EE B</td></tr> <tr><td>JOTOV</td><td>010</td><td>JOTOV</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>JOTOV</td><td>020</td><td>FAXIB</td><td>TF</td><td>FB</td><td>1.0</td><td>042.1</td><td></td><td></td><td></td><td></td><td></td><td>AA 04000</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>FAXIB</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 04000</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>CIBTA</td><td>TF</td><td>FB</td><td>1.0</td><td>132.2</td><td></td><td></td><td></td><td></td><td></td><td>AA 02400</td><td></td><td>E F</td></tr> <tr><td></td><td>030</td><td>RW13</td><td>TF</td><td>FO</td><td>0.3</td><td>132.3</td><td></td><td>3.03</td><td></td><td></td><td></td><td>AT 00839</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>132.3</td><td></td><td></td><td></td><td></td><td></td><td>AA 01227</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>FAXIB</td><td>DF</td><td>FO</td><td></td><td></td><td></td><td></td><td>L</td><td></td><td></td><td>AA 04000</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>FAXIB</td><td>HM</td><td>FO</td><td></td><td>132.2</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 04000</td><td></td><td>EE</td></tr> </tbody> </table> <div style="margin-bottom: 10px;">POINTS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>CIBTA</td><td>N425555.25</td><td>W0732056.35</td></tr> <tr><td>FAXIB</td><td>N430039.28</td><td>W0733256.30</td></tr> <tr><td>GADYE</td><td>N430503.74</td><td>W0732942.97</td></tr> <tr><td>JOTOV</td><td>N425614.73</td><td>W0733609.17</td></tr> </tbody> </table> <div style="margin-bottom: 10px;">RUNWAYS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr><td>RW13</td><td>N425337.01</td><td>W0731507.76</td><td>00794</td><td>45</td></tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	FAXIB	010	FAXIB	HF	FO		132.2			R			AA 04000		EE A	GADYE	010	GADYE	IF	FB										E A	GADYE	020	FAXIB	TF	FB	1.0	222.2						AA 04000		EE B	JOTOV	010	JOTOV	IF	FB										E A	JOTOV	020	FAXIB	TF	FB	1.0	042.1						AA 04000		EE B		010	FAXIB	IF	FB								AA 04000		E I		020	CIBTA	TF	FB	1.0	132.2						AA 02400		E F		030	RW13	TF	FO	0.3	132.3		3.03				AT 00839		GY M		040		CA	FB		132.3						AA 01227		M		050	FAXIB	DF	FO					L			AA 04000		EY		060	FAXIB	HM	FO		132.2			R			AA 04000		EE	POINT NAME	LATITUDE	LONGITUDE	CIBTA	N425555.25	W0732056.35	FAXIB	N430039.28	W0733256.30	GADYE	N430503.74	W0732942.97	JOTOV	N425614.73	W0733609.17	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW13	N425337.01	W0731507.76	00794	45
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																													
FAXIB	010	FAXIB	HF	FO		132.2			R			AA 04000		EE A																																																																																																																																																																																																													
GADYE	010	GADYE	IF	FB										E A																																																																																																																																																																																																													
GADYE	020	FAXIB	TF	FB	1.0	222.2						AA 04000		EE B																																																																																																																																																																																																													
JOTOV	010	JOTOV	IF	FB										E A																																																																																																																																																																																																													
JOTOV	020	FAXIB	TF	FB	1.0	042.1						AA 04000		EE B																																																																																																																																																																																																													
	010	FAXIB	IF	FB								AA 04000		E I																																																																																																																																																																																																													
	020	CIBTA	TF	FB	1.0	132.2						AA 02400		E F																																																																																																																																																																																																													
	030	RW13	TF	FO	0.3	132.3		3.03				AT 00839		GY M																																																																																																																																																																																																													
	040		CA	FB		132.3						AA 01227		M																																																																																																																																																																																																													
	050	FAXIB	DF	FO					L			AA 04000		EY																																																																																																																																																																																																													
	060	FAXIB	HM	FO		132.2			R			AA 04000		EE																																																																																																																																																																																																													
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																									
CIBTA	N425555.25	W0732056.35																																																																																																																																																																																																																									
FAXIB	N430039.28	W0733256.30																																																																																																																																																																																																																									
GADYE	N430503.74	W0732942.97																																																																																																																																																																																																																									
JOTOV	N425614.73	W0733609.17																																																																																																																																																																																																																									
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																							
RW13	N425337.01	W0731507.76	00794	45																																																																																																																																																																																																																							
CITY AND STATE BENNINGTON, VT		ELEVATION: 827 TDZE: 819 AIRPORT NAME: WILLIAM H MORSE STATE		FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 13, ORIG-D 26 MAY 2016			SUP: QUALITY AMDT: 4 DATED: ORIG-CO CHECKED																																																																																																																																																																																																																		