

U.S. Department of Transportation
Federal Aviation Administration

RNAV STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW12											
MALLO WP	HELOS WP (TF) (FB)	061.78/19.74	4500	CLIMBING RIGHT TURN TO 4000 DIRECT TO WAREN WP AND HOLD.											
HELOS WP (IAF)	HILAB WP (TF) (FB)	090.11/9.38	4300												
HILAB WP	WISPI WP (TF) (FB)	118.39/7.96	3300												
RW12 (MAP)	WAREN WP (DF) (FO)		4000												
				ADDITIONAL FLIGHT DATA: HOLD W, RT, 091.00 INBOUND FAS OBST 1300' TREE 432124/0734327											
1. PT <u>NA</u> SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)				WISPI WP TO RW12: 3.47/45											
2. PROFILE STARTS AT HILAB WP				FINAL SEGMENT (TF)											
3. FAC: <u>124.31</u> FAF: <u>WISPI WP</u> DIST FAF TO MAP: <u>-</u> THLD: <u>7.95</u>															
4. MIN. ALT: <u>HILAB WP 4300, WISPI WP 3300, SIBIE/4.97NM TO RW12 2200</u>															
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____															
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____															
7. GS ANGLE: _____ TCH: <u>34:1 IS NOT CLEAR</u>															
8. MSA FROM: <u>RW12 5100</u>				MAG VAR: 14W EPOCH YEAR: 80											
MINIMUMS															
TAKEOFF:	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> X	SEE FAA FORM 8260-15	FOR THIS AIRPORT	ALTERNATE: N	<input type="checkbox"/> A	<input checked="" type="checkbox"/> X								
CATEGORY <====>	A			B			C			D			E		
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LNAV MDA	1560	1 1/4	1232	1560	1 1/2	1232	1560	3	1232	1560	3	1232			
CIRCLING	1560	1 1/4	1232	1560	1 1/2	1232	1560	3	1232	1560	3	1232			
NOTES: GPS OR RNP-0.3 REQUIRED DME/DME RNP-0.3 NA															
CITY AND STATE		ELEVATION: 328 TDZE: 328		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./ EFFECTIVE DATE:				SUP:					
GLENS FALLS, NY		FLOYD BENNETT MEMORIAL		RNAV		15 MAY 2003 RNAV (GPS) RWY 12, ORIG				AMDT: NONE					
										DATE					