

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO			COURSE AND DISTANCE			ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW11 CLIMB TO 9100 DIRECT MGHEE AND HOLD, CONTINUE CLIMB-IN-HOLD TO 9100. **MISSED APPROACH REQUIRES MINIMUM CLIMB OF 240 FEET PER NM TO 7500. ADDITIONAL FLIGHT DATA: HOLD E, LT, 289.72 INBOUND. CHART FAS OBST: 4978 TREE 365817N/1130324W DISTANCE TO THLD FROM 250 HAT: 0.64 NM. CHART VDP AT 1.91 NM TO RW11* *LNAV ONLY. WAAS CHANNEL # 86440 REFERENCE PATH ID: W11A CHART CIRCLING ICON. LTP HAE: 1454.7 M							
MATZO (IAF)		JAGUK (TF) (FB) (RNP 1.00)			157.52 / 10.61			8200									
JITKA (IAF)		JAGUK (TF) (FB) (RNP 1.00)			082.88 / 16.76			8200									
JAGUK (IF)		HAPER (TF) (FB) (RNP 1.00)			109.42 / 2.50			7200									
HAPER		KEMBE (TF) (FB) (RNP 1.00)			109.42 / 2.50			7100									
KEMBE (FAF)		LERBE/2.50 NM TO RW11 (TF) (FB) (RNP 0.30)			109.48 / 4.41												
(SEE FORM 8260-10)																	
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																	
2. PROFILE STARTS AT JAGUK																	
3. FAC: 109.48 FAF: KEMBE DIST FAF TO MAP: 6.91 THLD: 6.91																	
4. MIN. ALT: JAGUK 8200, HAPER 7200, KEMBE 7100, LERBE/2.50 NM TO RW11 5680*																	
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																	
6. MIN GS INCPT: 7100 GS ALT AT: KEMBE 7100 OM: _____ MM: _____ IM: _____																	
7. GS ANGLE: 3.00 TCH: 53.0 34:1 IS CLEAR																	
8. MSA FROM: RW11 10400																	
MAG VAR: 13E EPOCH YEAR: 1995																	
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @					
CATEGORY =====>		A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
LPV DA**	5104	1	250	5104	1	250	5104	1	250	5104	1	250					
LPV DA	5297	1 1/2	443	5297	1 1/2	443	5297	1 1/2	443	5297	1 1/2	443					
LNAV/VNAV DA	5463	2 1/2	609	5463	2 1/2	609	5463	2 1/2	609	5463	2 1/2	609					
LNAV MDA	5500	1	646	5500	1	646	5500	1 7/8	646	5500	1 7/8	646					
CIRCLING	5500	1	626	5520	1	646	6880	3	2006	6880	3	2006					
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -24C (-11F) OR ABOVE 51C (125F). @ CAT C, D 2100-3 CHART NOTE: CIRCLING NA FOR CAT D N OF RWY 11-29. CHART NOTE: DME/DME RNP-0.3 NA. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}). (CONTINUED ON PAGE 2)																	
CITY AND STATE				ELEVATION: 4874 TDZE: 4854				FACILITY IDENTIFIER: RNAV				PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:	
COLORADO CITY, AZ				AIRPORT NAME:								RNAV (GPS) RWY 11, ORIG				AMDT: NONE	
				COLORADO CITY MUNI								14 SEPTEMBER 2017				DATED	

QUALITY
18
CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
LERBE/2.50 NM TO RW11	RW11 (MAP) (TF) (FO) (RNP 0.30)	109.48 / 2.50	
RW11 (MAP)	5104 MSL (CA)	109.48	
5104 MSL	MGHEE (DF) (FO) (RNP 1.00)		9100

QUALITY
18
CHECKED

CITY AND STATE COLORADO CITY, AZ	ELEVATION: 4874	TDZE: 4854	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 11, ORIG 14 SEPTEMBER 2017	SUP:
	AIRPORT NAME:				AMDT: NONE
	COLORADO CITY MUNI				DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KAZC
RUNWAY	RW11
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W11A
LTP/FTP LATITUDE	365752.9335N
LTP/FTP LONGITUDE	1130125.9975W
LTP/FTP ELLIPSOIDAL HEIGHT	+14547
FPAP LATITUDE	365704.9230N
FPAP LONGITUDE	1125952.2990W
THRESHOLD CROSSING HEIGHT (TCH)	00053.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0832
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
 <u>CRC REMAINDER</u>	 599F9EE2

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K2
LTP ORTHOMETRIC HEIGHT	+14775
FPAP ORTHOMETRIC HEIGHT	+14775

QUALITY
18
CHECKED

CITY AND STATE COLORADO CITY, AZ	ELEVATION: 4874 AIRPORT NAME: COLORADO CITY MUNI	TDZE: 4854 	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 11, ORIG 14 SEPTEMBER 2017	SUP:
					AMDT: NONE
					DATED: