

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
WOMAC	ZAPNU (FO)	177.51 / 19.76	3700	LNAV: IBBUW CLIMBING RIGHT TURN TO 3600 DIRECT ZAPNU AND HOLD. ADDITIONAL FLIGHT DATA: CHART FAS OBST: 1399 TOWER 335639N/0835740W CHART: 1504 TOWER 335400N/0835449W FAC CROSSES MID POINT OF RWY 7-25. CHART AIRPORT ELEVATION 1062.
ZAPNU (IF/IAF)	GAHRU (FB)	337.76 / 6.00	3100	
GAHRU (FAF)	IBBUW (MAP) (FO)	337.73 / 5.78		
IBBUW (MAP)	1462 MSL	337.73		
1462 MSL	ZAPNU (FO)		3600	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD S ZAPNU, RT, 337.76 INBOUND, 3600 FT. IN LIEU OF PT (IAF)
- FAC: 337.73 FAF: GAHRU DIST FAF TO MAP: 5.78 THLD:
- MIN. ALT: ZAPNU 3600, GAHRU 3100
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: GS ALT AT: OM: MM: IM:
- GS ANGLE: TCH:
- MSA FROM: IBBUW 3700

MAG VAR: 5W

EPOCH YEAR: 2010

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD @						
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
CIRCLING	1640	1	578	1640	1	578	1640	1 1/2	578	1700	2	638			

NOTES:
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WINDER ALTIMETER SETTING AND INCREASE ALL MDAS 60 FEET; INCREASE CAT C AND D VISIBILITY 1/4 MILE.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT WOMAC ON V322-325 NORTHEAST BOUND.
CHART NOTE: CIRCLING TO RWY 7 NA AT NIGHT.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE LAWRENCEVILLE, GA	ELEVATION: 1062 TDZE: AIRPORT NAME: GWINNETT COUNTY - BRISCOE FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS)-A, ORIG-A 7 MARCH 2013	SUP: AMDT: ORIG DATED 07/05/2007
-------------------------------------	---	------------------------------	--	--



Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KLZUK7FRNV-A AWOMAC	010WOMACK7EA0E	IF								18000		B JC	
SUSAP KLZUK7FRNV-A AWOMAC	020ZAPNUK7EA0EY	020TF				17750198		+ 03700				B JC	
SUSAP KLZUK7FRNV-A AWOMAC	030ZAPNUK7EA0EE	AR HF				33780040		+ 03600				B JC	
SUSAP KLZUK7FRNV-A R	010ZAPNUK7EA0E	I IF						+ 03600		18000		B JC	
SUSAP KLZUK7FRNV-A R	020GAHRUK7EA0E	F 051TF				33780060		+ 03100			IBBUW K7EAB	JC	
SUSAP KLZUK7FRNV-A R	030IBBUWK7EA0EY	M 031TF				33770058		01700		000		B JC	
SUSAP KLZUK7FRNV-A R	040	0 M CA				3377		+ 01462				B JC	
SUSAP KLZUK7FRNV-A R	050ZAPNUK7EA0EY	R DF						+ 03600				B JC	
SUSAP KLZUK7FRNV-A R	060ZAPNUK7EA0EE	R HM				33780040		+ 03600				B JC	

[illegible]

CITY AND STATE LAWRENCEVILLE, GA	ELEVATION: 1062	TDZE:	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS)-A, ORIG-A 7 MARCH 2013	SUP:	
	AIRPORT NAME: GWINNETT COUNTY - BRISCOE FIELD				AMDT:	ORIG
					DATED:	07/05/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	WOMAC	WOMAC	010		IF		FB					
	WOMAC	ZAPNU	020		TF		FO	2.0	177.5(172.5T)	019.8	AA 03700	
	WOMAC	ZAPNU	030	IAF	HF	R	FO		337.8(332.8T)	004.0	AA 03600	
		ZAPNU	010	FACF	IF		FB				AA 03600	
		GAHRU	020	FAF	TF		FB	0.5	337.8(332.8T)	006.0	AA 03100	
		IBBUW	030	MAP	TF		FO	0.3	337.7(332.7T)	005.8	AT 01700	
MISSED APPROACH		FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
			040		CA		FB		337.7(332.7T)		AA 01462	
		ZAPNU	050		DF	R	FO				AA 03600	
		ZAPNU	060		HM	R	FO		337.8(332.8T)	004.0	AA 03600	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	GAHRU	N335331.87	W0835433.17	N3353.531	W08354.553
	IBBUW	N335840.65	W0835744.25	N3358.678	W08357.738
	WOMAC	N340748.86	W0835420.77	N3407.814	W08354.346
	ZAPNU	N334811.26	W0835115.23	N3348.188	W08351.254

QUALITY
4
05-05-07

CITY AND STATE LAWRENCEVILLE, GA	ELEVATION: 1062	TDZE:	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME:			RNAV (GPS)-A, ORIG-A	AMDT: ORIG
	WINNETT COUNTY - BRISCOE FIELD	RNAV	7 MARCH 2013	DATED: 07/05/2007	