

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

1/4 MILE.

CHART NOTE: DME/DME RNP-0.3 NA.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT LEFTY ON V218 NORTHWEST BOUND AND V24 WESTBOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT FOYDE ON V138 WESTBOUND AND V67 SOUTHBOUND.

CHART NOTE: BARO-VNAV AND VDP NA WHEN USING PRESTON, MN ALTIMETER SETTING.



CITY AND STATE DECORAH, IA	ELEVATION: 1158 AIRPORT NAME: DECORAH MUNI	THRE: 1146	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 11, ORIG 05 MAY 2011	SUP:
					AMDT: NONE
					DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KDEH
RUNWAY RW11
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR
REFERENCE PATH DATA SELECTOR 0
REFERENCE PATH IDENTIFIER (APPROACH ID) W11A
LTP/FTP LATITUDE 431640.0900N
LTP/FTP LONGITUDE 0914446.3200W
LTP/FTP ELLIPSOIDAL HEIGHT +03191
FPAP LATITUDE 431602.8900N
FPAP LONGITUDE 0914255.4900W
THRESHOLD CROSSING HEIGHT (TCH) 00040.0
TCH UNITS SELECTOR (METERS OR FEET USED) F
GLIDEPATH ANGLE (GPA) 03.00
COURSE WIDTH AT THRESHOLD 106.75
LENGTH OFFSET 1528
HORIZONTAL ALERT LIMIT (HAL) 40.0
VERTICAL ALERT LIMIT (VAL) 50.0

CRC REMAINDER

61691A5A

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K3
LTP ORTHOMETRIC HEIGHT +03491
FPAP ORTHOMETRIC HEIGHT +03491

CITY AND STATE

DECORAH, IA

ELEVATION: 1158

THRE: 1146

AIRPORT NAME:

DECORAH MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 11, ORIG

05 MAY 2011

SUP:

AMDT: NONE

DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KDEHK3FR11	AFOYDE	010FOYDEK3EA0E	A	IF						18000		A	JS
SUSAP KDEHK3FR11	AFOYDE	020JEBARK3EA0EE	B	010TF		06410248		+ 03000				A	JS
SUSAP KDEHK3FR11	AJEBAR	010JEBARK3EA0EE	AR	HF		11350040		+ 03000		18000		A	JS
SUSAP KDEHK3FR11	ALEFTY	010LEFTYK3EA0E	A	IF						18000		A	JS
SUSAP KDEHK3FR11	ALEFTY	020JEBARK3EA0EE	B	010TF		19250180		+ 03000				A	JS
SUSAP KDEHK3FR11	R	010JEBARK3EA0E	I	IF				+ 03000		18000		A	JS
SUSAP KDEHK3FR11	R	020DUCAVK3EA1E	F	051TF		11350061		+ 02900			RW11	K3PGA	JS
SUSAP KDEHK3FR11	R	020DUCAVK3EA2WALPV			ALNAV/VNAV	ALNAV							JS
SUSAP KDEHK3FR11	R	030RW11	K3PGOGY	M	031TF		11360054		01186		-300		A JS
SUSAP KDEHK3FR11	R	040		0	M	CA	1136		+ 01396				A JS
SUSAP KDEHK3FR11	R	050FAYNEK3EA0EY		DF					+ 03200				A JS
SUSAP KDEHK3FR11	R	060FAYNEK3EA0EE	R	HM			29380040		+ 03200				A JS

[illegible][illegible]

QUALITY
6
CHECKED

DATED:

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

0 18018002825

M

ELEVATION: 1158 THRE: 1146
AIRPORT NAME:
DECORAH MUNI

FACILITY IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 11, ORIG
05 MAY 2011

SUP:	
AMDT:	NONE
DATED:	

QUALITY
6
CHECKED