

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
RW08 (MAP)	3458 MSL	083.61	
3458 MSL	CELRA (FO)		5000

NOTES, (CONT.):

SLIDE ON V76 SOUTH BOUND.

*LNAV ONLY

QUALITY
6
CHECKED

CITY AND STATE

LUBBOCK, TX

ELEVATION: 3282

TDZE: 3258

AIRPORT NAME:

LUBBOCK PRESTON SMITH INTL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 8, AMDT 2B

5 JANUARY 2017

SUP:

AMDT: **2A**

DATED: **04/02/2015**

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KLBB
RUNWAY	RW08
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W08A
LTP/FTP LATITUDE	333944.0200N
LTP/FTP LONGITUDE	1014922.4350W
LTP/FTP ELLIPSOIDAL HEIGHT	+09680
FPAP LATITUDE	333944.5370N
FPAP LONGITUDE	1014735.6885W
THRESHOLD CROSSING HEIGHT (TCH)	00050.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0312
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	35.0
 <u>CRC REMAINDER</u>	 8F481DD3

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+09931
FPAP ORTHOMETRIC HEIGHT	+09931

QUALITY
6
CHECKED

CITY AND STATE LUBBOCK, TX	ELEVATION: 3282 AIRPORT NAME: LUBBOCK PRESTON SMITH INTL	TDZE: 3258 RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 8, AMDT 2B 5 JANUARY 2017	SUP:
				AMDT: 2A
				DATED: 04/02/2015

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.																																																																																																																																																																																																																																							
<div style="margin-bottom: 10px;">ARINC SUMMARY - KLBB</div> <div style="margin-bottom: 10px;">ROUTES</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">TRANSITION</th> <th style="text-align: left;">WPT SEQ</th> <th style="text-align: left;">WPT NAME</th> <th style="text-align: left;">LEG TYPE</th> <th style="text-align: left;">FB/FO</th> <th style="text-align: left;">RNP</th> <th style="text-align: left;">MAG CRS</th> <th style="text-align: left;">REC NAV</th> <th style="text-align: left;">ANGLE</th> <th style="text-align: left;">TURN DIR</th> <th style="text-align: left;">CENTER FIX</th> <th style="text-align: left;">TURN RADIUS</th> <th style="text-align: left;">ALTITUDE DESCRIPTION & VALUE</th> <th style="text-align: left;">SPEED LIMIT DESCRIPTION & VALUE</th> <th style="text-align: left;">WPT DESCRIPTION CODE</th> </tr> </thead> <tbody> <tr><td>SLIDE</td><td>010</td><td>SLIDE</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E</td></tr> <tr><td>SLIDE</td><td>020</td><td>JUVAL</td><td>TF</td><td>FB</td><td>2.0</td><td>318.8</td><td></td><td></td><td></td><td></td><td></td><td>AA 05100</td><td></td><td>E A</td></tr> <tr><td>SLIDE</td><td>030</td><td>KAPWU</td><td>TF</td><td>FB</td><td>1.0</td><td>014.8</td><td></td><td></td><td></td><td></td><td></td><td>AA 05100</td><td></td><td>EE B</td></tr> <tr><td>SPADE</td><td>010</td><td>SPADE</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>E A</td></tr> <tr><td>SPADE</td><td>020</td><td>KAPWU</td><td>TF</td><td>FB</td><td>1.0</td><td>152.4</td><td></td><td></td><td></td><td></td><td></td><td>AA 05100</td><td></td><td>EE B</td></tr> <tr><td></td><td>010</td><td>KAPWU</td><td>IF</td><td>FB</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 05100</td><td></td><td>E I</td></tr> <tr><td></td><td>020</td><td>CAVSI</td><td>TF</td><td>FB</td><td>0.5</td><td>083.6</td><td></td><td></td><td></td><td>RW08</td><td></td><td>AA 04700</td><td></td><td>E F</td></tr> <tr><td></td><td>021</td><td>WUMBA</td><td>TF</td><td>FB</td><td>0.3</td><td>083.6</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AA 03740 GS 03754</td><td></td><td>E S</td></tr> <tr><td></td><td>030</td><td>RW08</td><td>TF</td><td>FO</td><td>0.3</td><td>083.6</td><td></td><td>3.00</td><td></td><td></td><td></td><td>AT 03308</td><td></td><td>GY M</td></tr> <tr><td></td><td>040</td><td></td><td>CA</td><td>FB</td><td></td><td>083.6</td><td></td><td></td><td></td><td></td><td></td><td>AA 03458</td><td></td><td>M</td></tr> <tr><td></td><td>050</td><td>CELRA</td><td>DF</td><td>FO</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AA 05000</td><td></td><td>EY</td></tr> <tr><td></td><td>060</td><td>CELRA</td><td>HM</td><td>FO</td><td></td><td>263.8</td><td></td><td></td><td>R</td><td></td><td></td><td>AA 05000</td><td></td><td>EE</td></tr> </tbody> </table> <div style="margin-top: 10px;">POINTS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">POINT NAME</th> <th style="text-align: left;">LATITUDE</th> <th style="text-align: left;">LONGITUDE</th> </tr> </thead> <tbody> <tr><td>CAVSI</td><td>N333942.35</td><td>W1015436.56</td></tr> <tr><td>CELRA</td><td>N333947.56</td><td>W1013444.95</td></tr> <tr><td>JUVAL</td><td>N332434.97</td><td>W1020855.40</td></tr> <tr><td>KAPWU</td><td>N333939.62</td><td>W1020205.30</td></tr> <tr><td>SLIDE</td><td>N331331.43</td><td>W1015936.15</td></tr> <tr><td>SPADE</td><td>N335439.69</td><td>W1020910.64</td></tr> <tr><td>WUMBA</td><td>N333943.51</td><td>W1015103.08</td></tr> </tbody> </table> <div style="margin-top: 10px;">RUNWAYS</div> <table style="width:100%; border-collapse: collapse; font-family: monospace; font-size: small;"> <thead> <tr> <th style="text-align: left;">RUNWAY</th> <th style="text-align: left;">THRESHOLD LATITUDE</th> <th style="text-align: left;">THRESHOLD LONGITUDE</th> <th style="text-align: left;">THRESHOLD ELEVATION</th> <th style="text-align: left;">PROCEDURE TCH</th> </tr> </thead> <tbody> <tr> <td>RW08</td> <td>N333944.02</td> <td>W1014922.44</td> <td>03258</td> <td>50</td> </tr> </tbody> </table>															TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE	SLIDE	010	SLIDE	IF	FB										E	SLIDE	020	JUVAL	TF	FB	2.0	318.8						AA 05100		E A	SLIDE	030	KAPWU	TF	FB	1.0	014.8						AA 05100		EE B	SPADE	010	SPADE	IF	FB										E A	SPADE	020	KAPWU	TF	FB	1.0	152.4						AA 05100		EE B		010	KAPWU	IF	FB								AA 05100		E I		020	CAVSI	TF	FB	0.5	083.6				RW08		AA 04700		E F		021	WUMBA	TF	FB	0.3	083.6		3.00				AA 03740 GS 03754		E S		030	RW08	TF	FO	0.3	083.6		3.00				AT 03308		GY M		040		CA	FB		083.6						AA 03458		M		050	CELRA	DF	FO								AA 05000		EY		060	CELRA	HM	FO		263.8			R			AA 05000		EE	POINT NAME	LATITUDE	LONGITUDE	CAVSI	N333942.35	W1015436.56	CELRA	N333947.56	W1013444.95	JUVAL	N332434.97	W1020855.40	KAPWU	N333939.62	W1020205.30	SLIDE	N331331.43	W1015936.15	SPADE	N335439.69	W1020910.64	WUMBA	N333943.51	W1015103.08	RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH	RW08	N333944.02	W1014922.44	03258	50
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE																																																																																																																																																																																																																																					
SLIDE	010	SLIDE	IF	FB										E																																																																																																																																																																																																																																					
SLIDE	020	JUVAL	TF	FB	2.0	318.8						AA 05100		E A																																																																																																																																																																																																																																					
SLIDE	030	KAPWU	TF	FB	1.0	014.8						AA 05100		EE B																																																																																																																																																																																																																																					
SPADE	010	SPADE	IF	FB										E A																																																																																																																																																																																																																																					
SPADE	020	KAPWU	TF	FB	1.0	152.4						AA 05100		EE B																																																																																																																																																																																																																																					
	010	KAPWU	IF	FB								AA 05100		E I																																																																																																																																																																																																																																					
	020	CAVSI	TF	FB	0.5	083.6				RW08		AA 04700		E F																																																																																																																																																																																																																																					
	021	WUMBA	TF	FB	0.3	083.6		3.00				AA 03740 GS 03754		E S																																																																																																																																																																																																																																					
	030	RW08	TF	FO	0.3	083.6		3.00				AT 03308		GY M																																																																																																																																																																																																																																					
	040		CA	FB		083.6						AA 03458		M																																																																																																																																																																																																																																					
	050	CELRA	DF	FO								AA 05000		EY																																																																																																																																																																																																																																					
	060	CELRA	HM	FO		263.8			R			AA 05000		EE																																																																																																																																																																																																																																					
POINT NAME	LATITUDE	LONGITUDE																																																																																																																																																																																																																																																	
CAVSI	N333942.35	W1015436.56																																																																																																																																																																																																																																																	
CELRA	N333947.56	W1013444.95																																																																																																																																																																																																																																																	
JUVAL	N332434.97	W1020855.40																																																																																																																																																																																																																																																	
KAPWU	N333939.62	W1020205.30																																																																																																																																																																																																																																																	
SLIDE	N331331.43	W1015936.15																																																																																																																																																																																																																																																	
SPADE	N335439.69	W1020910.64																																																																																																																																																																																																																																																	
WUMBA	N333943.51	W1015103.08																																																																																																																																																																																																																																																	
RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH																																																																																																																																																																																																																																															
RW08	N333944.02	W1014922.44	03258	50																																																																																																																																																																																																																																															
CITY AND STATE <div style="text-align: center;">LUBBOCK, TX</div>					ELEVATION: 3282 TDZE: 3258 AIRPORT NAME: <div style="text-align: center;">LUBBOCK PRESTON SMITH INTL</div>					FACILITY IDENTIFIER: <div style="text-align: center;">RNAV</div>		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <div style="text-align: center;">RNAV (GPS) RWY 8, AMDT 2B 5 JANUARY 2017</div>			SUP: <hr/> AMDT: 2A <hr/> DATED: 04/02/2015																																																																																																																																																																																																																																				

