

<b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b> <b>VOR STANDARD INSTRUMENT APPROACH PROCEDURE</b> <b>FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23</b>								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
<b>TERMINAL ROUTES</b>										<b>MISSED APPROACH</b>							
<b>FROM</b>		<b>TO</b>		<b>COURSE AND DISTANCE</b>				<b>ALTITUDE</b>		MAP: 4.91 MILES AFTER YAPPY INT/RRS 7.80 DME OR AT 12.71 DME FIX  CLIMBING RIGHT TURN TO 2000 ON OZR VOR/DME R-026 TO SKIPO INT/RRS 17.80 DME AND HOLD.							
RRS VORTAC (IF/IAF)		YAPPY INT/RRS 7.80 DME		310.59 / 7.80				2000		<b>ADDITIONAL FLIGHT DATA:</b>  HOLD NW, LT, 150.99 INBOUND. CHART FAS OBST: 520 TREE 312537N/0853446W CHART: 692 TOWER 312108N/0853244W CHART R-2103 A&B. YAPPY TO RW31: 3.11/40. CHART HUNT STAGEFIELD AHP CHART DOTHAN ASOS							
1. PT <u>      </u> SIDE OF COURSE <u>      </u> OUTBOUND <u>      </u> FT WITHIN <u>      </u> MILES OF <u>      </u> (IAF) 2. HOLD SE RRS VORTAC, RT, 330.00 INBOUND, 2100 FT. IN LIEU OF PT (IAF) 3. FAC <u>310.59</u> FAF YAPPY INT/RRS 7.80 DME <span style="float:right">DIST FAF TO MAP <u>4.91</u> THLD <u>4.91</u></span> 4. MIN. ALT <u>RRS VORTAC 2100, YAPPY 2000, YALSU INT/RRS 11.10 DME 880</u> 8. MSA FROM: RRS VORTAC 180-360 3100, 360-180 2500														MAG VAR: 2E		EPOCH YEAR: 1965	
<b>MINIMUMS</b>																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		X					
CATEGORY =====>		A			B			C			D			E			
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA		
S-31	880	1	539	880	1	539	880	1 1/2	539		NA						
CIRCLING	900	1	542	900	1	542	960	1 3/4	602		NA						
<b>YALSU FIX MINIMUMS (DUAL VOR RECEIVERS OR DME REQUIRED)</b>																	
S-31	820	1	479	820	1	479	820	1 3/8	479		NA						
CIRCLING	900	1	542	900	1	542	960	1 3/4	602		NA						
<b>NOTES:</b> CHART NOTE: USE DOTHAN ALTIMETER SETTING; WHEN NOT RECEIVED, USE CAIRNS AAF ALTIMETER SETTING. CHART NOTE: PROCEDURE NA AT NIGHT. CHART PLANVIEW NOTE: NOPT FOR ARRIVAL ON RRS VORTAC AIRWAY RADIALS 126 CW 150. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1SM NOT AUTHORIZED. CHART NOTE: CAUTION: EXTENSIVE HELICOPTER TRAFFIC IN AREA.																	
CITY AND STATE				ELEVATION: 358      THRE: 341				FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP      VOR RWY 30			
OZARK, AL				AIRPORT NAME:				RRS		VOR RWY 31, AMDT 7				AMDT      6B			
				BLACKWELL FIELD						27 JUNE 2013				DATE      05/03/2012			

