

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33						Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
TERMINAL ROUTES											MISSED APPROACH					
FROM		TO			COURSE AND DISTANCE			ALTITUDE		LP: RW24 LNAV: RW24 CLIMB TO 3000 DIRECT JEPAX AND HOLD. ADDITIONAL FLIGHT DATA: HOLD SW, RT, 058.68 INBOUND. CHART FAS OBST: 689 TREES 371500N/0870713W CHART FAS OBST: 739 TREES 371439N/0870835W WAAS CHANNEL # 99627 REFERENCE PATH ID: W24A CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES. LTP HAE: 99.4 M						
IMOGY (IF/IAF)		ZOKOB (TF) (FB) (RNP 1.00)			238.94 / 6.87			2100								
ZOKOB (FAF)		HUKDA/3.00 NM TO RW24 (TF) (FB) (RNP 0.30)			238.86 / 2.13											
HUKDA/3.00 NM TO RW24		RW24 (MAP) (TF) (FO) (RNP 0.30)			238.84 / 3.00											
RW24 (MAP)		828 MSL			238.84			3000								
828 MSL		JEPAX (DF) (FO) (RNP 1.00)														
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD NE IMOGY, RT, 238.94 INBOUND, 3000 FT. IN LIEU OF PT (IAF) 3. FAC: 238.86 FAF: ZOKOB DIST FAF TO MAP: 5.13 THLD: 5.13 4. MIN. ALT: IMOGY 3000, ZOKOB 2100, HUKDA/3.00 NM TO RW24 1420 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: _____											MAG VAR: 3W		EPOCH YEAR: 2010			
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A <input checked="" type="checkbox"/> X									
CATEGORY =====>		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LP MDA	940	1	512	940	1	512	940	1 3/8	512	940	1 3/8	512				
LNAV MDA	1000	1	572	1000	1	572	1000	1 5/8	572	1000	1 5/8	572				
CIRCLING	1040	1	612	1040	1	612	1040	1 3/4	612	1040	2	612				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE OWENSBORO ALTIMETER SETTING AND INCREASE ALL MDAS 80 FEET. INCREASE LP CATS C/D VISIBILITY 3/8 SM AND LNAV CATS C/D AND CIRCLING CATS C/D VISIBILITY 1/4 SM. (CONTINUED ON PAGE 2)																
CITY AND STATE GREENVILLE, KY				ELEVATION: 428 TDZE: 428 AIRPORT NAME: MUHLENBERG COUNTY				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 24, AMDT 1C 27 APRIL 2017					SUP: AMDT: 1B DATED 04/30/2015	



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: STRAIGHT-IN RWY 24 NA AT NIGHT.

CHART NOTE: RWY 24 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

TAA	FROM	TO	ALT
1.	149/30 CW 329/30 (NOPT)	IMOGY (IF/IAF) (FB)	3000
2.	329/30 CW 149/30	IMOGY (IF/IAF) (FO)	3000



CITY AND STATE GREENVILLE, KY	ELEVATION: 428 TDZE: 428 AIRPORT NAME: MUHLENBERG COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 24, AMDT 1C 27 APRIL 2017	SUP:
				AMDT: 1B
				DATED: 04/30/2015

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	M21
RUNWAY	RW24
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W24A
LTP/FTP LATITUDE	371346.1100N
LTP/FTP LONGITUDE	0870901.5300W
LTP/FTP ELLIPSOIDAL HEIGHT	+00994
FPAP LATITUDE	371255.9700N
FPAP LONGITUDE	0871033.8000W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1352
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0
 <u>CRC REMAINDER</u>	 04CB44C4

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K5
LTP ORTHOMETRIC HEIGHT	+01295
FPAP ORTHOMETRIC HEIGHT	+01295



CITY AND STATE GREENVILLE, KY	ELEVATION: 428	TDZE: 428	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 24, AMDT 1C 27 APRIL 2017	SUP:	
	AIRPORT NAME: MUHLENBERG COUNTY					AMDT: 1B
						DATED: 04/30/2015