

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR OR TACAN STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.							
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: EKOTY/PMD 0.30 DME					
CIVOK/PMD 12.00 DME (IF) WUGIT/PMD 7.00 DME		WUGIT/PMD 7.00 DME THERO/PMD 4.00 DME		265.10 / 5.00 (PMD R-085) 265.10 / 3.00 (PMD R-085)				4300 4000		CLIMB TO 5000 ON PMD VORTAC R-282 THEN CLIMBING RIGHT TURN TO 7000 DIRECT PMD VORTAC AND HOLD (TACAN AIRCRAFT CLIMBING RIGHT TURN TO 6700 ON PMD VORTAC R-298 TO FISCH INT/14.26 DME AND HOLD SE, LT, 298.00 INBOUND, CONTINUE CLIMB-IN-HOLD TO 6700). ADDITIONAL FLIGHT DATA: HOLD E, RT, 283.84 INBOUND. CHART FAS OBST: 2589 TREE 343631N/1180200W. 2599 TREE 343618N/1180050W. CHART AT OR ABOVE 5200 AT PMD VORTAC. CHART CIRCLING ICON. THERO TO RW25: 3.04/58. CHART PLANVIEW NOTE: DME REQUIRED.					
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. TEARDROP R-070 OUTBOUND, R-265 INBOUND, 5200 WITHIN 15 NM. OF PMD VORTAC (IAF). 3. FAC 265.10 FAF THERO/PMD 4.00 DME _____ DIST FAF TO MAP _____ THLD 4.47 4. MIN. ALT CIVOK 5200, WUGIT 4300, THERO 4000, STRAS/PMD 2.49 DME 3500 8. MSA FROM: PMD VORTAC 070-180 11300, 180-340 7800, 340-070 5400															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-25	2840	1	337	2840	1	337	2840	1	337	2840	1	337	2840	1	337
CIRCLING	3020	1	477	3060	1	517	3140	1 1/2	597	3740	3	1197	3760	3	1217
NOTES: CHART NOTE: CIRCLING NA FOR CATS C, D, AND E SOUTH OF RWYS 4 AND 25. @ CAT D 1200-3, CAT E 1300-3 CHART NOTE: DME REQUIRED. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON PMD VORTAC AIRWAY RADIALS 067 CW 142. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}). (CONTINUED ON PAGE 2)															
CITY AND STATE PALMDALE, CA		ELEVATION: 2543 TDZE: 2503		FACILITY IDENTIFIER: PMD		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR OR TACAN RWY 25, AMDT 8 24 MAY 2018				SUP		VOR/DME OR TACAN RWY 25			
		AIRPORT NAME: PALMDALE USAF PLANT 42								AMDT		7			
										DATE		04/08/2010			



U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
VOR OR TACAN STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PROFILE NOTE: REMAIN WITHIN 15 NM OF PMD VORTAC.

CHART PLANVIEW NOTE: CAUTION: HIGH TERRAIN 5 NM SW OF AIRPORT.

QUALITY
19
CHECKED

CITY AND STATE

PALMDALE, CA

ELEVATION: 2543

TDZE: 2503

AIRPORT NAME:

PALMDALE USAF PLANT 42

FACILITY
IDENTIFIER:

PMD

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

VOR OR TACAN RWY 25, AMDT 8

24 MAY 2018

SUP: **VOR/DME OR
TACAN RWY 25**

AMDT: **7**

DATED: **04/08/2010**