

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
FFITZ	THREE	FFITZ3.FFITZ	TWO	06/25/2015	10/15/2015

TYPE: RNAV

DP ROUTE DESCRIPTION:

TAKEOFF RWY 25L/R: CLIMB ON HEADING 252.00 TO AT OR ABOVE 660, THEN CLIMB DIRECT VUYWO, AND ON TRACK 274.87 TO OGOLY, AND ON TRACK 287.97 TO CROSS EVRTS AT OR ABOVE 5000, THENCE ...

TAKEOFF RWY 33: CLIMB ON HEADING 326.89 TO AT OR ABOVE 660, THEN CLIMB DIRECT ISACC, AND ON TRACK 244.98 TO RRROB, AND ON TRACK 252.72 TO CROSS EVRTS AT OR ABOVE 5000, THENCE ...

... CONTINUE CLIMB ON TRACK 307.93 TO DCSIX, AND ON TRACK 311.31 TO CROSS FRIDA AT OR ABOVE 9000, AND ON TRACK 286.95 TO FFITZ. MAINTAIN 10000 OR AS ASSIGNED BY ATC.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

TAKEOFF MINIMUMS:

RWY 7R, 7L, 15, NA - AIR TRAFFIC.

RWY 25L, 25R, 33, STANDARD

NOTE: PROPELLER-DRIVEN AIRCRAFT ONLY.

NOTE: GPS REQUIRED.

NOTE: RADAR REQUIRED.

NOTE: RNAV-1.



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
FFITZ	THREE	FFITZ3.FFITZ	TWO	06/25/2015	10/15/2015

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 25L, MULTIPLE NAVAID ITEMS BEGINNING 4 FT FROM DER, ON CENTERLINE, UP TO 3 FT AGL/135 FT MSL. FENCES, TREES AND BUSHES BEGINNING 12 FT FROM DER, 385 FT LEFT OF CENTERLINE, UP TO 60 FT AGL/200FT MSL. TREES BEGINNING 396 FT FROM DER, ON CENTERLINE AND TO THE RIGHT OF CENTERLINE, UP TO 60 FT AGL/177 FT MSL.

NOTE: RWY 25R, BUSH AND NAVAID BEGINNING 10 FT FROM DER, 56 FT RIGHT OF CENTERLINE, UP TO 3 FT AGL/129 FT MSL.

NOTE: RWY 33, TREES, BUSH AND NAVAID BEGINNING 10 FT FROM DER, 85 FT LEFT OF CENTERLINE, UP TO 60 FT AGL/182 FT MSL. TREES BEGINNING 390 FT FROM DER, 326 FT RIGHT OF CENTERLINE, UP TO 60 FT AGL/232 FT MSL.

CONTROLLING OBSTACLES:**LOST COMMUNICATIONS PROCEDURES:****ADDITIONAL FLIGHT DATA:**

DME/DME ASSESSMENT NOT CONDUCTED
CHART: TOP ALTITUDE: 10000
REFERENCE MAG VAR: 18E

AIRPORTS SERVED:

TED STEVENS ANCHORAGE INTL

ANCHORAGE, AK

COMMUNICATIONS:

ATIS, CLNC DEL, GND CON, ANC ATCT, ANC DEP CON

FIXES AND/OR NAVAIDS:**REMARKS:**

CROSS AT/ABOVE 5000 AT EVRTS AND AT/ABOVE 9000 AT FRIDA PLACED ON PROCEDURE AT ATC REQUEST.
18E MAGVAR USED PER AFS DUE TO INDUSTRY FMS ISSUES.



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
FFITZ	THREE	FFITZ3.FFITZ	TWO	06/25/2015	10/15/2015



U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
FFITZ	THREE	FFITZ3.FFITZ	TWO	06/25/2015	10/15/2015

COORDINATED WITH:

ATA, ALPA, APA, AOPA, NBAA, ZAN, ANC ATCT, AMGR, ANC APP CON

CHANGES:

1. RENUMBERED ALL HEADINGS BY -1 DEGREE.

REASONS:

1. MAGVAR CHANGE TO 18E.



DEPARTURE (DATA RECORD)

DP Name		Number	DP Computer Code				Superseded Number	Dated	Effective Date
FFITZ		THREE	FFITZ3.FFITZ				TWO	06/25/2015	10/15/2015
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW25L (AER)	611004.37N/1495821.53W	N	-	-	-	-			
660 MSL		-	-	VA	270.00	-			
VUYWO	610957.41N/1502816.54W	Y	FB	DF	-	-			
OGOLY	611335.43N/1504614.69W	Y	FB	TF	292.87	9.43			
EVRTS	611937.69N/1510336.58W	Y	FB	TF	305.97	10.34	AT/ABOVE 5000		
DCSIX	613146.67N/1512050.87W	Y	FB	TF	325.93	14.73			
FRIDA	614353.25N/1513601.23W	Y	FB	TF	329.31	14.14	AT/ABOVE 9000		
FFITZ	620851.79N/1525329.55W	Y	FB	TF	304.95	44.35			
RW25R (AER)	611011.32N/1495653.88W	N	-	-	-	-			
660 MSL		-	-	VA	270.00	-			
VUYWO	610957.41N/1502816.54W	Y	FB	DF	-	-			
OGOLY	611335.43N/1504614.69W	Y	FB	TF	292.87	9.43			
EVRTS	611937.69N/1510336.58W	Y	FB	TF	305.97	10.34	AT/ABOVE 5000		
DCSIX	613146.67N/1512050.87W	Y	FB	TF	325.93	14.73			
FRIDA	614353.25N/1513601.23W	Y	FB	TF	329.31	14.14	AT/ABOVE 9000		
FFITZ	620851.79N/1525329.55W	Y	FB	TF	304.95	44.35			
RW33 (AER)*	611018.13N/1495955.94W	N	-	-	-	-			*DSPL THLD (266 FT)
660 MSL		-	-	VA	344.89	-			
ISACC	612051.56N/1501445.14W	Y	FB	DF	-	-			
RRROB	611930.70N/1503701.34W	Y	FB	TF	262.98	10.81			
EVRTS	611937.69N/1510336.58W	Y	FB	TF	270.72	12.81	AT/ABOVE 5000		
DCSIX	613146.67N/1512050.87W	Y	FB	TF	325.93	14.73			
FRIDA	614353.25N/1513601.23W	Y	FB	TF	329.31	14.14	AT/ABOVE 9000		
FFITZ	620851.79N/1525329.55W	Y	FB	TF	304.95	44.35			

