

# RNAV (GPS) - STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
DHT VORTAC	WAVSU (FB)	085.13 / 25.66	5700	LPV: DA LNAV/VNAV: DA LNAV: RW19  CLIMB TO 5700 DIRECT TO KIXSO AND HOLD.  ADDITIONAL FLIGHT DATA: HOLD S, RT, 014.09 INBOUND. CHART FAS OBST: 3794 TREE 355200N/1020103W CHART FAS OBST: 3960 TOWER 355325N/1015838W CHART 4057 TOWER 355521N/1015753W. DISTANCE TO THLD FROM 250 HAT: 0.64 NM. WAAS CHANNEL # 69416
BGD VORTAC	ZUMTA (FB)	288.27 / 24.51	5700	
WAVSU (IAF)	MIVRE (NOPT) (FB)	104.13 / 5.00	5700	
ZUMTA (IAF)	MIVRE (NOPT) (FB)	284.25 / 5.00	5700	
MIVRE (IF/IAF)	UCARO (FB)	194.19 / 6.10	5200	

ADDITIONAL FLIGHT DATA:  
HOLD S, RT, 014.09 INBOUND.  
CHART FAS OBST: 3794 TREE 355200N/1020103W  
CHART FAS OBST: 3960 TOWER 355325N/1015838W  
CHART 4057 TOWER 355521N/1015753W.  
DISTANCE TO THLD FROM 250 HAT: 0.64 NM.  
WAAS CHANNEL # 69416  
REFERENCE PATH ID: W19A

EPOCH YEAR: 1990

[illegible]

**@ NA WHEN LOCAL WEATHER NOT AVAILABLE.**

QUALITY  
2  
CHECKED

FAA FORM 8260 - 3 / December 2002 (computer generated)

**RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**NOTES CONT.****CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.****CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON DHT VORTAC AIRWAY RADIALS 041 CW 129.****CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON BGD VORTAC VIA V390 NORTHEAST BOUND.****CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE DALHART ALTIMETER SETTING AND INCREASE DA 104 FEET AND ALL MDA 120 FEET, INCREASE LPV ALL CATS, AND CIRCLING CAT D VISIBILITY 1/4 MILE, AND LNAV/VNAV ALL CATS, LNAV CATS C/D AND CIRCLING CAT C VISIBILITY 1/2 MILE.**

CITY AND STATE

DUMAS, TX

ELEVATION: 3706 TDZE: 3701

AIRPORT NAME:

MOORE COUNTY

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 19, ORIG

11 FEB 2010

SUP:

AMDT: NONE

DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KDUX
RUNWAY	RW19
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W19A
LTP/FTP LATITUDE	355150.2155N
LTP/FTP LONGITUDE	1020034.7920W
LTP/FTP ELLIPSOIDAL HEIGHT	+11010
FPAP LATITUDE	355028.1700N
FPAP LONGITUDE	1020117.8600W
THRESHOLD CROSSING HEIGHT (TCH)	00050.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0920
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
<u>CRC REMAINDER</u>	28785F55

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+11272
FPAP ORTHOMETRIC HEIGHT	+11272

CITY AND STATE

DUMAS, TX

ELEVATION: 3706 TDZE: 3701

AIRPORT NAME:

MOORE COUNTY

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 19, ORIG

11 FEB 2010

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

10

CITY AND STATE  DUMAS, TX	ELEVATION: 3706 TDZE: 3701 AIRPORT NAME:  MOORE COUNTY	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 19, ORIG  11 FEB 2010	SUP:
				AMDT: NONE
				DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	NONE
DATED:	