

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97.23					Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
TERMINAL ROUTES										MISSED APPROACH					
FROM	TO	COURSE AND DISTANCE				ALTITUDE				MAP: MAJAK/11.25 DME CLIMBING LEFT TURN TO 3000 DIRECT EIC VORTAC AND HOLD. ADDITIONAL FLIGHT DATA: FAS OBST: 539 AAO 325053N/0935715W FAC CROSSES MID POINT OF RWY 9/27.					
EIC VORTAC (IF/AF)	PIKEN/6.00 DME	291.00 / 6.00				1800									
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. HOLD E EIC VORTAC, RT, 291.00 INBOUND, 3000 FT. IN LIEU OF PT (IAF) 3. FAC <u>291.00</u> FAF <u>PIKEN/6.00 DME</u> DIST FAF TO MAP <u> </u> - THLD <u> </u> 4. MIN. ALT EIC VORTAC 3000, PIKEN 1800 8. MSA FROM: EIC VORTAC 3100										MAG VAR: 7E EPOCH YEAR: 1965					
MINIMUMS															
TAKEOFF:	STANDARD	<input checked="" type="checkbox"/>	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE:	NA	<input checked="" type="checkbox"/>						
CATEGORY ==>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	860	1	600	860	1	600	880	1 3/4	620		NA				
NOTES: CHART NOTE: CIRCLING NA NORTH OF RWY 9/27. CHART NOTE: WHEN SHREVEPORT REGIONAL ALTIMETER SETTING NOT RECEIVED, USE SHREVEPORT DOWNTOWN ALTIMETER SETTING.															
CITY AND STATE		ELEVATION: 260		TDZE:		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP VOR/DME OR GPS-			
VIVIAN, LA		AIRPORT NAME:		VIVIAN		EIC		VOR/DME-A, AMDT 3				A			
								12 MAR 2009				AMDT 2			
												DATE 02/16/2006			