

<b>RNAV (GPS) - STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33</b>				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	<b>LNAV: RW03</b>  <b>CLIMBING LEFT TURN TO 1900 DIRECT MASEE AND HOLD.</b>  <b>ADDITIONAL FLIGHT DATA:</b> CHART FAS OBST: 169 TREE 393730N/0744532W CHART 325 TOWER 393731N/0744722W. CIKSO TO RW03: 3.04/40. CHART ATLANTIC CITY ASOS CHART ARPT ELEV 65											
VCN VORTAC	MASEE (FO)	126.78 / 7.24	1900												
MASEE (IF/IAF)	CIKSO (FB)	029.10 / 6.21	1600												
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. <b>HOLD SW MASEE, RT, 029.10 INBOUND, 1900 FT. IN LIEU OF PT (IAF)</b> 3. FAC: <u>029.12</u> FAF: <u>CIKSO</u> DIST FAF TO MAP: <u>4.64</u> THLD: <u>4.64</u> 4. MIN. ALT: <b>MASEE 1900, CIKSO 1600, WOKES/2.00 NM TO RW03 740</b> 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: <b>34:1 IS NOT CLEAR</b> 8. MSA FROM: <b>RW03 2100</b>				MAG VAR: <b>13W</b> EPOCH YEAR: <b>2000</b>											
MINIMUMS															
TAKEOFF:	STANDARD	<input checked="" type="checkbox"/>	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	<input checked="" type="checkbox"/>										
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	480	1	415	480	1	415	480	1 1/4	415		NA				
CIRCLING	540	1	475	540	1	475	540	1 1/2	475		NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHART NOTE: USE ATLANTIC CITY ALTIMETER SETTING; WHEN NOT RECEIVED, USE MOUNT HOLLY ALTIMETER SEE 8260-10															
CITY AND STATE				ELEVATION: 65 TDZE: 65		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:			
HAMMONTON, NJ				AIRPORT NAME:		RNAV		RNAV (GPS) RWY 3, AMDT 1				AMDT: ORIG			
				HAMMONTON MUNI				23 SEP 2010				DATED 03/20/2003			

QUALITY  
CHECKED

RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

SETTING.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON VCN VORTAC AIRWAY RADIALS 066 CW 160.

CITY AND STATE

HAMMONTON, NJ

ELEVATION: 65

TDZE: 65

AIRPORT NAME:

HAMMONTON MUNI

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:

RNAV (GPS) RWY 3, AMDT 1

23 SEP 2010

SUP:

AMDT:

ORIG

DATED:

03/20/2003

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY  
CHECKED

CITY AND STATE  HAMMONTON, NJ	ELEVATION: 65      TDZE: 65  AIRPORT NAME:  HAMMONTON MUNI	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 3, AMDT 1  23 SEP 2010	SUP:
				AMDT:      ORIG
				DATED:      03/20/2003

# RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY  
4  
CHECKED

CITY AND STATE  HAMMONTON, NJ	ELEVATION: 65      TDZE: 65  AIRPORT NAME:  HAMMONTON MUNI	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 3, AMDT 1  23 SEP 2010	SUP:
				AMDT:      ORIG
				DATED:      03/20/2003