

<b>ILS - STANDARD</b> <b>INSTRUMENT APPROACH PROCEDURE</b> <b>TITLE 14 CFR PART 97.29</b>				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.															
TERMINAL ROUTES										MISSED APPROACH									
FROM		TO			COURSE AND DISTANCE				ALTITUDE		ILS: DA LOC: I-TVY 1.16 DME  CLIMB TO 5400 THEN CLIMBING RIGHT TURN TO 8600 HEADING 343 AND OGD VORTAC R-192 TO WEGET INT/I-TVY 13.48 DME AND I-TVY NORTH COURSE TO FOGEM INT/I-TVY 25.15 DME AND HOLD.  ADDITIONAL FLIGHT DATA: HOLD N, RT, 166.12 INBOUND. CHART FAS OBST: 4379 POWER LINE TOWER 403843N/1122118W CHART VDP AT 2.13 DME* DISTANCE VDP TO THLD 0.98 NM. *LOC ONLY. CHART CIRCLING ICON. CHART TCH 19.98 DME AT FOGEM CHART OGD R-192 AT WEGET								
EMONT INT		FOGEM INT/I-TVY 25.15 DME			104.97 / 3.46 (TCH R-285)				12000										
FOGEM INT/I-TVY 25.15 DME (IAF)		WEGET INT/I-TVY 13.48 DME (NOPT)			166.12 / 11.67 (I-TVY)				8100										
SALTA INT (IAF)		WEGET INT/I-TVY 13.48 DME (NOPT)			249.32 / 8.90 (TCH R-249)				8100										
WEGET INT/I-TVY 13.48 DME (IF/IAF)		JONEK/I-TVY 6.72 DME			166.12 / 6.76 (I-TVY)				6100										
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD N WEGET, RT, 166.12 INBOUND, 8100 FT. IN LIEU OF PT (IAF) 3. FAC: 166.12 FAF: JONEK/I-TVY 6.72 DME DIST FAF TO MAP: _____ THLD: 5.56 4. MIN. ALT: WEGET 8100, JONEK 6100 5. DIST TO THLD FROM OM: _____ - MM: _____ - IM: _____ 150 HAT: _____ - 100 HAT: _____ - GS ANT: 910 6. MIN GS INCPT: 6100 GS ALT AT: JONEK 6100 OM: _____ - MM: _____ - IM: _____ 7. GS ANGLE: 3.00 TCH: 55.0 8. MSA FROM: TCH VORTAC 094-232 12700, 232-339 7900, 339-094 11000																MAG VAR: 13E		EPOCH YEAR: 2005	
MINIMUMS																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		ILS: STANDARD #				LOC: STANDARD @					
CATEGORY ==>		A			B			C			D			E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA				
S-ILS 17	4497	1/2	200	4497	1/2	200	4497	1/2	200	4497	1/2	200							
S-LOC 17	4640	1/2	343	4640	1/2	343	4640	5/8	343	4640	5/8	343							
CIRCLING	4820	1	498	4900	1	578	5060	2	738	5380	3	1058							
NOTES: CHART NOTE: DME REQUIRED. CHART PLANVIEW NOTE: PT REQUIRED FOR ARRIVALS AT WEGET VIA V32 EASTBOUND. CHART NOTE: FOR INOPERATIVE ALS, INCREASE S-LOC CAT C/D VISIBILITY TO 1 SM.																			
CITY AND STATE  TOOELE, UT		ELEVATION: 4322 TDZE: 4297 AIRPORT NAME:  BOLINDER FIELD-TOOELE VALLEY		FACILITY IDENTIFIER: I-TVY		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: ILS OR LOC RWY 17, AMDT 3 14 SEPTEMBER 2017						SUP: ILS OR LOC/DME RWY 17							
												AMDT: 2A							
												DATED 06/26/2014							

