

<b>RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33</b>				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.															
<b>TERMINAL ROUTES</b>										<b>MISSED APPROACH</b>									
FROM		TO		COURSE AND DISTANCE				ALTITUDE		<b>ZUDUV</b>  <b>CLIMBING LEFT TURN TO 2000 DIRECT RANRE AND HOLD.</b>  <b>ADDITIONAL FLIGHT DATA:</b> <b>CHART FAS OBST: 353 TOWER 393200N/0754912W</b> <b>CHART MIDDLETON, DE AWOS</b> <b>FAC CROSSES MID POINT OF RWY 13/31.</b> <b>CHART CIRCLING ICON.</b>									
OOD VORTAC		RANRE (FO)		251.53 / 23.03				2000											
ENO VORTAC		UKIEY (FB)		333.54 / 12.18				2000											
UKIEY (IAF)		RANRE (NOPT) (FB)		333.44 / 3.82				2000											
RANRE (IF/IAF)		SWIMN (FB)		333.40 / 5.00				1800											
SWIMN (FAF)		ZUDUV (MAP) (FO)		332.69 / 5.31				2000											
ZUDUV (MAP)		506 MSL		332.69															
506 MSL		RANRE (FO)																	
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. <b>HOLD SE RANRE, LT, 333.40 INBOUND, 2000 FT. IN LIEU OF PT (IAF)</b> 3. FAC: <b>332.69</b> FAF: <b>SWIMN</b> DIST FAF TO MAP: <b>5.31</b> THLD: _____ 4. MIN. ALT: <b>RANRE 2000, SWIMN 1800</b> 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: _____ 8. MSA FROM: <b>ZUDUV 2400</b>																MAG VAR: <b>12W</b>		EPOCH YEAR: <b>2000</b>	
<b>MINIMUMS</b>																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		<input checked="" type="checkbox"/> X							
CATEGORY =====>		A			B			C			D			E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA				
<b>CIRCLING</b>	<b>760</b>	<b>1</b>	<b>654</b>	<b>800</b>	<b>1</b>	<b>694</b>		<b>NA</b>			<b>NA</b>								
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART NOTE: USE MIDDLETON, DE ALTIMETER SETTING; WHEN NOT RECEIVED USE WILMINGTON, DE ALTIMETER (CONTINUED ON PAGE 2)																			
CITY AND STATE		ELEVATION: 106		TDZE:		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:							
ELKTON, MD		AIRPORT NAME:		CLAREMONT		RNAV		RNAV (GPS)-B, ORIG				AMDT: NONE							
								10 NOVEMBER 2016				DATED							

QUALITY  
10  
CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**NOTES, (CONT.):**

**SETTING AND INCREASE ALL MDA 20 FEET.**

**CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON OOD VORTAC AIRWAY RADIALS 240 CW 336.**

**CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON ENO VORTAC AIRWAY RADIALS 251 CW 063.**

**CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL AT UKIEY ON V123-312 SOUTHWEST BOUND.**

CITY AND STATE

ELKTON, MD

**ELEVATION: 106**

**TDZE:**

AIRPORT NAME:

CLAREMONT

FACILITY  
IDENTIFIER:  
**RNAV**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

**RNAV (GPS)-B, ORIG**

10 NOVEMBER 2016

SUP:

AMDT:

DATED:

QUALITY  
10  
CHECKED

**NONE**

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 58M

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ENO	010	ENO	IF	FB										V
ENO	020	UKIEY	TF	FB	2.0	333.5						AA 02000		E A
ENO	030	RANRE	TF	FB	1.0	333.4						AA 02000		EE B
OOD	010	OOD	IF	FB										V
OOD	020	RANRE	TF	FO	2.0	251.5						AA 02000		EY
OOD	030	RANRE	HF	FO		333.4			L			AA 02000		EE A
	010	RANRE	IF	FB								AA 02000		E I
	020	SWIMN	TF	FB	1.0	333.4				ZUDUV		AA 01800		E F
	030	ZUDUV	TF	FO	0.3	332.7		0.00				AT 00800		EY M
	040		CA	FB		332.7						AA 00506		M
	050	RANRE	DF	FO					L			AA 02000		EY
	060	RANRE	HM	FO		333.4			L			AA 02000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
ENO	N391353.93	W0753057.50
OOD	N393809.71	W0751810.88
UKIEY	N392326.51	W0754044.03
RANRE	N392625.61	W0754348.22
SWIMN	N393020.21	W0754750.01
ZUDUV	N393427.00	W0755211.20

CITY AND STATE <b>ELKTON, MD</b>	ELEVATION: <b>106</b>	TDZE:	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS)-B, ORIG</b>  10 NOVEMBER 2016	SUP: <b>4</b>
	AIRPORT NAME: <b>CLAREMONT</b>				AMDT: <b>NONE</b>
					DATED: