

U.S. Department of Transportation
Federal Aviation Administration

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE												
SYO VORTAC (40V)	JUMK (TF) (FB) (40E) (41E)	164.44/40.19	3700	LNAV: RW35											
JUMK (IF/IAF) (40E) (43I)	CUROX (TF) (FB) (40E) (43F)	352.07/7.39	3300	CLIMB TO 3600 DIRECT HALIV AND HOLD.											
RW35 (MAP) (40G) (41Y) (43M)	2044 MSL (CA) (42M)	352.07													
2044 MSL	HALIV (DF) (FO) (40E) (41E) (43H)		3600	ADDITIONAL FLIGHT DATA: HOLD N, RT, 172.07 INBOUND. FAS OBST: 1799 TREE 345307N/0993219W 2128 TOWERS 344908N/0993227W CHART HOBART MUNI ASOS: 133.325 CUROX TO RW35: 3.05/40 ROUTE TYPE DESCRIPTION: P, A APPROACH ROUTE QUALIFIER 2: S MAG VAR: 8E EPOCH YEAR: 85											
1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)															
2. HOLD S JUMK, RT, 352.07 INBOUND, 3700 FT. IN LIEU OF PT (IAF) (40E) (41E) (43C)															
3. FAC: 352.07 FAF: CUROX DIST FAF TO MAP: 5.00 THLD: 5.00															
4. MIN. ALT: JUMK 3700, CUROX 3300, CIVIG 2.83 NM TO RW35 2600 (40E) (42S)															
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:															
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:															
7. GS ANGLE: TCH: 34:1 IS NOT CLEAR															
8. MSA FROM: RW35 3800															
MINIMUMS															
TAKEOFF:	X	STANDARD	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	X										
CATEGORY	A		B		C		D	E							
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	2160	1	517	2160	1	517	2160	1 1/2	517		NA				
CIRCLING	2220	1	576	2220	1	576	2220	1 1/2	576		NA				
NOTES: CHART NOTES: USE HOBART MUNI ALTIMETER SETTING; IF NOT RECEIVED, USE FREDERICK MUNI ALTIMETER SETTING AND INCREASE ALL MDAs 100 FEET. DME/DME RNP-0.3 NA CHART PLANVIEW NOTE: NoPT FOR ARRIVALS AT JUMK ON V14 NORTHEASTBOUND.															
CITY AND STATE		ELEVATION: 1644 TDZE: 1643		FACILITY IDENTIFIER: RNAV		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: JAN 20 2005 RNAV (GPS) RWY 35, AMDT 1		SUP: AMDT: ORIG DATE 10/03/02							
MANGUM, OK		SCOTT FIELD													