

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION						RNAV (RNP) - STANDARD, INSTRUMENT APPROACH PROCEDURE, TITLE 14 CFR PART 97.33						Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES												MISSED APPROACH											
FROM			TO			COURSE AND DISTANCE			ALTITUDE			RNP: DA CLIMB TO 3000 DIRECT BARJR AND TRACK 068.37 TO DUFFY AND HOLD. ADDITIONAL FLIGHT DATA: HOLD NE, LT, 244.00 INBOUND. DISTANCE TO THLD FROM 318 HAT: 0.82 NM. ROUTE TYPE: A, H ROUTE TYPE QUALIFIER 1: F ROUTE TYPE QUALIFIER 2: S #TCH 69.6 MSL (DO NOT CHART)											
REPRE (IF)			KRSTL (TF) (FB) (RNP 1.00)			044.68 / 6.50			1500														
KRSTL (FAF)			RW04L (MAP) (TF) (FO) (RNP 0.30)			044.73 / 4.49																	
RW04L (MAP)			331 MSL (CA)			044.73																	
331 MSL			BARJR (DF) (FB) (RNP 1.00)																				
BARJR			DUFFY (TF) (FO) (RNP 1.00)			068.37 / 12.76			3000														
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. PROFILE STARTS AT REPRE 3. FAC: <u>044.73</u> FAF: _____ DIST FAF TO MAP: _____ THLD: _____ 4. MIN. ALT: REPRE 2000, KRSTL 1500 5. DIST TO THLD FROM OM: <u>4.49</u> MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: <u>1500</u> GS ALT AT: KRSTL 1500 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: <u>3.00</u> TCH: <u>57.2 #</u> 34:1 IS CLEAR 8. MSA FROM: RW04L 2900																		MAG VAR: 14W EPOCH YEAR: 2000					
MINIMUMS																							
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT									ALTERNATE: N A			STANDARD											
CATEGORY =====>		A			B			C			D			E									
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA								
AUTHORIZATION REQUIRED																							
RNP 0.30 DA	331	5000	318	331	5000	318	331	5000	318	331	5000	318											
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, PROCEDURE NA BELOW -12C (11F) OR ABOVE 54C (130F). CHART NOTE: SIMULTANEOUS APPROACH AUTHORIZED. CHART NOTE: GPS REQUIRED. CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}).																							
CITY AND STATE NEW YORK, NY				ELEVATION: 13 TDZE: 13 AIRPORT NAME: JOHN F KENNEDY INTL				FACILITY IDENTIFIER: RNAV				PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (RNP) Z RWY 4L, AMDT 2 17 AUGUST 2017				SUP:							
																AMDT: 1A							
																DATED 02/04/2016							

QUALITY
25
CHECKED