

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION NDB STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.27										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH									
FROM			TO			COURSE AND DISTANCE				ALTITUDE		MAP: CFJ NDB							
VHP VORTAC			CFJ NDB			290.66 / 27.21				2600		CLIMB TO 2400 THEN LEFT TURN DIRECT CFJ NDB AND HOLD.							
										ADDITIONAL FLIGHT DATA: HOLD SW, RT, 043.74 INBOUND. FAS OBST: 1069 AAO 395409N/0865658W CHART CIRCLING ICON. FAC CROSSES RWY C/L EXTENDED 2986 FT FROM THLD.									
1. PT <u>L</u> SIDE OF COURSE <u>223.74</u> OUTBOUND <u>2400</u> FT WITHIN <u>10</u> MILES OF <u>CFJ NDB</u> (IAF)																			
2.																			
3. FAC <u>043.74</u> FAF										DIST FAF TO MAP THLD									
4. MIN. ALT																			
8. MSA FROM: <u>CFJ NDB 2600</u>										MAG VAR: <u>4W</u> EPOCH YEAR: <u>2020</u>									
MINIMUMS																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A X									
CATEGORY =====>		A			B			C			D			E					
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA				
S-04	1420	1	623	1420	1	623	1420	1 3/4	623	1420	1 3/4	623							
CIRCLING	1420	1	620	1420	1	620	1440	1 3/4	640	1520	2 1/4	720							
NOTES:																			
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON VHP VORTAC AIRWAY RADIALS 244 CW 311.																			
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GREENCASTLE ALTIMETER SETTING: INCREASE ALL MDA 60 FEET AND VISIBILITY CATS C AND D 1/4 SM.																			
CHART NOTE: RWY 4 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.																			
CITY AND STATE		ELEVATION: 800		TDZE: 797		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP							
CRAWFORDSVILLE, IN		AIRPORT NAME:		CRAWFORDSVILLE MUNI		CFJ		NDB RWY 4, AMDT 6				AMDT 5A							
								10 NOVEMBER 2016				DATE 05/12/2005							



**NDB STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.27**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE

**CRAWFORDSVILLE, IN****ELEVATION: 800****TDZE: 797**

AIRPORT NAME:

**CRAWFORDSVILLE MUNI**FACILITY  
IDENTIFIER:**CFJ**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

**NDB RWY 4, AMDT 6**

10 NOVEMBER 2016

SUP:

AMDT:

DATED: **05/12/2005****QUALITY  
10  
CHECKED**