

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.												
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE			ALTITUDE		LNAV: RW17 CLIMB TO 3100 DIRECT EDAPY AND HOLD. ADDITIONAL FLIGHT DATA: HOLD S, RT, 354.41 INBOUND. CHART FAS OBST: 1421 TREE 405118N/0801015W CHART CIRCLING ICON. CHART PROFILE NOTE: VISUAL SEGMENT - OBSTACLES.							
EWC VORTAC		DEUSO (FO)		005.24 / 9.98			3000									
VOLAN (IAF)		DEUSO (NOPT) (FB)		212.29 / 9.36			3000									
DEUSO (IF/IAF)		AJAPA (FB)		174.34 / 5.05			3000									
AJAPA (FAF)		HODOS/3.20 NM TO RW17 (FB)		174.34 / 3.15												
HODOS/3.20 NM TO RW17		RW17 (MAP) (FO)		174.34 / 3.20												
RW17 (MAP)		1298 MSL		174.34												
1298 MSL		EDAPY (FO)					3100									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD N DEUSO, RT, 174.34 INBOUND, 3000 FT. IN LIEU OF PT (IAF) 3. FAC: 174.34 FAF: AJAPA DIST FAF TO MAP: 6.35 THLD: 6.35 4. MIN. ALT: DEUSO 3000, AJAPA 3000, HODOS/3.20 NM TO RW17 1960 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: RW17 3600																
										MAG VAR: 9W			EPOCH YEAR: 2000			
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		<input checked="" type="checkbox"/>				
CATEGORY =====>		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	1680	1	783	1680	1 1/4	783		NA			NA					
CIRCLING	1680	1	782	1700	1 1/4	802		NA			NA					
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT EWC VORTAC ON V37 SOUTHBOUND. (CONTINUED ON PAGE 2)																
CITY AND STATE		ELEVATION: 898 TDZE: 897		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP: QUALITY						
ZELIENOPLE, PA		AIRPORT NAME: ZELIENOPLE MUNI				RNAV (GPS) RWY 17, AMDT 1				AMDT: 4 ORIG-A						
						10 NOVEMBER 2016				DATED 02/09/2012						

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT VOLAN ON V30-210-297 EASTBOUND, V10 SOUTHEAST BOUND.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE BUTLER ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET, INCREASE CIRCLING CAT A VISIBILITY 1/4 SM.

CITY AND STATE

ZELIENOPLE, PA

ELEVATION: 898

TDZE: 897

AIRPORT NAME:

ZELIENOPLE MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 17, AMDT 1

10 NOVEMBER 2016

SUP: **QUALITY**

AMDT: **4** **ORIG-A**

DATED: **02/09/2012**

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KPJC

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
EWC	010	EWC	IF	FB										V
EWC	020	DEUSO	TF	FO	2.0	005.2						AA 03000		EY
EWC	030	DEUSO	HF	FO		174.3			R			AA 03000		EE A
VOLAN	010	VOLAN	IF	FB										E A
VOLAN	020	DEUSO	TF	FB	1.0	212.3						AA 03000		EE B
	010	DEUSO	IF	FB								AA 03000		E I
	020	AJAPA	TF	FB	1.0	174.3				RW17		AA 03000		E F
	021	HODOS	TF	FB	0.3	174.4						AA 01960		E S
	030	RW17	TF	FO	0.3	174.4		0.00				AT 01680		GY M
	040		CA	FB		174.4						AA 01298		M
	050	EDAPY	DF	FO								AA 03100		EY
	060	EDAPY	HM	FO		354.4			R			AA 03100		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
EWC	N404929.76	W0801241.56
VOLAN	N410803.51	W0800840.31
AJAPA	N405434.42	W0801152.41
DEUSO	N405927.47	W0801333.43
EDAPY	N403722.26	W0800558.14
HODOS	N405131.29	W0801049.30

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW17	N404825.41	W0800945.35	00891	

CITY AND STATE ZELIENOPLE, PA	ELEVATION: 898 TDZE: 897	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 17, AMDT 1 10 NOVEMBER 2016	SUP: 4
	AIRPORT NAME: ZELIENOPLE MUNI			AMDT: ORIG-A
	DATED: 02/09/2012			

QUALITY
4
CHECKED