

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION							RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.						
TERMINAL ROUTES														MISSED APPROACH									
FROM				TO			COURSE AND DISTANCE				ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW27 CLIMB TO 1200 THEN CLIMBING LEFT TURN TO 2600 DIRECT DNICK AND HOLD. ADDITIONAL FLIGHT DATA: HOLD W, RT, 094.00 INBOUND. FAS OBST: 859 TREE 404545N/0872318W DISTANCE TO THLD FROM 287 HAT: 0.76 NM. WAAS CHANNEL # 42541 REFERENCE PATH ID: W27A CHART CIRCLING ICON. CHART JASPER COUNTY AWOS-3 *LNAV ONLY LTP HAE: 179.7 M										
SEVEE (IF/IAF)				ZITMA (TF) (FB) (RNP 1.00)			274.41 / 4.37				2600												
ZITMA (FAF)				UKXIK/3.00 NM TO RW27 (TF) (FB) (RNP 0.30)			274.34 / 2.83																
UKXIK/3.00 NM TO RW27				RW27 (MAP) (TF) (FO) (RNP 0.30)			274.34 / 3.00																
RW27 (MAP)				1200 MSL (CA)			274.34				1200												
1200 MSL				DNICK (DF) (FO) (RNP 1.00)							2600												
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)														MAG VAR: 4W EPOCH YEAR: 2020									
2. HOLD E SEVEE, RT, 274.46 INBOUND, 2600 FT. IN LIEU OF PT (IAF)																							
3. FAC: 274.34 FAF: ZITMA DIST FAF TO MAP: 5.83 THLD: 5.83																							
4. MIN. ALT: SEVEE 2600, ZITMA 2600, UKXIK/3.00 NM TO RW27 1700*																							
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																							
6. MIN GS INCPT: 2600 GS ALT AT: ZITMA 2600 OM: _____ MM: _____ IM: _____																							
7. GS ANGLE: 3.00 TCH: 45.0 34:1 IS CLEAR																							
8. MSA FROM: RW27 2400																							
MINIMUMS																							
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A X																
CATEGORY =====>		A			B			C			D			E									
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA								
LPV DA	986	1	287	986	1	287	986	1	287		NA												
LNAV/VNAV DA	1006	1	307	1006	1	307	1006	1	307		NA												
LNAV MDA	1160	1	461	1160	1	461	1160	1 3/8	461		NA												
CIRCLING	1160	1	461	1200	1	501	1200	1 1/2	501		NA												
NOTES: CHART NOTE: CIRCLING TO RWY 09 NA AT NIGHT. CHART NOTE: CIRCLING NA N OF RWY 27-09. CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: BARO-VNAV NA. CHART NOTE: USE JASPER COUNTY ALTIMETER SETTING.																							
CITY AND STATE KENTLAND, IN				ELEVATION: 699 TDZE: 699 AIRPORT NAME: KENTLAND MUNI				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 14 SEPTEMBER 2017					SUP: AMDT: NONE DATED								

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	50I
RUNWAY	RW27
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W27A
LTP/FTP LATITUDE	404531.3815N
LTP/FTP LONGITUDE	0872518.8390W
LTP/FTP ELLIPSOIDAL HEIGHT	+01797
FPAP LATITUDE	404531.7695N
FPAP LONGITUDE	0872716.0880W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

63F16161

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K5
LTP ORTHOMETRIC HEIGHT	+02129
FPAP ORTHOMETRIC HEIGHT	+02129

QUALITY
9
CHECKED

CITY AND STATE KENTLAND, IN	ELEVATION: 699 TDZE: 699 AIRPORT NAME: KENTLAND MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 27, ORIG 14 SEPTEMBER 2017	SUP:
				AMDT: NONE
				DATED: