

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LP: RW28 LNAV: RW28							
JUDSS (IF/IAF)		ACHLE (FB)		283.33 / 6.78				2100		CLIMB TO 3300 DIRECT NYOME AND HOLD.							
ACHLE (FAF)		VASUY/2.90 NM TO RW28 (FB)		283.24 / 1.84													
VASUY/2.90 NM TO RW28		RW28 (MAP) (FO)		283.24 / 2.90													
RW28 (MAP)		946 MSL															
946 MSL		NYOME (FO)						3300		ADDITIONAL FLIGHT DATA: HOLD W, RT, 103.02 INBOUND. CHART FAS OBST: 1038 TOWER 383251N/0824048W WAAS CHANNEL # 62923 REFERENCE PATH ID: W28A CHART VDP AT 1.72 MILES TO RW28. LTP HAE: 133 M							
THIS IS A CORRECTED COPY OF A PROCEDURE ORIGINALLY PUBLISHED IN TL 15-17																	
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																	
2. HOLD E JUDSS, RT, 283.33 INBOUND, 3300 FT. IN LIEU OF PT (IAF)																	
3. FAC: 283.24 FAF: ACHLE DIST FAF TO MAP: 4.74 THLD: 4.74																	
4. MIN. ALT: JUDSS 3300, ACHLE 2100, VASUY/2.90 NM TO RW28 1500																	
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																	
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																	
7. GS ANGLE: _____ TCH: _____																	
8. MSA FROM: _____																	
MAG VAR: 5W EPOCH YEAR: 1995																	
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @					
CATEGORY =====>		A		B		C		D		E							
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
LP MDA	1340	1	794	1340	1 1/4	794	1340	2 1/2	794	1340	2 1/2	794					
LNAV MDA	1340	1	794	1340	1 1/4	794	1340	2 1/2	794	1340	2 1/2	794					
CIRCLING	1340	1	794	1340	1 1/4	794	1380	2 1/2	834	1380	2 3/4	834					
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART PROFILE NOTE: DESCENT ANGLE NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE HUNTINGTON ALTIMETER SETTING AND INCREASE ALL MDA 80 FEET; INCREASE CIRCLING CATS A, C AND D VISIBILITY 1/4 MILE. (SEE FORM 8260-10)																	
CITY AND STATE ASHLAND, KY		ELEVATION: 546 TDZE: 546 AIRPORT NAME: ASHLAND RGNL		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 28, AMDT 1B 20 AUGUST 2015						SUP: AMDT: DATED 06/26/2014					

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: VDP NA WHEN USING HUNTINGTON ALTIMETER SETTING.

CHART NOTE: NIGHT LANDING: RWY 10 NA.

TAA

	FROM	TO	ALT
1.	193/30 CW 013/30 (NOPT)	193/25 CW 013/25	3600
2.	193/25 CW 013/25	JUDSS (IF/IAF) (FB)	3300
3.	013/30 CW 193/30	JUDSS (IF/IAF) (FO)	3300

CITY AND STATE

ASHLAND, KY

ELEVATION: 546

TDZE: 546

AIRPORT NAME:

ASHLAND RGNL

FACILITY  
IDENTIFIER:  
**RNAV**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

**RNAV (GPS) RWY 28, AMDT 1B**

20 AUGUST 2015

SUP:

AMDT:

DATED: 06/26/2014

QUALITY  
4  
CHECKED  
TA

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION****DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KDWU
RUNWAY	RW28
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W28A
LTP/FTP LATITUDE	383312.2655N
LTP/FTP LONGITUDE	0824341.9285W
LTP/FTP ELLIPSOIDAL HEIGHT	+01330
FPAP LATITUDE	383324.9500N
FPAP LONGITUDE	0824534.3600W
THRESHOLD CROSSING HEIGHT (TCH)	00000.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	00.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1040
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

**CRC REMAINDER**

905E5115

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K5
LTP ORTHOMETRIC HEIGHT	+01658
FPAP ORTHOMETRIC HEIGHT	+01658

CITY AND STATE

ASHLAND, KY

ELEVATION: 546

TDZE: 546

AIRPORT NAME:

ASHLAND RGNL

 FACILITY  
IDENTIFIER:  
  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 28, AMDT 1B

20 AUGUST 2015

SUP:

AMDT:

DATED: 06/26/2014

 QUALITY  
4  
CHECKED  
TA

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KDWU

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
JUDSS	010	JUDSS	HF	FO		283.3			R			AA 03300		EE A
	010	JUDSS	IF	FB								AA 03300		E I
	020	ACHLE	TF	FB	0.5	283.3						AA 02100		E F
	021	VASUY	TF	FB	0.3	283.2						AA 01500		E S
	030	RW28	TF	FO	0.3	283.2		0.00				AT 01340		GY M
	040		CA	FB		283.2						AA 00946		M
	050	NYOME	DF	FO								AA 03300		EY
	060	NYOME	HM	FO		103.0			R			AA 03300		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
ACHLE	N383231.57	W0823742.79
JUDSS	N383132.92	W0822910.10
NYOME	N383457.73	W0825925.78
VASUY	N383247.43	W0824002.40

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW28	N383312.27	W0824341.93	00544	

CITY AND STATE <b>ASHLAND, KY</b>	ELEVATION: <b>546</b> <b>TDZE: 546</b>	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 28, AMDT 1B</b> 20 AUGUST 2015	SUP: <b>4</b>
	AIRPORT NAME: <b>ASHLAND RGNL</b>	<b>RNAV</b>		AMDT: <b>1A</b>
				DATED: <b>06/26/2014</b>

