

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
WAXIM	TWO	WAXIM2.WAXIM	ONE	27 AUG 2009	21 JUL 2016

TYPE: SID RNAV

DP ROUTE DESCRIPTION:

TAKEOFF RWY 17: CLIMB HEADING 170.44 TO 560, THEN DIRECT RUTHN, THEN VIA DEPICTED ROUTE TO WAXIM. THENCE ...

TAKEOFF RWY 35: CLIMB HEADING 350.44 TO 560, THEN RIGHT TURN DIRECT RUTHN, THEN VIA DEPICTED ROUTE TO WAXIM. THENCE ...

... MAINTAIN 6000 OR HIGHER ATC ASSIGNED ALTITUDE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

Transition Name	Transition Computer Codes	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	Crossing Altitudes/Fixes

PROCEDURAL DATA NOTES/TAKEOFF MINIMUMS:

NOTE: GPS REQUIRED. NOTE: RNAV 1.

TAKEOFF MINIMUMS:

RWY 17, 500-2 WITH A MINIMUM CLIMB OF 430 FEET PER NM TO
1400. RWY 35, 500-2

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 17, MULTIPLE TREES BEGINNING 1193 FEET FROM DER, 808 FEET RIGHT OF CENTERLINE, UP TO 80 FEET AGL/279 FEET MSL

NOTE: RWY 35, MULTIPLE TREES BEGINNING 2116 FEET FROM DER, 907 FEET LEFT OF CENTERLINE, UP TO 80 FEET AGL/329 FEET MSL

CONTROLLING OBSTACLES:

RWY 17: 279 MSL TREE 614601.41N/1611934.55W, 1007 MSL TREE 614320.37N/1612139.26W, 929 MSL TREES 614334.78N/1612100.13W.

RWY 35: 329 MSL TREE 614712.00N/1611921.00W.

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: PARS 17E; EPOCH YEAR 2000.

DME/DME ASSESSMENT: NOT CONDUCTED. CHART:

TOP ALTITUDE: ASSIGNED BY ATC

QUALITY
15
CHECKED

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
WAXIM	TWO	WAXIM2.WAXIM	ONE	27 AUG 2009	21 JUL 2016

AIRPORTS SERVED:

RUSSIAN MISSION

RUSSIAN MISSION, AK

COMMUNICATIONS:

ANCHORAGE CENTER, CTAF

FIXES AND/OR NAVAIDS:**REMARKS:**

U.S. DEPARTMENT of TRANSPORTATION – FEDERAL AVIATION ADMINISTRATION
GRAPHIC DEPARTURE PROCEDURE (DP)

Bearings, headings, courses, tracks, and radials are magnetic. Elevation and altitudes are in feet MSL. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation.
Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated. Graphic depictions attached.

DP Name	Number	DP Computer Code	Superseded Number	Dated	Effective Date
WAXIM	TWO	WAXIM2.WAXIM	ONE	27 AUG 2009	21 JUL 2016

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

AOPA, NBAA, WST FPO, ANCHORAGE ARTCC

CHANGES:

ADDED: CHART: TOP ALTITUDE: ASSIGNED BY ATC

REASONS:

ATC REQUEST



DEPARTURE (DATA RECORD)

DP Name		Number	DP Computer Code				Superseded Number	Dated	Effective Date
WAXIM		TWO	WAXIM2.WAXIM				ONE	27 AUG 2009	21 JUL 2016
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW17 (AER)	614647.18N/1611904.99W	N	-	-	-	-			
560 MSL		-	-	VA	187.44	-	AT/ABOVE 560		CG 430 FT/NM TO 1400
RUTHN	613735.39N/1612136.43W	Y	FB	DF	-	-			
WAXIM	613203.83N/1613413.90W	Y	FB	TF	227.53	8.19			
RW35 (AER)	614612.03N/1611914.68W	N	-	-	-	-			
560 MSL		-	-	VA	007.44	-	AT/ABOVE 560		
RUTHN	613735.39N/1612136.43W	Y	FB	DF	-	-			RIGHT TURN
WAXIM	613203.83N/1613413.90W	Y	FB	TF	227.53	8.19			