

<b>RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33</b>				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
<b>TERMINAL ROUTES</b>										<b>MISSED APPROACH</b>							
FROM		TO		COURSE AND DISTANCE				ALTITUDE		<b>LNAV: RW10</b>  <b>CLIMB TO 4000 DIRECT WEVNU AND HOLD, CONTINUE CLIMB-IN-HOLD TO 4000.</b>  <b>ADDITIONAL FLIGHT DATA:</b> <b>HOLD E, RT, 281.81 INBOUND.</b> <b>CHART FAS OBST: 789 TREE 454611N/0843105W</b> <b>CHART PIKE WEST MOA.</b> <b>YANUN TO RW10: 3.00/40.</b> <b>CHART CIRCLING ICON.</b> <b>CHART CHEBOYGAN AWOS-3.</b>							
PLN VORTAC		WETMA (FO)		340.06 / 10.26				2400									
WETMA (IF/IAF)		YANUN (FB)		101.42 / 5.97				2300									
YANUN (FAF)		RW10 (MAP) (FO)		101.52 / 5.01													
RW10 (MAP)		1060 MSL		101.52													
1060 MSL		WEVNU (FO)						4000									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. <b>HOLD W WETMA, RT, 101.42 INBOUND, 2300 FT. IN LIEU OF PT (IAF)</b> 3. FAC: <b>101.52</b> FAF: <b>YANUN</b> DIST FAF TO MAP: <b>5.01</b> THLD: <b>5.01</b> 4. MIN. ALT: <b>WETMA 2300, YANUN 2300</b> 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: <b>34:1 IS CLEAR</b> 8. MSA FROM: <b>RW10 2900</b>														MAG VAR: <b>6W</b>		EPOCH YEAR: <b>1985</b>	
<b>MINIMUMS</b>																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		<input checked="" type="checkbox"/>					
CATEGORY ==>		A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
<b>LNAV MDA</b>	<b>1060</b>	<b>1</b>	<b>396</b>	<b>1060</b>	<b>1</b>	<b>396</b>		<b>NA</b>			<b>NA</b>						
<b>CIRCLING</b>	<b>1120</b>	<b>1</b>	<b>456</b>	<b>1120</b>	<b>1</b>	<b>456</b>		<b>NA</b>			<b>NA</b>						
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON PLN VORTAC AIRWAY RADIALS 295 CW 023. CHART NOTE: USE CHEBOYGAN ALTIMETER SETTING.																	
CITY AND STATE		ELEVATION: 664 TDZE: 664		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:						SUP:					
BOIS BLANC ISLAND, MI		AIRPORT NAME:		BOIS BLANC ISLAND		RNAV (GPS) RWY 10, AMDT 1						AMDT: ORIG					
						5 JANUARY 2017						DATED 11/13/2014					



<b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b> <b>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</b> <b>FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33</b>	Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ARINC SUMMARY - 6Y1

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
PLN	010	PLN	IF	FB										V
PLN	020	WETMA	TF	FO	1.0	340.1						AA 02400		EY
PLN	030	WETMA	HF	FO		101.4			R			AA 02300		EE A
	010	WETMA	IF	FB								AA 02300		E I
	020	YANUN	TF	FB	1.0	101.4				RW10		AA 02300		E F
	030	RW10	TF	FO	0.3	101.5		3.00				AT 00704		GY M
	040		CA	FB		101.5						AA 01060		M
	050	WEVNU	DF	FO	1.0							AA 04000		EY
	060	WEVNU	HM	FO		281.8			R			AA 04000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
PLN	N453750.33	W0843950.79
WETMA	N454703.71	W0844615.61
WEVNU	N454451.30	W0841411.22
YANUN	N454629.53	W0843745.84

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW10	N454600.36	W0843038.29	00664	40



CITY AND STATE <b>BOIS BLANC ISLAND, MI</b>	ELEVATION: <b>664</b> <b>TDZE: 664</b> AIRPORT NAME: <b>BOIS BLANC ISLAND</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 10, AMDT 1</b> 5 JANUARY 2017	SUP: <hr/> AMDT: <b>ORIG</b> <hr/> DATED: <b>11/13/2014</b>
------------------------------------------------	-------------------------------------------------------------------------------------	-----------------------------------------	--------------------------------------------------------------------------------------------------	-------------------------------------------------------------------