

**Federal Aviation
Administration**

Transmittal Letter 16-09

March 11, 2016

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
28-Apr-16	SD	Aberdeen	Aberdeen Rgnl	6/6433	02/23/16	RNAV (GPS) RWY 31, Orig

AIRAC Date: 28 APRIL 2016

FDC 6/6433 ABR IAP ABERDEEN RGNL, ABERDEEN, SD. RNAV (GPS) RWY 31, ORIG... LNAV/VNAV CAT D VISIBILITY 1/2, LNAV MDA 1640/HAT 339 ALL CATS, CAT D VISIBILITY 1/2. FAS OBST; 1388 TREE 452547N/0982408W. CHART VDP AT 0.9 MILES TO RW31. DELETE NOTE: INOPERATIVE TABLE DOES NOT APPLY TO LNAV CAT D VISIBILITY. DELETE NOTE: FOR INOPERATIVE MALSR INCREASE LNAV/VNAV CAT D VISIBILITY TO 1. CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WATERTOWN ALTIMETER SETTING AND INCREASE ALL DA 207 FEET, ALL MDA 220 FEET, LPV ALL CATS VISIBILITY 1/4 MILE, LNAV/VNAV ALL CATS VISIBILITY 3/4 MILE, LNAV CAT C/D VISIBILITY 5/8 MILE AND CIRCLING CAT C/D 1/2 MILE. THIS IS RNAV (GPS) RWY 31, ORIG-A. 1602192040-PERM