

**Federal Aviation
Administration**

Transmittal Letter 16-09

March 11, 2016

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
28-Apr-16	IA	Pocahontas	Pocahontas Muni	5/4229	02/23/16	RNAV (GPS) RWY 12, Orig-C

AIRAC Date: 28 APRIL 2016

FDC 5/4229 POH IAP POCAHONTAS MUNI, POCAHONTAS, IA. RNAV (GPS) RWY 12, ORIG-C... CHART NOTE: CIRCLING NA TO RWYS 18 AND 36. CHANGE USE ALGONA ALTIMETER SETTING NOTE TO READ: USE ALGONA ALTIMETER SETTING; WHEN NOT RECEIVED, USE FORT DODGE ALTIMETER SETTING AND INCREASE ALL MDA 20 FT AND LP AND LNAV CAT C VISIBILITY 1/8 MILE. THIS IS RNAV (GPS) RWY 12, ORIG-D. 1512091736-PERM