

PAGE 1 OF 4 PAGES

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	131/30 CW 311/30	RUSKE (IF/IAF) (FO)	5600
2.	311/30 CW 041/30	IBECA (IAF) (FB)	3300
3.	041/30 CW 131/30	041/15 CW 131/15	7700
4.	041/15 CW 131/15	RAPOC (IAF) (FB)	5200

CITY AND STATE

VENETIE, AK

ELEVATION: 574 TDZE: 574

AIRPORT NAME:

VENETIE

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 22, ORIG

APR 10 2008

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	NONE
DATED:	

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	IBECA	IBECA	010	IAF	IF		FB				
	IBECA	RUSKE	020		TF		FB	1.0	310.7 (333T)	005.0	03100
	RAPOC	RAPOC	010	IAF	IF		FB				
	RAPOC	RUSKE	020		TF		FB	1.0	130.5 (153T)	005.0	03100
	RUSKE	RUSKE	010		HF	R	FB		220.6 (243T)	004.0	03100
		RUSKE	010	FACF	IF		FB				03100
		ETIGE	020	FAF	TF		FB	0.5	220.6 (243T)	006.1	02200
		TODCO	030	MAP	TF		FO	0.3	220.4 (242T)	004.7	00677

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	RUSKE	040		DF	L	FO	1.0			03100
	RUSKE	050		HM	R	FO	2.0	220.4 (242T)	004.0	03100

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	ETIGE	N670256.97	W1461008.29	N6702.950	W14610.138
	IBECA	N670119.47	W1455028.90	N6701.325	W14550.482
	RAPOC	N671010.23	W1460215.09	N6710.171	W14602.252
	RUSKE	N670544.96	W1455620.92	N6705.749	W14556.349
	TODCO	N670045.90	W1462047.63	N6700.765	W14620.794
	RW22	N670040.40	W1462114.35	N6700.673	W14621.239

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW22	00573	40

CITY AND STATE
VENETIE, AK

ELEVATION: 574 TDZE: 574
 AIRPORT NAME:
 VENETIE

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
 RNAV (GPS) RWY 22, ORIG
 APR 10 2008

SUP:
 AMDT: NONE
 DATED: