

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

VOR STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - FAR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

FROM	TO	COURSE AND DISTANCE	ALTITUDE
EMBOW INT/SAT 24.83 DME	SSF VOR	276.93 / 4.40	2100

MISSED APPROACH

MAP: 4.61 MILES AFTER SSF VOR

CLIMB TO 1400 THEN CLIMBING RIGHT TURN TO 2500 DIRECT SSF VOR AND HOLD.

ADDITIONAL FLIGHT DATA:

SSF VOR TO RW32: 3.07/40
FAS OBST: 769 AAO 291641N/0982708W

1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
 2. HOLD SE SSF VOR, RT, 323.00 INBOUND, 2100 FT. IN LIEU OF PT (IAF)
 3. FAC 336.63 FAF SSF VOR DIST FAF TO MAP 4.61 THLD 4.61
 4. MIN. ALT SSF VOR 2100
 8. MSA FROM: SSF VOR 3100

MAG VAR: 9E

EPOCH YEAR: 1965

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: NA			STANDARD @					
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-32	1020	1	449	1020	1	449	1020	1 1/4	449		NA				
CIRCLING	1040	1	463	1100	1	523	1100	1 1/2	523		NA				

NOTES:

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE SAN ANTONIO INTL ALTIMETER SETTING AND INCREASE ALL MDAS 60 FEET, AND S-32 CAT C VISIBILITY 1/4 MILE.

CITY AND STATE SAN ANTONIO, TX	ELEVATION: 577 TDZE: 571 AIRPORT NAME: STINSON MUNI	FACILITY IDENTIFIER: SSF	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 32, AMDT 14 FEB 14 2008	SUP VOR OR GPS RWY
				32
				AMDT 13A
				DATE 07/13/1994