

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
NDB STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.27

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE

MAP: 2.14 MILES AFTER MTH NDB

CLIMB TO 1000 THEN CLIMBING LEFT TURN TO 2100 DIRECT MTH NDB AND HOLD.

ADDITIONAL FLIGHT DATA:

**HOLD W, LT, 074.98 INBOUND.
 CHART FAS OBST: 147 OL MICROWAVE
 244222N/0810437W
 CHART 274 TOWER 244242N/0810529W.
 MTH NDB TO RW7: 4.20/40**

1. PT R SIDE OF COURSE 254.98 OUTBOUND 2100 FT WITHIN 10 MILES OF MTH NDB (IAF)
 2. _____
 3. FAC 074.98 FAF MTH NDB DIST FAF TO MAP 2.14 THLD _____
 4. MIN. ALT MTH NDB 1000
 8. MSA FROM: MTH NDB 220-310 15000, 310-220 1400

MAG VAR: 4W

EPOCH YEAR: 2000

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A	STANDARD @					
CATEGORY ==>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
CIRCLING	460	1	455	460	1	455	460	1 1/2	455	580	2	575			

NOTES:

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.
 CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE KEY WEST INTL ALTIMETER SETTING AND INCREASE ALL MDAS 100 FEET AND CAT D VISIBILITY 1/4 MILE.

@ NA WHEN LOCAL WEATHER NOT AVAILABLE.

CITY AND STATE MARATHON, FL	ELEVATION: 5 TDZE: AIRPORT NAME: THE FLORIDA KEYS MARATHON	FACILITY IDENTIFIER: MTH	PROCEDURE NO./AMD NO./EFFECTIVE DATE: NDB-A, ORIG DEC 20 2008	SUP AMD DATE
				NONE

