

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LNAV: BEQJI							
NADIN		DAHRY (FB)		130.89 / 23.39				12300		CLIMB TO 11000 DIRECT ZEMAD ON TRACK 289.79 TO PAGRE AND HOLD, CONTINUE CLIMB-IN-HOLD TO 11000.							
MTJ VOR/DME		DAHRY (FB)		181.23 / 19.71				12600									
MEYRS		YARUB (FB)		196.80 / 17.62				14800		ADDITIONAL FLIGHT DATA: HOLD W, RT, 106.48 INBOUND. FAS OBST: 6074 AAO 382655N/1025247W CHART 6069 TREE 382701N/1075244W CHART VDP AT 1.40 NM TO BEQJI. EBIHE TO RW35: 3.43/55. FAC CROSSES RWY C/L EXTENDED 3000 FT FROM THLD.							
ETL VOR/DME (IAF)		COQKU (FB)		056.58 / 24.15				12000									
DAHRY (IAF)		COQKU (FB)		077.87 / 10.00				12000									
YARUB (IAF)		COQKU (FB)		240.36 / 7.00				12000									
COQKU (IF)		AWUCO (FB)		327.88 / 7.60				9900									
(SEE FORM 8260-10)																	
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																	
2. PROFILE STARTS AT COQKU																	
3. FAC: 339.83 FAF: EBIHE DIST FAF TO MAP: 7.25 THLD: 7.74																	
4. MIN. ALT: COQKU 12000, AWUCO 9900, EBIHE 8600, ZULSU/3.10 NM TO BEQJI 7100																	
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																	
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																	
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR																	
8. MSA FROM: BEQJI 14400																	
MAG VAR: 12E EPOCH YEAR: 1995																	
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @					
CATEGORY =====>		A			B			C			D			E			
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA		6380	1	646	6380	1	646	6380	1 3/4	646	6380	2	646				
CIRCLING		6380	1	621	6420	1	661	6640	2 3/4	881	6700	3	941				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. @ CAT C 900-2 3/4, CAT D 1000-3 CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MTJ VOR/DME VIA V361 NORTHBOUND. CHART NOTE: NIGHT LANDING RWY 13 OPERATIONAL VGSI REQUIRED, REMAIN ON OR ABOVE VGSI GLIDEPATH (CONTINUED ON PAGE 2)																	
CITY AND STATE MONTROSE, CO		ELEVATION: 5759 TDZE: 5734 AIRPORT NAME: MONTROSE RGNL			FACILITY IDENTIFIER: RNAV			PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 35, ORIG-C 10 NOVEMBER 2016						SUP: AMDT: ORIG-B DATED 07/24/2014			

**US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
AWUCO	EBIHE (FB)	327.85 / 4.40	8600
EBIHE (FAF)	ZULSU/3.10 NM TO BEQJI (FB)	339.84 / 4.15	
ZULSU/3.10 NM TO BEQJI	BEQJI (MAP) (FO)	339.82 / 3.10	
BEQJI (MAP)	6159 MSL	339.82	
6159 MSL	ZEMAD		
ZEMAD	PAGRE (FO)	289.79	11000

**NOTES, (CONT.):**

UNITL THRESHOLD

CHART NOTE: NIGHT LANDING RWY 31 NA

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED

QUALITY  
19  
CHECKED

CITY AND STATE  
**MONTROSE, CO**

**ELEVATION: 5759 TDZE: 5734**  
 AIRPORT NAME:  
**MONTROSE RGNL**

FACILITY  
IDENTIFIER:  
**RNAV**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
**RNAV (GPS) RWY 35, ORIG-C**  
 10 NOVEMBER 2016

SUP:  
 AMDT: **ORIG-B**  
 DATED: **07/24/2014**

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - KMTJ

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
ETL	010	ETL	IF	FB										V A
ETL	020	COQKU	TF	FB	1.0	056.6						AA 12000		EE B
MEYRS	010	MEYRS	IF	FB										E
MEYRS	020	YARUB	TF	FB	2.0	196.8						AA 14800		E A
MEYRS	030	COQKU	TF	FB	1.0	240.4						AA 12000		EE B
MTJ	010	MTJ	IF	FB										V
MTJ	020	DAHRY	TF	FB	2.0	181.2						AA 12600		E A
MTJ	030	COQKU	TF	FB	1.0	077.9						AA 12000		EE B
NADIN	010	NADIN	IF	FB										E
NADIN	020	DAHRY	TF	FB	2.0	130.9						AA 12300		E A
NADIN	030	COQKU	TF	FB	1.0	077.9						AA 12000		EE B
	010	COQKU	IF	FB								AA 12000		E I
	011	AWUCO	TF	FB	1.0	327.9						AA 09900		E
	020	EBIHE	TF	FB	1.0	327.9				BEQJI		AA 08600		E F
	021	ZULSU	TF	FB	0.3	339.8		3.43				AA 07100 GS 07105		E S
	030	BEQJI	TF	FO	0.3	339.8		3.43				AT 05965		EY M
	040		CA	FB		339.8						AA 06159		M
	050	ZEMAD	DF	FB										E
	060	PAGRE	TF	FO	1.0	289.8						AA 11000		EY
	070	PAGRE	HM	FO		106.5			R			AA 11000		EE

POINTS

POINT NAME	LATITUDE	LONGITUDE
ETL	N380224.91	W1081530.87
MTJ	N383023.17	W1075357.44
MEYRS	N382846.77	W1072745.93
NADIN	N382952.40	W1081735.01
PAGRE	N383937.20	W1080843.02
AWUCO	N381819.80	W1075019.00
BEQJI	N382938.92	W1075333.35
COQKU	N381111.21	W1074659.77
DAHRY	N381110.52	W1075940.78
EBIHE	N382227.89	W1075214.65
YARUB	N381318.95	W1073832.12
ZEMAD	N383231.33	W1075404.87
ZULSU	N382634.62	W1075259.66

QUALITY  
4  
CHECKED

CITY AND STATE <b>MONTROSE, CO</b>	ELEVATION: <b>5759</b> TDZE: <b>5734</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 35, ORIG C</b>	SUP:
	AIRPORT NAME: <b>MONTROSE RGNL</b>		10 NOVEMBER 2016	AMDT: <b>ORIG-B</b>
				DATED: <b>07/24/2014</b>

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW35	N383008.57	W1075333.47	05734	55.0

CITY AND STATE <b>MONTROSE, CO</b>	ELEVATION: <b>5759</b> <b>TDZE: 5734</b> AIRPORT NAME: <b>MONTROSE RGNL</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 35, ORIG C</b>  10 NOVEMBER 2016	SUP: <hr/> AMDT: <b>ORIG-B</b> <hr/> DATED: <b>07/24/2014</b>
---------------------------------------	---	---	--	---

