

**Federal Aviation
Administration**

Transmittal Letter 16-09

March 11, 2016

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
28-Apr-16	CA	Riverside	Riverside Muni	6/6229	02/24/16	ILS OR LOC RWY 9, Amdt 8C

AIRAC Date: 28 APRIL 2016

FDC 6/6229 RAL IAP RIVERSIDE MUNI, RIVERSIDE, CA. ILS OR LOC RWY 9, AMDT 8C... S-ILS 9 (ASTERISK) VIS 3/4 ALL CATS. S-ILS 9 VIS 1 ALL CATS. S-LOC 9 (ASTERISK) VIS CATS A/B 1, CATS C/D 1 3/8. S-LOC 9 VIS CATS A/B 1, CATS C/D 1 5/8. DELETE NOTE: FOR INOPERATIVE MALSR, INCREASE S-ILS 9 VISIBILITY TO 1 MILE. CHANGE ALTIMETER SETTING NOTE TO READ: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE CHINO ALTIMETER SETTING AND INCREASE ALL DA 46 FEET AND ALL MDA 60 FEET, INCREASE S-ILS 9 VISIBILITY 1/8 MILE ALL CATS, S-LOC 9 CAT C/D VISIBILITY 1/8 MILE. THIS IS ILS OR LOC RWY 9, AMDT 8D. 1601251539-PERM