

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
PROP	ONE	PROP1.PROP	NONE		22 JUN 2017
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**DP ROUTE DESCRIPTION:**

**\*TAKEOFF RWY 16:** CLIMB HEADING 162.91 TO 800, THEN CLIMBING RIGHT TURN TO 3000 ON HEADING 290.00, THENCE...

...ON VECTORS TO ASSIGNED ROUTE/FIX. MAINTAIN 3000. EXPECT CLEARANCE TO FILED ALTITUDE WITHIN 10 MINUTES AFTER DEPARTURE.

**\*NOTE:** DO NOT EXCEED 190 KIAS UNTIL ESTABLISHED ON HEADING 290.00.

**TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):**

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
------------------------	-------------------------------------	----------------------------	--------------------------	---------------	-----------------	------------	-------------	------------------------------------

**PROCEDURAL DATA NOTES:**

**NOTE:** RADAR REQUIRED.

**NOTE:** BIGGY DEPARTURES EXPECT VECTORS TO SBJ/SBJ R-237.

**NOTE:** COATE DEPARTURES EXPECT VECTORS TO SAX VORTAC OR SAX R-311.

**NOTE:** ELIOT DEPARTURES EXPECT VECTORS TO SAX R-252.

**NOTE:** GAYEL DEPARTURES EXPECT VECTORS TO DPK R-320.

**NOTE:** LANNA DEPARTURES EXPECT VECTORS TO PTW R-059.

**NOTE:** MERIT DEPARTURES EXPECT VECTORS TO LGA R-055.

**NOTE:** NEION DEPARTURES EXPECT VECTORS TO LGA R-322.

**NOTE:** PARKE DEPARTURES EXPECT VECTORS TO BWZ/BWZ R-250.

**NOTE:** WHITE DEPARTURES EXPECT VECTORS TO COL VOR/DME OR COL R-204.

**NOTE:** DIXIE DEPARTURES EXPECT VECTORS TO JFK VOR/DME.

**NOTE:** HAAYS DEPARTURES EXPECT VECTORS TO HUO R-145.

**NOTE:** BAYYS DEPARTURES EXPECT VECTORS TO BDR VOR/DME OR BDR R-054.

**TAKEOFF MINIMUMS:**

**RWY 16,** STANDARD.

**TAKEOFF OBSTACLES NOTES:**

**NOTE:** **RWY 16,** TAXIWAY LIGHT 131 FT FROM DER, 499 FT LEFT OF CENTERLINE, 1 FT AGL/384 FT MSL. TERRAIN 273 FT FROM DER, 515 FT LEFT OF CENTERLINE, 387 FT MSL. TREES BEGINNING 999 FT FROM DER, 171 FT LEFT OF CENTERLINE, UP TO 109 FT AGL/436 FT MSL. TREE 1096 FT FROM DER, 663 FT RIGHT OF CENTERLINE, 86 FT AGL/425 FT MSL. TREES BEGINNING 1098 FT FROM DER, 226 FT RIGHT OF CENTERLINE, UP TO 112 FT AGL/454 FT MSL. BLDG 3433 FT FROM DER, 604 FT LEFT OF CENTERLINE, 60 FT AGL/467 FT MSL.

**CONTROLLING OBSTACLES:****LOST COMMUNICATIONS PROCEDURES:**

QUALITY  
7  
CHECKED

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
PROP	ONE	PROP1.PROP	NONE		22 JUN 2017

**ADDITIONAL FLIGHT DATA:****CHART: TOP ALTITUDE:** 3000.**AIRPORTS SERVED:**

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
WESTCHESTER COUNTY	WHITE PLAINS	NY

**COMMUNICATIONS:**

CLNC DEL, TOWER (CTAF), NEW YORK DEP CON.

**FIXES AND/OR NAVAIDS:**

BDR VOR/DME, COL VOR/DME, DPK VOR/DME, HUO VOR/DME, JFK VOR/DME, LGA VOR/DME, PTW VORTAC, SAX VORTAC, SBJ VOR/DME, BIGGY, COATE, ELIOT, GAYEL, LANNA, MERIT, NEION, PARKE, WHITE, HAAYS, BAYYS, DIXIE.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
PROP	ONE	PROP1.PROP	NONE		22 JUN 2017

**REMARKS:****FLIGHT INSPECTED BY:**

STEPHEN BAUER

*Digitally signed by*  
**ROBERT G HAMILTON**  
Apr 04, 2017

**OFFICE SYMBOL:**

FICO

**DATE:**

03/24/2017

**DEVELOPED BY:**

PETER GUIMOND

*Digitally signed by*  
**PETER R GUIMOND**  
Apr 14, 2016

**OFFICE SYMBOL:**

AJV-5422

**DATE:**

04/14/2016

**APPROVED BY:**

JULIE MORGAN

*Digitally signed by*  
**ROBERT G HAMILTON**  
Apr 04, 2017

**OFFICE SYMBOL:**

AJV-5420

**DATE:****REQUIRED EFFECTIVE DATE:**

ROUTINE

**COORDINATED WITH:**

<b>A4A</b>	<b>ALPA</b>	<b>AOPA</b>	<b>APA</b>	<b>HAI</b>	<b>NBAA</b>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**OTHER:**

ZBW, N90, HPN ATCT, AMGR.

**CHANGES - REASONS:**

ORIGINAL - ATC REQUEST.

04/03/2017: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 03/29/2017.

1. AMENDED EXPECT CLEARANCE TO FILED ALTITUDE WITHIN 5 MINUTES AFTER DEPARTURE TO READ EXPECT CLEARANCE TO FILED ALTITUDE WITHIN 10 MINUTES AFTER DEPARTURE.
2. ADDED BDR VOR/DME, HAAYS, BAYYS, AND DIXIE TO FIXES AND/OR NAVAIDS BLOCK.
3. ADDED NOTE: DIXIE DEPARTURES EXPECT VECTORS TO JFK VOR/DME.
4. ADDED NOTE: HAAYS DEPARTURES EXPECT VECTORS TO HUO R-145.
5. ADDED NOTE: BAYYS DEPARTURES EXPECT VECTORS TO BDR VOR/DME OR BDR R-054.

QUALITY  
7  
CHECKED