

RNAV (GPS) - STANDARD INSTRUMENT APPROACH PROCEDURE FAR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.												
TERMINAL ROUTES				MISSED APPROACH												
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW02 CLIMBING LEFT TURN TO 4000 DIRECT CEVEY AND HOLD. ADDITIONAL FLIGHT DATA: CHART FAS OBST: 1733 TREE 443039N/0720259W AXTER TO RW02: 3.04/40.												
AYZOO	ECAVO (FB)	269.89 / 11.81	4000													
MPV VOR/DME	DETFI (FB)	048.93 / 21.94	5000													
ECAVO (IAF)	CEVEY (NOPT) (FB)	294.50 / 5.00	4000													
DETFI (IAF)	CEVEY (NOPT) (FB)	114.34 / 5.00	4000													
CEVEY (IF/IAF)	AXTER (FB)	024.42 / 6.30	2800													
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD SW CEVEY, RT, 024.42 INBOUND, 4000 FT. IN LIEU OF PT (IAF) 3. FAC: 024.44 FAF: AXTER DIST FAF TO MAP: 4.90 THLD: 4.90 4. MIN. ALT: CEVEY 4000, AXTER 2800 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: RW02 6400																
				MAG VAR: 16W EPOCH YEAR: 1995												
MINIMUMS																
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: N A	@									
CATEGORY =====>	A		B		C		D	E								
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	2000	1	815	2000	1 1/4	815		NA			NA					
CIRCLING	2000	1	812	2000	1 1/4	812		NA			NA					
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE WHITEFIELD, NH ALTIMETER SETTING AND SEE 8260-10																
CITY AND STATE		ELEVATION: 1188 TDZE: 1185		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:						
LYNDONVILLE, VT		AIRPORT NAME:				RNAV (GPS) RWY 2, ORIG-A				AMDT: ORIG						
		CALEDONIA COUNTY				29 JUL 2010				DATED 01/18/2007						

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.

INCREASE ALL MDAS 80 FEET AND INCREASE CAT A VISIBILITIES 1/4 MILE.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MPV VOR/DME ON V447 SOUTHWEST BOUND.

CITY AND STATE
LYNDONVILLE, VTELEVATION: 1188 TDZE: 1185
AIRPORT NAME:
CALEDONIA COUNTYFACILITY
IDENTIFIER:
RNAVPROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 2, ORIG-A
29 JUL 2010SUP:
AMDT: ORIG
DATED: 01/18/2007

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

PAGE 3 OF 4 PAGES

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
4
CHECKED

CITY AND STATE LYNDONVILLE, VT	ELEVATION: 1188 TDZE: 1185 AIRPORT NAME: CALEDONIA COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 2, ORIG-A 29 JUL 2010	SUP:
				AMDT: ORIG
				DATED: 01/18/2007