

<b>US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION</b>		<b>RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33</b>		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
<b>TERMINAL ROUTES</b>				<b>MISSED APPROACH</b>													
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LPV: DA LNAV/VNAV: DA LNAV: RW36  CLIMB TO 2000 DIRECT HIKEN AND HOLD.  <b>ADDITIONAL FLIGHT DATA:</b> HOLD N, RT, 178.59 INBOUND. CHART FAS OBST: 78 TREE 292516N/0901515W DISTANCE TO THLD FROM 200 HAT: 0.47 NM. CHART VDP AT 0.95 MILES TO RW36* *LNAV ONLY. WAAS CHANNEL # 69608 REFERENCE PATH ID: W36A CHART CIRCLING ICON. LTP HAE: -25.2 M													
TBD VORTAC	WROTH (FB)	134.75 / 34.29	2000														
HRV VORTAC	ZETON (FB)	189.64 / 37.03	2000														
WROTH (IAF)	COPUP (NOPT) (FB)	088.53 / 6.20	2000														
ZETON (IAF)	COPUP (NOPT) (FB)	268.65 / 6.20	2000														
COPUP (IF/IAF)	JOXAG (FB)	358.59 / 6.00	1700														
JOXAG (FAF)	JELON/1.80 NM TO RW36 (FB)	358.59 / 3.38															
(SEE FORM 8260-10)																	
1. PT <u>      </u> SIDE OF COURSE <u>      </u> OUTBOUND <u>      </u> FT WITHIN <u>      </u> MILES OF <u>      </u> (IAF) 2. HOLD S COPUP, RT, 358.59 INBOUND, 2000 FT. IN LIEU OF PT (IAF) 3. FAC: 358.59 FAF: JOXAG DIST FAF TO MAP: 5.18 THLD: 5.18 4. MIN. ALT: COPUP 2000, JOXAG 1700, JELON/1.80 NM TO RW36 620* 5. DIST TO THLD FROM OM: <u>      </u> MM: <u>      </u> IM: <u>      </u> 150 HAT: <u>      </u> 100 HAT: <u>      </u> GS ANT: <u>      </u> 6. MIN GS INCPT: 1700 GS ALT AT: JOXAG 1700 OM: <u>      </u> MM: <u>      </u> IM: <u>      </u> 7. GS ANGLE: 3.00 TCH: 51.1 34:1 IS CLEAR 8. MSA FROM: RW36 2100				MAG VAR: 2E EPOCH YEAR: 1995													
<b>MINIMUMS</b>																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT		ALTERNATE: N A		STANDARD @													
CATEGORY =====>	A			B			C			D			E				
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
LPV DA	198	1/2	200	198	1/2	200	198	1/2	200	198	1/2	200					
LNAV/VNAV DA	248	1/2	250	248	1/2	250	248	1/2	250	248	1/2	250					
LNAV MDA	340	1/2	342	340	1/2	342	340	5/8	342	340	5/8	342					
CIRCLING	440	1	440	560	1	560	640	1 3/4	640	640	2	640					
<b>NOTES:</b> CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 54C (130F). CHART NOTE: FOR INOPERATIVE SSALR, INCREASE LNAV/VNAV ALL CATS VISIBILITY TO 3/4 MILE AND LNAV (SEE FORM 8260-10)																	
CITY AND STATE		ELEVATION: 0 TDZE: -2		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:							
GALLIANO, LA		AIRPORT NAME:		SOUTH LAFOURCHE LEONARD MILLER JR		RNAV		RNAV (GPS) RWY 36, AMDT 1 13 NOVEMBER 2014				AMDT: ORIG					
												DATED 09/25/2008					

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

FROM	TO	COURSE AND DISTANCE	ALTITUDE
JELON/1.80 NM TO RW36	RW36 (MAP) (FO)	358.59 / 1.80	
RW36 (MAP)	198 MSL	358.59	
198 MSL	HIKEN (FO)		2000

**NOTES, (CONT.):**

CAT C AND D VISIBILITY TO 1 MILE.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LOUIS ARMSTRONG NEW ORLEANS INTL ALTIMETER SETTING AND INCREASE ALL DA 77 FT AND ALL MDA 80 FT AND INCREASE LNAV/VNAV ALL CATS VISIBILITY 1/8 MILE, LNAV CAT C AND D VISIBILITY 1/8 MILE AND CIRCLING CAT C AND D VISIBILITY 1/4 MILE.

CHART NOTE: FOR INOPERATIVE SSALR, WHEN USING LOUIS ARMSTRONG NEW ORLEANS INTL ALTIMETER SETTING, INCREASE LPV AND LNAV/VNAV ALL CATS VISIBILITY 3/8 MILE.

CHART NOTE: BARO-VNAV AND VDP NA WHEN USING LOUIS ARMSTRONG NEW ORLEANS INTL ALTIMETER SETTING.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT TBD VORTAC ON V198-552 WESTBOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON HRV VORTAC AIRWAY RADIALS 128 CW 254.

CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.

CITY AND STATE

GALLIANO, LA

ELEVATION: 0

TDZE: -2

AIRPORT NAME:

SOUTH LAFOURCHE LEONARD MILLER JR

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 36, AMDT 1

13 NOVEMBER 2014

SUP:

AMDT: ORIG

DATED: 09/25/2008

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE GALLIANO, LA	ELEVATION: 0 AIRPORT NAME: SOUTH LAFOURCHE LEONARD MILLER JR	TDZE: -2	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 1 13 NOVEMBER 2014	SUP:
					AMDT:      ORIG
					DATED:      09/25/2008

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

CITY AND STATE GALLIANO, LA	ELEVATION: 0 AIRPORT NAME: SOUTH LAFOURCHE LEONARD MILLER JR	TDZE: -2	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 36, AMDT 1 13 NOVEMBER 2014	SUP:
					AMDT: ORIG
					DATED: 09/25/2008

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE 0  
SBAS SERVICE PROVIDER IDENTIFIER 0  
AIRPORT IDENTIFIER KGAO  
RUNWAY RW36  
APPROACH PERFORMANCE DESIGNATOR 0  
ROUTE INDICATOR 0  
REFERENCE PATH DATA SELECTOR W36A  
REFERENCE PATH IDENTIFIER (APPROACH ID) 292555.8035N  
LTP/FTP LATITUDE 0901540.4050W  
LTP/FTP LONGITUDE -00252  
LTP/FTP ELLIPSOIDAL HEIGHT 292725.1210N  
FPAP LATITUDE 0901539.3540W  
FPAP LONGITUDE 00051.1  
THRESHOLD CROSSING HEIGHT (TCH) F  
TCH UNITS SELECTOR (METERS OR FEET USED) 03.00  
GLIDEPATH ANGLE (GPA) 106.75  
COURSE WIDTH AT THRESHOLD 0768  
LENGTH OFFSET 40.0  
HORIZONTAL ALERT LIMIT (HAL) 35.0  
VERTICAL ALERT LIMIT (VAL)

CRC REMAINDER

3D48DAFB

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K4  
LTP ORTHOMETRIC HEIGHT -00006  
FPAP ORTHOMETRIC HEIGHT -00006

CITY AND STATE

GALLIANO, LA

ELEVATION: 0

TDZE: -2

AIRPORT NAME:

SOUTH LAFOURCHE LEONARD MILLER JR

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 36, AMDT 1

13 NOVEMBER 2014

SUP:

AMDT: ORIG

DATED: 09/25/2008

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KGAOK4FR36	ACOPUP	010COPUPK4EA0EE	AR	HF		35860040		+ 02000	18000		A JS	
SUSAP	KGAOK4FR36	AHRV	010HRV	K4D 0V	IF					18000		A JS	
SUSAP	KGAOK4FR36	AHRV	020ZETONK4EA0E	A	020TF		18960370		+ 02000			A JS	
SUSAP	KGAOK4FR36	AHRV	030COPUPK4EA0EE	B	010TF		26870062		+ 02000			A JS	
SUSAP	KGAOK4FR36	ATBD	010TBD	K4D 0V	IF					18000		A JS	
SUSAP	KGAOK4FR36	ATBD	020WROTHK4EA0E	A	020TF		13480343		+ 02000			A JS	
SUSAP	KGAOK4FR36	ATBD	030COPUPK4EA0EE	B	010TF		08850062		+ 02000			A JS	
SUSAP	KGAOK4FR36	R	010COPUPK4EA0E	I	IF				+ 02000	18000		A JS	
SUSAP	KGAOK4FR36	R	020JOXAGK4EA1E	F	051TF		35860060		+ 01700		RW36	K4PGA	JS
SUSAP	KGAOK4FR36	R	020JOXAGK4EA2WALPV			ALNAV/VNAV	ALNAV						JS
SUSAP	KGAOK4FR36	R	021JELONK4EA0E	S	031TF		35860034		V 0062000622		-300		A JS
SUSAP	KGAOK4FR36	R	030RW36	K4PGOGY	M	031TF	35860018		00049		-300		A JS
SUSAP	KGAOK4FR36	R	040		0	M	CA	3586	+ 00198				A JS
SUSAP	KGAOK4FR36	R	050HIKENK4EA0EY		DF				+ 02000				A JS
SUSAP	KGAOK4FR36	R	060HIKENK4EA0EE		R020HM		17860040		+ 02000				A JS

[illegible]

CITY AND STATE <b>GALLIANO, LA</b>	ELEVATION: <b>0</b>	TDZE: <b>-2</b>	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME:			<b>RNAV (GPS) RWY 36, AMDT 1</b>	AMDT: <b>ORIG</b>
	<b>SOUTH LAFOURCHE LEONARD MILLER JR</b>		<b>RNAV</b>	<b>13 NOVEMBER 2014</b>	DATED: <b>09/25/2008</b>

## **RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

CITY AND STATE <b>GALLIANO, LA</b>	ELEVATION: <b>0</b>	TDZE: <b>-2</b>	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: <b>SOUTH LAFOURCHE LEONARD MILLER JR</b>			<b>RNAV (GPS) RWY 36, AMDT 1</b>	AMDT: <b>ORIG</b>
		<b>RNAV</b>		<b>13 NOVEMBER 2014</b>	DATED: <b>09/25/2008</b>

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	COPUP	COPUP	010	IAF	HF	R	FO		358.6 (000.6T)	004.0	AA 02000	
HRV	HRV	HRV	010		IF		FB					
HRV	ZETON	ZETON	020	IAF	TF		FB	2.0	189.6 (191.6T)	037.0	AA 02000	
HRV	COPUP	COPUP	030		TF		FB	1.0	268.7 (270.7T)	006.2	AA 02000	
TBD	TBD	TBD	010		IF		FB					
TBD	WROTH	WROTH	020	IAF	TF		FB	2.0	134.8 (136.8T)	034.3	AA 02000	
TBD	COPUP	COPUP	030		TF		FB	1.0	088.5 (090.5T)	006.2	AA 02000	
	COPUP	COPUP	010	FACF	IF		FB				AA 02000	
	JOXAG	JOXAG	020	FAF	TF		FB	0.5	358.6 (000.6T)	006.0	AA 01700	
	JELON	JELON	021	SDF	TF		FB	0.3	358.6 (000.6T)	003.4	AA 00620	GS 00622
	RW36	RW36	030	MAP	TF		FO	0.3	358.6 (000.6T)	001.8	AT 00049	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		358.6 (000.6T)		AA 00198	
	HIKEN	050		DF		FO				AA 02000	
	HIKEN	060		HM	R	FO	2.0	178.6 (180.6T)	004.0	AA 02000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	HRV	N295100.70	W0900010.74	N2951.012	W09000.179
	TBD	N293951.56	W0904944.74	N2939.859	W09049.746
	COPUP	N291442.89	W0901548.31	N2914.715	W09015.805
	HIKEN	N293812.58	W0901531.72	N2938.210	W09015.529
	JELON	N292407.54	W0901541.68	N2924.126	W09015.695
	JOXAG	N292043.99	W0901544.07	N2920.733	W09015.735
	WROTH	N291446.55	W0902253.53	N2914.776	W09022.892
	ZETON	N291438.87	W0900843.09	N2914.648	W09008.719
	RW36	N292555.80	W0901540.41	N2925.930	W09015.674

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RWY			
RW36	-0002		51

CITY AND STATE <b>GALLIANO, LA</b>	ELEVATION: 0	TDZE: -2	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: <b>SOUTH LAFOURCHE LEONARD MILLER JR</b>		<b>RNAV</b>	<b>RNAV (GPS) RWY 36, AMDT 1</b>	AMDT: <b>ORIG</b>
				13 NOVEMBER 2014	DATED: <b>09/25/2008</b>