

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION NDB STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97. 27								Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.							
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: MDY NDB					
UJIXO WP		MDY NDB		261.57 / 126.18				2000		CLIMB TO 2000, THEN LEFT TURN DIRECT MDY NDB AND HOLD. ADDITIONAL FLIGHT DATA: HOLD E, RT, 243 INBOUND. FAS OBST: 208 SHIPS THRU OUT AREA. FAC CROSSES RWY CENTERLINE EXTENDED 4014 FEET FROM THLD.					
IDOCA WP		MDY NDB		116.01 / 171.73				2000							
1. PT <u>L</u> SIDE OF COURSE <u>063.00</u> OUTBOUND <u>1200</u> FT WITHIN <u>10</u> MILES OF <u>MDY NDB</u> (IAF) 2. _____ 3. FAC <u>243.00</u> FAF _____ DIST FAF TO MAP _____ THLD _____ 4. MIN. ALT _____ 8. MSA FROM: <u>MDY NDB 1300.</u>										MAG VAR: 10 E EPOCH YEAR: 85					
MINIMUMS															
TAKEOFF:	<input checked="" type="checkbox"/>	STANDARD	SEE FAA FORM 8260-15 FOR THIS AIRPORT				ALTERNATE: N A		STANDARD MONITORED (CAT 1) AT AT/ OPERATIONS.						
CATEGORY	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S - 24	560	1	553	560	1	553	560	1 1/2	553	560	1 3/4	553			
CIRCLING	560	1	547	560	1	547	560	1 1/2	547	580	2	567			
NOTES: <div style="text-align: center;">NO CONTROLLED AIRSPACE BELOW 5500 FEET.</div>															
CITY AND STATE				ELEVATION: 13 TDZE: 7		FACILITY IDENTIFIER:		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:				SUP			
SAND ISLAND, MIDWAY ATOLL, MQ				HENDERSON FIELD		MDY		20 MAY 99 NDB RWY 24, ORIGINAL				AMDT NONE			
												DATED			