

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.	
TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV/VNAV: DA LNAV: SESOC CLIMB TO 440 THEN CLIMBING LEFT TURN TO 2000 DIRECT AWOTA AND HOLD. ADDITIONAL FLIGHT DATA: HOLD S, RT, 007.37 INBOUND. CHART FAS OBST: 145 TWR 272942N/0802130W CHART W-497B. DISTANCE TO THLD FROM 389 HATH: 1.04 NM. FAC CROSSES RWY C/L EXTENDED 3001 FROM THLD.	
TRV VORTAC	VOYUT (FB)	118.54 / 20.63	2000		
VOYUT (IAF)	BRONG (FB)	202.15 / 6.20	2000		
JUDUD (IAF)	BRONG (FB)	022.13 / 6.50	2000		
BRONG (IF)	YADDU (FB)	292.14 / 6.20	1600		
YADDU (FAF)	TEGUC/2.00 NM TO SESOC (FB)	292.08 / 2.29			
TEGUC/2.00 NM TO SESOC (SEE FORM 8260-10)	SESOC (MAP) (FO)	292.07 / 2.00			

1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)	
2. PROFILE STARTS AT BRONG	
3. FAC: 292.08 FAF: YADDU DIST FAF TO MAP: 4.29 THLD: 4.77	
4. MIN. ALT: BRONG 2000, YADDU 1600, TEGUC/2.00 NM TO SESOC 860* *LNAV ONLY	
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____	
6. MIN GS INCPT: 1600 GS ALT AT: YADDU 1600 OM: _____ MM: _____ IM: _____	
7. GS ANGLE: 3.00 TCH: 59.3 34:1 IS NOT CLEAR	
8. MSA FROM: SESOC 2600	

MAG VAR: 7W EPOCH YEAR: 2015

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD @						
CATEGORY >>>>>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV/VNAV DA	410	1 1/4	389	410	1 1/4	389	410	1 1/4	389	410	1 1/4	389			
LNAV MDA	400	1	379	400	1	379	400	1	379	400	1	379			
CIRCLING	460	1	437	480	1	457	480	1 1/2	457	580	2	557			

NOTES:
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 43C (109F). @ NA WHEN LOCAL WEATHER NOT AVAILABLE.
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
 CHART PLANVIEW NOTE AT JUDUD : MAX 210 KIAS.
 (SEE FORM 8260-10)

CITY AND STATE	ELEVATION: 23 THRE: 21	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
FORT PIERCE, FL	AIRPORT NAME:		RNAV (GPS) RWY 28L, AMDT 1	AMDT: ORIG-A
	ST LUCIE COUNTY INTL		20 SEPTEMBER 2012	DATED 06/30/2011