

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
 LOC/DME STANDARD INSTRUMENT APPROACH PROCEDURE  
 FLIGHT STANDARDS SERVICE - FAR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES

MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE
SLT VORTAC (IAF)	MINSK INT/I-OYM 11.86 DME (NOPT)	252.61 / 14.01	4000
ETG VORTAC (IAF)	MINSK INT/I-OYM 11.86 DME (NOPT)	347.67 / 12.79	4000
MINSK INT/I-OYM 11.86 DME (IF/IAF)	LYCEE/I-OYM 5.86 DME	280.99 / 6.00 (I-OYM)	3600

RW28 OR AT I-OYM 0.83 DME FIX  
 CLIMBING RIGHT TURN TO 4000 VIA I-OYM EAST COURSE TO MINSK INT/I-OYM 11.86 DME AND HOLD.

ADDITIONAL FLIGHT DATA:  
 HOLD E, RT, 280.99 INBOUND.  
 CHART FAS OBST: 2379 TREE 412441N/0782533W  
 CHART 2439 TREE 412429N/0782503W.  
 CHART DUKE MOA.  
 CHART VDP AT 3.23 DME;  
 DISTANCE VDP TO THLD 2.41 MILES.  
 FETKU TO RW28: 3.10/39.

- PT        SIDE OF COURSE        OUTBOUND        FT WITHIN        MILES OF        (IAF)
- HOLD E MINSK, RT, 280.99 INBOUND, 4000 FT. IN LIEU OF PT (IAF)
- FAC 280.99 FAF LYCEE/I-OYM 5.86 DME DIST FAF TO MAP        THLD 5.03
- MIN. ALT MINSK 4000, LYCEE 3600, FETKU/I-OYM 4.13 DME 3060
- MSA FROM: ETG VORTAC 4200

MAG VAR: 11W EPOCH YEAR: 2005

TAKEOFF:		STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: N A			X						
CATEGORY		A			B			C			D			E		
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-28		2740	3/4	806	2740	1 1/4	806	2740	2 1/4	806	2740	2 1/2	806			
CIRCLING		2740	1	806	2740	1 1/4	806	2740	2 1/4	806	2800	2 3/4	866			

NOTES:

CHART NOTE: INOPERATIVE TABLE DOES NOT APPLY TO CATS B AND C.  
 CHART NOTE: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE BRADFORD ALTIMETER SETTING AND INCREASE ALL MDAS 240 FEET.  
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ETG VORTAC ON AIRWAY RADIALS 290 CW 338, AND CONTINUED ON PAGE 2

CITY AND STATE ST MARYS, PA	ELEVATION: 1934 TDZE: 1934 AIRPORT NAME: ST MARYS MUNI	FACILITY IDENTIFIER: I-OYM	PROCEDURE NO./ AMDT NO./ EFFECTIVE DATE: LOC/DME RWY 28, AMDT 4 JUL - 5 2007	SUP AMDT 3 DATE 07/07/2005
--------------------------------	--	-------------------------------	--	----------------------------------

LOC/DME STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - - FAR PART 97.25

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

## NOTES CONT.

ARRIVALS AT SLT VORTAC ON AIRWAY RADIALS 289 CW 308.

CHART NOTE: VDP NA WHEN USING BRADFORD ALTIMETER SETTING.

CITY AND STATE

ST MARYS, PA

ELEVATION: 1934 TDZE: 1934

AIRPORT NAME:

ST MARYS MUNI

FACILITY  
IDENTIFIER:

I-OYM

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

LOC/DME RWY 28, AMDT 4

JUL - 5 2007

SUP:

AMDT: 3

DATED: 07/07/2005