

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23							Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO			COURSE AND DISTANCE			ALTITUDE		MAP: MGW 23.97 DME FIX					
MGW VORTAC (IAF)		MOHLR/MGW 12.00 DME			091.57 / 12.00			5000		CLIMB TO 3500 THEN CLIMBING RIGHT TURN TO 5000 DIRECT MGW VORTAC AND HOLD.					
MOHLR/MGW 12.00 DME (IF)		LEASE/MGW 19.00 DME			091.57 / 7.00 (MGW R-092)			4600							
										ADDITIONAL FLIGHT DATA: HOLD W, RT, 091.57 INBOUND. CHART FAS OBST: 3199 TREE 393255N/0792209W LEASE TO RW09: 3.08/44. CHART CIRCLING ICON					
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)										MAG VAR: 5W EPOCH YEAR: 1965					
2. PROFILE STARTS AT MGW VORTAC															
3. FAC 091.57 FAF LEASE/MGW 19.00 DME DIST FAF TO MAP _____ THLD 4.97															
4. MIN. ALT MOHLR 5000, MOHLR 5000, LEASE 4600															
8. MSA FROM: MGW VORTAC 360-180 5000, 180-270 4400, 270-360 3600															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		X						
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-09	3460	1	527	3460	1	527	3460	1 1/2	527		NA				
CIRCLING	3460	1	527	3460	1	527	3500	1 1/2	567		NA				
NOTES:															
CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON MGW VORTAC AIRWAY RADIALS 101 CW 121. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MORGANTOWN ALTIMETER SETTING AND INCREASE ALL MDA 300 FEET. INCREASE S-09 CAT B AND CIRCLING CAT B VISIBILITY TO 1 1/4 MILE AND S-09 CAT C AND CIRCLING CAT C VISIBILITY TO 2 1/2 MILE.															
CITY AND STATE OAKLAND, MD		ELEVATION: 2933 AIRPORT NAME:		TDZE: 2933 GARRETT COUNTY		FACILITY IDENTIFIER: MGW		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR/DME RWY 9, ORIG-A 21 JULY 2016				SUP AMDT ORIG DATE 01/08/2015			

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.23

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 2G4

ROUTES

TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
MGW	010	MGW	IF	FB										V A
MGW	020	MOHLR	CF	FB		091.6	MGW					AA 05000		EE B
	010	MOHLR	IF	FB								AA 05000		E I
	020	LEASE	CF	FB		091.6	MGW			MGW		AA 04600		E F
	030	RW09	CF	FO		091.6	MGW	3.08				AT 02977		GY M
	040		CA	FB		091.6						AA 03500		M
	050	MGW	DF	FO					R			AA 05000		VY
	060	MGW	HM	FO		091.6			R			AA 05000		VE

POINTS

POINT NAME	LATITUDE	LONGITUDE
MGW	N393324.10	W0795137.42
LEASE	N393429.77	W0792705.72
MOHLR	N393406.18	W0793608.01

RUNWAYS

RUNWAY	THRESHOLD LATITUDE	THRESHOLD LONGITUDE	THRESHOLD ELEVATION	PROCEDURE TCH
RW09	N393446.19	W0792040.70	02933	44.0

QUALITY
15
CHECKED

CITY AND STATE OAKLAND, MD	ELEVATION: 2933 TDZE: 2933 AIRPORT NAME: GARRETT COUNTY	FACILITY IDENTIFIER: MGW	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: VOR/DME RWY 9, ORIG-A 21 JULY 2016	SUP:
				AMDT: ORIG
				DATED: 01/08/2015